



Stone

# Smart Contract Audit Report

# TABLE OF CONTENTS

## Audited Details

- Audited Project
- Blockchain
- Addresses
- Project Website
- Codebase

## Summary

- Contract Summary
- Audit Findings Summary
- Vulnerabilities Summary

## Conclusion

## Audit Results

## Smart Contract Analysis

- Detected Vulnerabilities

## Disclaimer

## About Us

# AUDITED DETAILS

## Audited Project

Project name	Token ticker	Blockchain
Stone	ONE	Ethereum

## Addresses

Contract address	0x73A83269b9bbAFC427E76Be0A2C1a1db2a26f4C2
Contract deployer address	0x46DaD8f630736C7265849422F943efD77CB8714f

## Project Website

<https://civfund.org/stone/>

## Codebase

<https://etherscan.io/address/0x73A83269b9bbAFC427E76Be0A2C1a1db2a26f4C2#code>

# SUMMARY

While \$CIV remains the Civilization's ecosystem Store of Value, \$ONE (Stone) plays the role of the utility token of the Civilization ecosystem.

## Contract Summary

### Documentation Quality

Stone provides a very good documentation with standard of solidity base code.

- The technical description is provided clearly and structured and also dont have any high risk issue.

### Code Quality

The Overall quality of the basecode is standard.

- Standard solidity basecode and rules are already followed by Stone with the discovery of several low issues.

### Test Coverage

Test coverage of the project is 100% ( Through Codebase )

## Audit Findings Summary

- SWC-103 | Pragma statements can be allowed to float when a contract is intended on lines 11, 38, 108, 188, 405, 712, 904, 980, 1070, 1197 and 1246.
- SWC-107 | It is recommended to use a reentrancy lock, reentrancy weaknesses detected on lines 828.
- SWC-110 SWC-123 | It is recommended to use of revert(), assert(), and require() in Solidity, and the new REVERT opcode in the EVM on lines 828.
- SWC-113 SWC-128 | It is recommended to implement the contract logic to handle failed calls and block gas limit on lines 828.

## CONCLUSION

We have audited the Stone project released on April 2022 to discover issues and identify potential security vulnerabilities in Stone Project. This process is used to find technical issues and security loopholes which might be found in the smart contract.

The security audit report provides a satisfactory result with some low-risk issues.

The issues found in the Stone smart contract code do not pose a considerable risk. The writing of the contract is close to the standard of writing contracts in general. The low-risk issues found are a floating pragma is set, a call to a user-supplied address is executed, multiple calls are executed in the same transaction, and Requirement violation. We recommend specifying a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code. A requirement was violated in a nested call and the call was reverted as a result. Make sure valid inputs are provided to the nested call (for instance, via passed arguments). For "A call to a user-supplied address is executed" issue we recommend using an external message call to an address specified by the caller is executed. Note that the callee account might contain arbitrary code and could re-enter any function within this contract. Reentering the contract in an intermediate state may lead to unexpected behavior. Make sure that no state modifications are executed after this call and/or reentrancy guards are in place.

# AUDIT RESULT

Article	Category	Description	Result
Default Visibility	SWC-100 SWC-108	Functions and state variables visibility should be set explicitly. Visibility levels should be specified consciously.	PASS
Integer Overflow and Underflow	SWC-101	If unchecked math is used, all math operations should be safe from overflows and underflows.	PASS
Outdated Compiler Version	SWC-102	It is recommended to use a recent version of the Solidity compiler.	PASS
Floating Pragma	SWC-103	Contracts should be deployed with the same compiler version and flags that they have been tested thoroughly.	ISSUE FOUND
Unchecked Call Return Value	SWC-104	The return value of a message call should be checked.	PASS
Unprotected Ether Withdrawal	SWC-105	Due to missing or insufficient access controls, malicious parties can withdraw from the contract.	PASS
SELFDESTRUCT Instruction	SWC-106	The contract should not be self-destructible while it has funds belonging to users.	PASS
Reentrancy	SWC-107	Check effect interaction pattern should be followed if the code performs recursive call.	ISSUE FOUND
Uninitialized Storage Pointer	SWC-109	Uninitialized local storage variables can point to unexpected storage locations in the contract.	PASS
Assert Violation	SWC-110 SWC-123	Properly functioning code should never reach a failing assert statement.	ISSUE FOUND
Deprecated Solidity Functions	SWC-111	Deprecated built-in functions should never be used.	PASS
Delegate call to Untrusted Callee	SWC-112	Delegatecalls should only be allowed to trusted addresses.	PASS

DoS (Denial of Service)	SWC-113 SWC-128	Execution of the code should never be blocked by a specific contract state unless required.	<b>ISSUE FOUND</b>
Race Conditions	SWC-114	Race Conditions and Transactions Order Dependency should not be possible.	<b>PASS</b>
Authorization through tx.origin	SWC-115	tx.origin should not be used for authorization.	<b>PASS</b>
Block values as a proxy for time	SWC-116	Block numbers should not be used for time calculations.	<b>PASS</b>
Signature Unique ID	SWC-117 SWC-121 SWC-122	Signed messages should always have a unique id. A transaction hash should not be used as a unique id.	<b>PASS</b>
Incorrect Constructor Name	SWC-118	Constructors are special functions that are called only once during the contract creation.	<b>PASS</b>
Shadowing State Variable	SWC-119	State variables should not be shadowed.	<b>PASS</b>
Weak Sources of Randomness	SWC-120	Random values should never be generated from Chain Attributes or be predictable.	<b>PASS</b>
Write to Arbitrary Storage Location	SWC-124	The contract is responsible for ensuring that only authorized user or contract accounts may write to sensitive storage locations.	<b>PASS</b>
Incorrect Inheritance Order	SWC-125	When inheriting multiple contracts, especially if they have identical functions, a developer should carefully specify inheritance in the correct order. The rule of thumb is to inherit contracts from more /general/ to more /specific/.	<b>PASS</b>
Insufficient Gas Griefing	SWC-126	Insufficient gas griefing attacks can be performed on contracts which accept data and use it in a sub-call on another contract.	<b>PASS</b>
Arbitrary Jump Function	SWC-127	As Solidity doesnt support pointer arithmetics, it is impossible to change such variable to an arbitrary value.	<b>PASS</b>

Typographical Error	SWC-129	A typographical error can occur for example when the intent of a defined operation is to sum a number to a variable.	PASS
Override control character	SWC-130	Malicious actors can use the Right-To-Left-Override unicode character to force RTL text rendering and confuse users as to the real intent of a contract.	PASS
Unused variables	SWC-131 SWC-135	Unused variables are allowed in Solidity and they do not pose a direct security issue.	PASS
Unexpected Ether balance	SWC-132	Contracts can behave erroneously when they strictly assume a specific Ether balance.	PASS
Hash Collisions Variable	SWC-133	Using <code>abi.encodePacked()</code> with multiple variable length arguments can, in certain situations, lead to a hash collision.	PASS
Hardcoded gas amount	SWC-134	The <code>transfer()</code> and <code>send()</code> functions forward a fixed amount of 2300 gas.	PASS
Unencrypted Private Data	SWC-136	It is a common misconception that private type variables cannot be read.	PASS



# SMART CONTRACT ANALYSIS

Started	Sunday Apr 24 2022 12:59:58 GMT+0000 (Coordinated Universal Time)
Finished	Monday Apr 25 2022 22:47:07 GMT+0000 (Coordinated Universal Time)
Mode	Standard
Main Source File	Stone.sol

## Detected Issues

ID	Title	Severity	Status
SWC-103	A FLOATING PRAGMA IS SET.	low	acknowledged
SWC-103	A FLOATING PRAGMA IS SET.	low	acknowledged
SWC-103	A FLOATING PRAGMA IS SET.	low	acknowledged
SWC-103	A FLOATING PRAGMA IS SET.	low	acknowledged
SWC-103	A FLOATING PRAGMA IS SET.	low	acknowledged
SWC-103	A FLOATING PRAGMA IS SET.	low	acknowledged
SWC-103	A FLOATING PRAGMA IS SET.	low	acknowledged
SWC-103	A FLOATING PRAGMA IS SET.	low	acknowledged
SWC-103	A FLOATING PRAGMA IS SET.	low	acknowledged
SWC-103	A FLOATING PRAGMA IS SET.	low	acknowledged
SWC-103	A FLOATING PRAGMA IS SET.	low	acknowledged
SWC-103	A FLOATING PRAGMA IS SET.	low	acknowledged
SWC-107	A CALL TO A USER-SUPPLIED ADDRESS IS EXECUTED.	low	acknowledged
SWC-113	MULTIPLE CALLS ARE EXECUTED IN THE SAME TRANSACTION.	low	acknowledged
SWC-123	REQUIREMENT VIOLATION.	low	acknowledged

## SWC-103 | A FLOATING PRAGMA IS SET.

LINE 11

### low SEVERITY

The current pragma Solidity directive is `">=0.6.0<0.8.0"`. It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

### Source File

- Stone.sol

### Locations

```
10
11  pragma solidity >=0.6.0 <0.8.0;
12
13  /*
14   * @dev Provides information about the current execution context, including the
15
```

## SWC-103 | A FLOATING PRAGMA IS SET.

LINE 38

### low SEVERITY

The current pragma Solidity directive is ""^0.7.0"". It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

### Source File

- Stone.sol

### Locations

```
37
38  pragma solidity ^0.7.0;
39
40  /**
41   * @dev Contract module which provides a basic access control mechanism, where
42
```

## SWC-103 | A FLOATING PRAGMA IS SET.

LINE 108

### low SEVERITY

The current pragma Solidity directive is `^0.7.0`. It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

### Source File

- Stone.sol

### Locations

```
107
108  pragma solidity ^0.7.0;
109
110  /**
111   * @dev Interface of the ERC20 standard as defined in the EIP.
112
```

## SWC-103 | A FLOATING PRAGMA IS SET.

LINE 188

### low SEVERITY

The current pragma Solidity directive is ""^0.7.0"". It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

### Source File

- Stone.sol

### Locations

```
187
188 pragma solidity ^0.7.0;
189
190 /**
191  * @dev Wrappers over Solidity's arithmetic operations with added overflow
192
```

## SWC-103 | A FLOATING PRAGMA IS SET.

LINE 405

### low SEVERITY

The current pragma Solidity directive is ""^0.7.0"". It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

### Source File

- Stone.sol

### Locations

```
404
405  pragma solidity ^0.7.0;
406
407
408
409
```

## SWC-103 | A FLOATING PRAGMA IS SET.

LINE 712

### low SEVERITY

The current pragma Solidity directive is ""^0.7.0"". It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

### Source File

- Stone.sol

### Locations

```
711
712  pragma solidity ^0.7.0;
713
714  /**
715   * @dev Collection of functions related to the address type
716
```

## SWC-103 | A FLOATING PRAGMA IS SET.

LINE 904

### low SEVERITY

The current pragma Solidity directive is ""^0.7.0"". It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

### Source File

- Stone.sol

### Locations

```
903
904  pragma solidity ^0.7.0;
905
906
907
908
```



## SWC-103 | A FLOATING PRAGMA IS SET.

LINE 980

### low SEVERITY

The current pragma Solidity directive is ""^0.7.0"". It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

### Source File

- Stone.sol

### Locations

```
979
980 pragma solidity ^0.7.0;
981
982 /**
983  * @dev Contract module which allows children to implement an emergency stop
984
```

## SWC-103 | A FLOATING PRAGMA IS SET.

LINE 1070

### low SEVERITY

The current pragma Solidity directive is `">=0.4.0<0.8.0"`. It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

### Source File

- Stone.sol

### Locations

```
1069
1070  pragma solidity >=0.4.0 <0.8.0;
1071
1072  /// @title Contains 512-bit math functions
1073  /// @notice Facilitates multiplication and division that can have overflow of an
intermediate value without any loss of precision
1074
```

## SWC-103 | A FLOATING PRAGMA IS SET.

LINE 1197

### low SEVERITY

The current pragma Solidity directive is "">=0.7.0"". It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

### Source File

- Stone.sol

### Locations

```
1196
1197  pragma solidity >=0.7.0;
1198
1199  /// @title Optimized overflow and underflow safe math operations
1200  /// @notice Contains methods for doing math operations that revert on overflow or
underflow for minimal gas cost
1201
```

## SWC-103 | A FLOATING PRAGMA IS SET.

LINE 1246

### low SEVERITY

The current pragma Solidity directive is ""^0.7.6"". It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

### Source File

- Stone.sol

### Locations

```
1245
1246  pragma solidity ^0.7.6;
1247
1248
1249
1250
```

## SWC-107 | A CALL TO A USER-SUPPLIED ADDRESS IS EXECUTED.

LINE 828

### low SEVERITY

An external message call to an address specified by the caller is executed. Note that the callee account might contain arbitrary code and could re-enter any function within this contract. Reentering the contract in an intermediate state may lead to unexpected behaviour. Make sure that no state modifications are executed after this call and/or reentrancy guards are in place.

### Source File

- Stone.sol

### Locations

```
827 // solhint-disable-next-line avoid-low-level-calls
828 (bool success, bytes memory returndata) = target.call{ value: value }(data);
829 return _verifyCallResult(success, returndata, errorMessage);
830 }
831
832
```

# SWC-113 | MULTIPLE CALLS ARE EXECUTED IN THE SAME TRANSACTION.

LINE 828

## low SEVERITY

This call is executed following another call within the same transaction. It is possible that the call never gets executed if a prior call fails permanently. This might be caused intentionally by a malicious callee. If possible, refactor the code such that each transaction only executes one external call or make sure that all callees can be trusted (i.e. they're part of your own codebase).

## Source File

- Stone.sol

## Locations

```
827 // solhint-disable-next-line avoid-low-level-calls
828 (bool success, bytes memory returndata) = target.call{ value: value }(data);
829 return _verifyCallResult(success, returndata, errorMessage);
830 }
831
832
```

## SWC-123 | REQUIREMENT VIOLATION.

LINE 828

### low SEVERITY

A requirement was violated in a nested call and the call was reverted as a result. Make sure valid inputs are provided to the nested call (for instance, via passed arguments).

### Source File

- Stone.sol

### Locations

```
827 // solhint-disable-next-line avoid-low-level-calls
828 (bool success, bytes memory returndata) = target.call{ value: value }(data);
829 return _verifyCallResult(success, returndata, errorMessage);
830 }
831
832
```

# DISCLAIMER

This report is subject to the terms and conditions (including without limitation, description of services, confidentiality, disclaimer and limitation of liability) set forth in the Services Agreement, or the scope of services, and terms and conditions provided to you (“Customer” or the “Company”) in connection with the Agreement. This report provided in connection with the Services set forth in the Agreement shall be used by the Company only to the extent permitted under the terms and conditions set forth in the Agreement. This report may not be transmitted, disclosed, referred to, or relied upon by any person for any purposes, nor may copies be delivered to any other person other than the Company, without Sysfixed’s prior written consent in each instance.

This report is not, nor should be considered, an “endorsement” or “disapproval” of any particular project or team. This report is not, nor should be considered, an indication of the economics or value of any “product” or “asset” created by any team or project that contracts Sysfixed to perform a security assessment. This report does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors, business, business model, or legal compliance.

This is a limited report on our findings based on our analysis, in accordance with good industry practice as of the date of this report, in relation to cybersecurity vulnerabilities and issues in the framework and algorithms based on smart contracts, the details of which are set out in this report. In order to get a full view of our analysis, it is crucial for you to read the full report. While we have done our best in conducting our analysis and producing this report, it is important to note that you should not rely on this report and cannot claim against us on the basis of what it says or doesn’t say, or how we produced it, and it is important for you to conduct your own independent investigations before making any decisions. We go into more detail on this in the below disclaimer below – please make sure to read it in full.

This report should not be used in any way to make decisions around investment or involvement with any particular project. This report in no way provides investment advice, nor should be leveraged as investment advice of any sort. This report represents an extensive assessing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

This report is provided for information purposes only and on a non-reliance basis and does not constitute investment advice. No one shall have any right to rely on the report or its contents, and Sysfixed and its affiliates (including holding companies, shareholders, subsidiaries, employees, directors, officers, and other representatives) (Sysfixed) owe no duty of care.



## ABOUT US

Sysfixed is a blockchain security certification organization established in 2021 with the objective to provide smart contract security services and verify their correctness in blockchain-based protocols. Sysfixed automatically scans for security vulnerabilities in Ethereum and other EVM-based blockchain smart contracts. Sysfixed a comprehensive range of analysis techniques—including static analysis, dynamic analysis, and symbolic execution—can accurately detect security vulnerabilities to provide an in-depth analysis report. With a vibrant ecosystem of world-class integration partners that amplify developer productivity, Sysfixed can be utilized in all phases of your project's lifecycle. Our team of security experts is dedicated to the research and improvement of our tools and techniques used to fortify your code.