

Kanagawa Nami Smart Contract Audit Report





# **TABLE OF CONTENTS**

# | Audited Details

- Audited Project
- Blockchain
- Addresses
- Project Website
- Codebase

# Summary

- Contract Summary
- Audit Findings Summary
- Vulnerabilities Summary

# Conclusion

# | Audit Results

# Smart Contract Analysis

- Detected Vulnerabilities
- Disclaimer
- About Us



# **AUDITED DETAILS**

# Audited Project

| Project name  | Token ticker | Blockchain |
|---------------|--------------|------------|
| Kanagawa Nami | Okinami      | Ethereum   |

# Addresses

| Contract address          | 0x1c4853ec0d55e420002c5efabc7ed8e0ba7a4121 |  |
|---------------------------|--|--|
| Contract deployer address | 0x93629a98Cb116B96E8fe9b782C5f95AFd1f5E5a2 |  |

# Project Website

https://kanagawanami.com/

# Codebase

https://ethers can.io/address/0x1c4853ec0d55e420002c5efabc7ed8e0ba7a4121#code



# **SUMMARY**

Okinami is a community-driven token supporting the idea of decentralization with future rewards to the holders of the token and the supporters of the community.

# Contract Summary

#### **Documentation Quality**

Kanagawa Nami provides a very good documentation with standard of solidity base code.

• The technical description is provided clearly and structured and also dont have any high risk issue.

### **Code Quality**

The Overall quality of the basecode is standard.

 Standard solidity basecode and rules are already followed by Kanagawa Nami with the discovery of several low issues.

#### **Test Coverage**

Test coverage of the project is 100% (Through Codebase)

# Audit Findings Summary

- SWC-101 | It is recommended to use vetted safe math libraries for arithmetic operations consistently on lines 77, 92, 100, 101, 115, 169, 169, 170, 170, 195, 195, 196, 196, 197, 197, 346, 425 and 577.
- SWC-103 | Pragma statements can be allowed to float when a contract is intended on lines 6.
- SWC-110 SWC-123 | It is recommended to use of revert(), assert(), and require() in Solidity, and the new REVERT opcode in the EVM on lines 392, 393, 426 and 578.



# CONCLUSION

We have audited the Kanagawa Nami project released on July 2022 to discover issues and identify potential security vulnerabilities in Kanagawa Nami Project. This process is used to find technical issues and security loopholes which might be found in the smart contract.

The security audit report provides a satisfactory result with some low-risk issues.

The issues found in the Kanagawa Nami smart contract code do not pose a considerable risk. The writing of the contract is close to the standard of writing contracts in general. The low-risk issues found are some arithmetic operation issues, a floating pragma is set, and out-of-bounds array access which the index access expression can cause an exception in case of the use of an invalid array index value.



# **AUDIT RESULT**

| Article                              | Category           | Description   | Result |
|--------------------------------------|--------------------|---|--------|
| Default Visibility                   | SWC-100<br>SWC-108 | Functions and state variables visibility should be set explicitly. Visibility levels should be specified consciously. | PASS   |
| Integer Overflow<br>and Underflow    | SWC-101            | If unchecked math is used, all math operations should be safe from overflows and underflows.                          |        |
| Outdated Compiler<br>Version         | SWC-102            | It is recommended to use a recent version of the Solidity compiler.   | PASS   |
| Floating Pragma                      | SWC-103            | Contracts should be deployed with the same compiler version and flags that they have been tested thoroughly.          |        |
| Unchecked Call<br>Return Value       | SWC-104            | The return value of a message call should be checked.   |        |
| Unprotected Ether<br>Withdrawal      | SWC-105            | Due to missing or insufficient access controls, malicious parties can withdraw from the contract.                     |        |
| SELFDESTRUCT<br>Instruction          | SWC-106            | The contract should not be self-destructible while it has funds belonging to users.                                   |        |
| Reentrancy                           | SWC-107            | Check effect interaction pattern should be followed if the code performs recursive call.                              |        |
| Uninitialized<br>Storage Pointer     | SWC-109            | Uninitialized local storage variables can point to unexpected storage locations in the contract.                      |        |
| Assert Violation                     | SWC-110<br>SWC-123 | Properly functioning code should never reach a failing assert statement.  |        |
| Deprecated Solidity Functions        | SWC-111            | Deprecated built-in functions should never be used.   |        |
| Delegate call to<br>Untrusted Callee | SWC-112            | Delegatecalls should only be allowed to trusted addresses.  |        |



| DoS (Denial of Service)  | SWC-113<br>SWC-128   | Execution of the code should never be blocked by a specific contract state unless required.                                     |      |
|--|--|---|------|
| Race Conditions  | SWC-114  | Race Conditions and Transactions Order Dependency should not be possible.   |      |
| Authorization<br>through tx.origin   | SWC-115  | tx.origin should not be used for authorization.   |      |
| Block values as a proxy for time   | SWC-116  | Block numbers should not be used for time calculations.   |      |
| Signature Unique<br>ID   | SWC-117<br>SWC-121<br>SWC-122                                    | Signed messages should always have a unique id. A transaction hash should not be used as a unique id.                           |      |
| Incorrect<br>Constructor Name  | SWC-118  | Constructors are special functions that are called only once during the contract creation.                                      |      |
| Shadowing State<br>Variable  | SWC-119  | State variables should not be shadowed.   |      |
| Weak Sources of<br>Randomness  | SWC-120  | Random values should never be generated from Chain Attributes or be predictable.  |      |
| Write to Arbitrary<br>Storage Location   | SWC-124 User or contract accounts may write to sensitive storage |   | PASS |
| Incorrect Inheritance Order  When inheriting multiple contracts, especially if they have identical functions, a developer should carefully specify inheritance in the correct order. The rule of thumb is to inherit contracts from more /general/ to more /specific/. |  | PASS  |      |
| Insufficient Gas<br>Griefing   | SWC-126  | Insufficient gas griefing attacks can be performed on contracts which accept data and use it in a sub-call on another contract. |      |
| Arbitrary Jump<br>Function   | SWC-127  | As Solidity doesnt support pointer arithmetics, it is impossible to change such variable to an arbitrary value.                 | PASS |



| Typographical<br>Error      | SWC-129            | A typographical error can occur for example when the intent of a defined operation is to sum a number to a variable.                                     |      |
|-----------------------------|--------------------|--|------|
| Override control character  | SWC-130            | Malicious actors can use the Right-To-Left-Override unicode character to force RTL text rendering and confuse users as to the real intent of a contract. |      |
| Unused variables            | SWC-131<br>SWC-135 | Unused variables are allowed in Solidity and they do not pose a direct security issue.   |      |
| Unexpected Ether balance    | SWC-132            | Contracts can behave erroneously when they strictly assume a specific Ether balance.   |      |
| Hash Collisions<br>Variable | SWC-133            | Using abi.encodePacked() with multiple variable length arguments can, in certain situations, lead to a hash collision.                                   |      |
| Hardcoded gas<br>amount     | SWC-134            | The transfer() and send() functions forward a fixed amount of 2300 gas.  |      |
| Unencrypted<br>Private Data | SWC-136            | It is a common misconception that private type variables cannot be read.   | PASS |



# **SMART CONTRACT ANALYSIS**

| Started          | Thursday Jul 21 2022 22:26:00 GMT+0000 (Coordinated Universal Time) |  |  |
|------------------|---|--|--|
| Finished         | Friday Jul 22 2022 10:40:45 GMT+0000 (Coordinated Universal Time)   |  |  |
| Mode             | Standard  |  |  |
| Main Source File | GW0KToken.sol   |  |  |

# Detected Issues

| ID      | Title                                | Severity | Status       |
|---------|--------------------------------------|----------|--------------|
| SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED  | low      | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED  | low      | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED  | low      | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED  | low      | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED  | low      | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED  | low      | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "**" DISCOVERED | low      | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED  | low      | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "%" DISCOVERED  | low      | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED  | low      | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "**" DISCOVERED | low      | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED  | low      | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "**" DISCOVERED | low      | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED  | low      | acknowledged |



| SWC-101 | ARITHMETIC OPERATION "**" DISCOVERED | low | acknowledged |
|---------|--------------------------------------|-----|--------------|
| SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED  | low | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "++" DISCOVERED | low | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "++" DISCOVERED | low | acknowledged |
| SWC-103 | A FLOATING PRAGMA IS SET.            | low | acknowledged |
| SWC-110 | OUT OF BOUNDS ARRAY ACCESS           | low | acknowledged |
| SWC-110 | OUT OF BOUNDS ARRAY ACCESS           | low | acknowledged |
| SWC-110 | OUT OF BOUNDS ARRAY ACCESS           | low | acknowledged |
| SWC-110 | OUT OF BOUNDS ARRAY ACCESS           | low | acknowledged |
|         |                                      |     |              |



# SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 77

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- GWOKToken.sol

```
function add(uint256 a, uint256 b) internal pure returns (uint256) {
   uint256 c = a + b;
   require(c >= a, "SafeMath: addition overflow");
   return c;
   80 }
81
```



# SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 92

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- GWOKToken.sol

```
91 require(b <= a, errorMessage);
92    uint256 c = a - b;
93    return c;
94  }
95
96</pre>
```



# SWC-101 | ARITHMETIC OPERATION "\*" DISCOVERED

**LINE 100** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- GWOKToken.sol

```
99 }
100    uint256 c = a * b;
101    require(c / a == b, "SafeMath: multiplication overflow");
102    return c;
103 }
104
```



# SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

**LINE 101** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- GWOKToken.sol

```
100    uint256    c = a * b;
101    require(c / a == b, "SafeMath: multiplication overflow");
102    return c;
103    }
104
105
```



# SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

**LINE 115** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- GWOKToken.sol

```
114  require(b > 0, errorMessage);
115  uint256 c = a / b;
116  return c;
117  }
118  }
119
```



# SWC-101 | ARITHMETIC OPERATION "\*" DISCOVERED

**LINE** 169

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- GWOKToken.sol

```
uint256 private constant MAX = ~uint256(0);
uint256 private constant _tTotal = 10000000000 * 10**9;
uint256 private _rTotal = (MAX - (MAX % _tTotal));
uint256 private _tFeeTotal;
uint256 private _redisFeeOnBuy = 0;
173
```



# SWC-101 | ARITHMETIC OPERATION "\*\*" DISCOVERED

**LINE** 169

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- GWOKToken.sol

```
uint256 private constant MAX = ~uint256(0);
uint256 private constant _tTotal = 10000000000 * 10**9;
uint256 private _rTotal = (MAX - (MAX % _tTotal));
uint256 private _tFeeTotal;
uint256 private _redisFeeOnBuy = 0;
```



# SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

**LINE 170** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- GWOKToken.sol

```
uint256 private constant _tTotal = 10000000000 * 10**9;
uint256 private _rTotal = (MAX - (MAX % _tTotal));
uint256 private _tFeeTotal;
uint256 private _redisFeeOnBuy = 0;
uint256 private _taxFeeOnBuy = 0;
173 uint256 private _taxFeeOnBuy = 0;
```



# SWC-101 | ARITHMETIC OPERATION "%" DISCOVERED

**LINE 170** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- GWOKToken.sol

```
uint256 private constant _tTotal = 10000000000 * 10**9;
uint256 private _rTotal = (MAX - (MAX % _tTotal));
uint256 private _tFeeTotal;
uint256 private _redisFeeOnBuy = 0;
uint256 private _taxFeeOnBuy = 0;
173 uint256 private _taxFeeOnBuy = 0;
```



# SWC-101 | ARITHMETIC OPERATION "\*" DISCOVERED

**LINE 195** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- GWOKToken.sol

```
194
195    uint256    public _maxTxAmount = 20000000 * 10**9;
196    uint256    public _maxWalletSize = 20000000 * 10**9;
197    uint256    public _swapTokensAtAmount = 10000 * 10**9;
198
199
```



# SWC-101 | ARITHMETIC OPERATION "\*\*" DISCOVERED

**LINE 195** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- GWOKToken.sol

```
194
195    uint256    public _maxTxAmount = 20000000 * 10**9;
196    uint256    public _maxWalletSize = 20000000 * 10**9;
197    uint256    public _swapTokensAtAmount = 10000 * 10**9;
198
199
```



# SWC-101 | ARITHMETIC OPERATION "\*" DISCOVERED

**LINE 196** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- GWOKToken.sol

```
195    uint256    public _maxTxAmount = 20000000 * 10**9;
196    uint256    public _maxWalletSize = 20000000 * 10**9;
197    uint256    public _swapTokensAtAmount = 10000 * 10**9;
198
199    event MaxTxAmountUpdated(uint256 _maxTxAmount);
200
```



# SWC-101 | ARITHMETIC OPERATION "\*\*" DISCOVERED

**LINE 196** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- GWOKToken.sol

```
195    uint256    public _maxTxAmount = 20000000 * 10**9;
196    uint256    public _maxWalletSize = 20000000 * 10**9;
197    uint256    public _swapTokensAtAmount = 10000 * 10**9;
198
199    event MaxTxAmountUpdated(uint256 _maxTxAmount);
200
```



# SWC-101 | ARITHMETIC OPERATION "\*" DISCOVERED

**LINE 197** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- GWOKToken.sol

```
uint256 public _maxWalletSize = 20000000 * 10**9;
uint256 public _swapTokensAtAmount = 10000 * 10**9;

198

199    event MaxTxAmountUpdated(uint256 _maxTxAmount);

200    modifier lockTheSwap {
201
```



# SWC-101 | ARITHMETIC OPERATION "\*\*" DISCOVERED

**LINE 197** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- GWOKToken.sol

```
uint256 public _maxWalletSize = 20000000 * 10**9;
uint256 public _swapTokensAtAmount = 10000 * 10**9;

198

199    event MaxTxAmountUpdated(uint256 _maxTxAmount);

200    modifier lockTheSwap {
201
```



# SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

**LINE 346** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- GWOKToken.sol

```
345  if(to != uniswapV2Pair) {
346  require(balanceOf(to) + amount < _maxWalletSize, "TOKEN: Balance exceeds wallet
size!");
347  }
348
349  uint256 contractTokenBalance = balanceOf(address(this));
350</pre>
```



# SWC-101 | ARITHMETIC OPERATION "++" DISCOVERED

**LINE 425** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- GWOKToken.sol

```
function blockBots(address[] memory bots_) public onlyOwner {
for (uint256 i = 0; i < bots_.length; i++) {
bots[bots_[i]] = true;
}

427  }

428  }

429</pre>
```



# SWC-101 | ARITHMETIC OPERATION "++" DISCOVERED

**LINE 577** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- GWOKToken.sol

```
576 function excludeMultipleAccountsFromFees(address[] calldata accounts, bool
excluded) public onlyOwner {
577   for(uint256 i = 0; i < accounts.length; i++) {
578    _isExcludedFromFee[accounts[i]] = excluded;
579  }
580 }
581</pre>
```



# SWC-103 | A FLOATING PRAGMA IS SET.

LINE 6

### **low SEVERITY**

The current pragma Solidity directive is ""^0.8.9"". It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

### Source File

- GWOKToken.sol

```
5  // SPDX-License-Identifier: Unlicensed
6  pragma solidity ^0.8.9;
7
8  abstract contract Context {
9  function _msgSender() internal view virtual returns (address) {
10
```



**LINE 392** 

# **low SEVERITY**

The index access expression can cause an exception in case of use of invalid array index value.

### Source File

- GWOKToken.sol

```
391 address[] memory path = new address[](2);
392 path[0] = address(this);
393 path[1] = uniswapV2Router.WETH();
394 _approve(address(this), address(uniswapV2Router), tokenAmount);
395 uniswapV2Router.swapExactTokensForETHSupportingFeeOnTransferTokens(
396
```



**LINE 393** 

# **low SEVERITY**

The index access expression can cause an exception in case of use of invalid array index value.

# Source File

- GWOKToken.sol

```
path[0] = address(this);

path[1] = uniswapV2Router.WETH();

approve(address(this), address(uniswapV2Router), tokenAmount);

uniswapV2Router.swapExactTokensForETHSupportingFeeOnTransferTokens(

tokenAmount,
```



**LINE 426** 

# **low SEVERITY**

The index access expression can cause an exception in case of use of invalid array index value.

# Source File

- GWOKToken.sol

```
425  for (uint256 i = 0; i < bots_.length; i++) {
426    bots[bots_[i]] = true;
427  }
428  }
429
430</pre>
```



**LINE 578** 

# **low SEVERITY**

The index access expression can cause an exception in case of use of invalid array index value.

# Source File

- GWOKToken.sol

```
577     for(uint256 i = 0; i < accounts.length; i++) {
578     _isExcludedFromFee[accounts[i]] = excluded;
579     }
580    }
581
582</pre>
```



# **DISCLAIMER**

This report is subject to the terms and conditions (including without limitation, description of services, confidentiality, disclaimer and limitation of liability) set forth in the Services Agreement, or the scope of services, and terms and conditions provided to you ("Customer" or the "Company") in connection with the Agreement. This report provided in connection with the Services set forth in the Agreement shall be used by the Company only to the extent permitted under the terms and conditions set forth in the Agreement. This report may not be transmitted, disclosed, referred to, or relied upon by any person for any purposes, nor may copies be delivered to any other person other than the Company, without Sysfixed's prior written consent in each instance.

This report is not, nor should be considered, an "endorsement" or "disapproval" of any particular project or team. This report is not, nor should be considered, an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Sysfixed to perform a security assessment. This report does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors, business, business model, or legal compliance.

This is a limited report on our findings based on our analysis, in accordance with good industry practice as of the date of this report, in relation to cybersecurity vulnerabilities and issues in the framework and algorithms based on smart contracts, the details of which are set out in this report. In order to get a full view of our analysis, it is crucial for you to read the full report. While we have done our best in conducting our analysis and producing this report, it is important to note that you should not rely on this report and cannot claim against us on the basis of what it says or doesn't say, or how we produced it, and it is important for you to conduct your own independent investigations before making any decisions. We go into more detail on this in the below disclaimer below – please make sure to read it in full.

This report should not be used in any way to make decisions around investment or involvement with any particular project. This report in no way provides investment advice, nor should be leveraged as investment advice of any sort. This report represents an extensive assessing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

This report is provided for information purposes only and on a non-reliance basis and does not constitute investment advice. No one shall have any right to rely on the report or its contents, and Sysfixed and its affiliates (including holding companies, shareholders, subsidiaries, employees, directors, officers, and other representatives) (Sysfixed) owe no duty of care.



# **ABOUT US**

Sysfixed is a blockchain security certification organization established in 2021 with the objective to provide smart contract security services and verify their correctness in blockchain-based protocols. Sysfixed automatically scans for security vulnerabilities in Ethereum and other EVM-based blockchain smart contracts. Sysfixed a comprehensive range of analysis techniques—including static analysis, dynamic analysis, and symbolic execution—can accurately detect security vulnerabilities to provide an in-depth analysis report. With a vibrant ecosystem of world-class integration partners that amplify developer productivity, Sysfixed can be utilized in all phases of your project's lifecycle. Our team of security experts is dedicated to the research and improvement of our tools and techniques used to fortify your code.