

Core Al
Smart Contract
Audit Report





TABLE OF CONTENTS

| Audited Details

- Audited Project
- Blockchain
- Addresses
- Project Website
- Codebase

Summary

- Contract Summary
- Audit Findings Summary
- Vulnerabilities Summary

Conclusion

| Audit Results

Smart Contract Analysis

- Detected Vulnerabilities
- Disclaimer
- About Us



AUDITED DETAILS

| Audited Project

Project name	Token ticker	Blockchain	
Core Al	CoreAi	Binance Smart Chain	

Addresses

Contract address	0x4BD0cf33AA7C6F75Fb4b70438656FFABa2E5986c
Contract deployer address	0x68014a2adC8B950548faDaeD325C5EC88F39e4e5

Project Website

https://www.coreai.tech/

Codebase

https://bscscan.com/address/0x4BD0cf33AA7C6F75Fb4b70438656FFABa2E5986c#code



SUMMARY

CoreAl is an auto trading solution. CoreAl is the next revolution of Auto trading that's integrated with artificial intelligence. Trading is not a thing that can be taken overnight, but with CoreAl, it'll be possible. Our solution focused on support user to prevent lost and gain profit in trading in the fastest way. CoreAl will be the second ChatGPT in trading that will go live in the end of Q1-2023.

Contract Summary

Documentation Quality

Core Al provides a very good documentation with standard of solidity base code.

• The technical description is provided clearly and structured and also dont have any high risk issue.

Code Quality

The Overall quality of the basecode is standard.

 Standard solidity basecode and rules are already followed by Core AI with the discovery of several low issues.

Test Coverage

Test coverage of the project is 100% (Through Codebase)

Audit Findings Summary

- SWC-101 | It is recommended to use vetted safe math libraries for arithmetic operations consistently on lines 668, 684, 699, 721, 723, 735, 736, 750, 752, 839, 839, 840, 942, 964, 964, 965, 981 and 1004.
- SWC-110 SWC-123 | It is recommended to use of revert(), assert(), and require() in Solidity, and the new REVERT opcode in the EVM on lines 993 and 994.



CONCLUSION

We have audited the Core AI project released on February-2023 to discover issues and identify potential security vulnerabilities in Core AI Project. This process is used to find technical issues and security loopholes which might be found in the smart contract.

The security audit report provides a satisfactory result with some low-risk issues.

The issues found in the Core AI smart contract code do not pose a considerable risk. The writing of the contract is close to the standard of writing contracts in general. The low-risk issues found are some arithmetic operation issues and out of bounds array access which the index access expression can cause an exception in case of the use of an invalid array index value.



AUDIT RESULT

Article	Category	Description	Result	
Default Visibility	SWC-100 SWC-108	Functions and state variables visibility should be set explicitly. Visibility levels should be specified consciously.		
Integer Overflow and Underflow	SWC-101	If unchecked math is used, all math operations should be safe from overflows and underflows.	ISSUE FOUND	
Outdated Compiler Version	SWC-102	It is recommended to use a recent version of the Solidity compiler.	PASS	
Floating Pragma	SWC-103	Contracts should be deployed with the same compiler version and flags that they have been tested thoroughly. PASS		
Unchecked Call Return Value	SWC-104	The return value of a message call should be checked. PASS		
Unprotected Ether Withdrawal	SWC-105	Due to missing or insufficient access controls, malicious parties can withdraw from the contract.		
SELFDESTRUCT Instruction	SWC-106	The contract should not be self-destructible while it has funds belonging to users.		
Reentrancy	SWC-107	Check effect interaction pattern should be followed if the code performs recursive call.		
Uninitialized Storage Pointer	SWC-109	Uninitialized local storage variables can point to unexpected storage locations in the contract. PASS		
Assert Violation	SWC-110 SWC-123	, ,		
Deprecated Solidity Functions	SWC-111	Deprecated built-in functions should never be used.	PASS	
Delegate call to Untrusted Callee	SWC-112	Delegatecalls should only be allowed to trusted addresses.		



DoS (Denial of Service)	SWC-113 SWC-128	Execution of the code should never be blocked by a specific contract state unless required.	
Race Conditions	SWC-114	Race Conditions and Transactions Order Dependency should not be possible.	
Authorization through tx.origin	SWC-115	tx.origin should not be used for authorization.	
Block values as a proxy for time	SWC-116	Block numbers should not be used for time calculations.	
Signature Unique ID	SWC-117 SWC-121 SWC-122	Signed messages should always have a unique id. A transaction hash should not be used as a unique id.	
Incorrect Constructor Name	SWC-118	118 Constructors are special functions that are called only once during the contract creation.	
Shadowing State Variable	SWC-119	State variables should not be shadowed.	
Weak Sources of Randomness	SWC-120	Random values should never be generated from Chain Attributes or be predictable.	
Write to Arbitrary Storage Location	SWC-124	The contract is responsible for ensuring that only authorized user or contract accounts may write to sensitive storage locations.	
Incorrect Inheritance Order	SWC-125		PASS
Insufficient Gas Griefing	SWC-126	Insufficient gas griefing attacks can be performed on contracts which accept data and use it in a sub-call on another contract.	
Arbitrary Jump Function	SWC-127	As Solidity doesnt support pointer arithmetics, it is impossible to change such variable to an arbitrary value.	



Typographical Error	SWC-129	A typographical error can occur for example when the intent of a defined operation is to sum a number to a variable.	
Override control character	SWC-130	Malicious actors can use the Right-To-Left-Override unicode character to force RTL text rendering and confuse users as to the real intent of a contract.	
Unused variables	SWC-131 SWC-135	Unused variables are allowed in Solidity and they do not pose a direct security issue.	
Unexpected Ether balance	SWC-132	Contracts can behave erroneously when they strictly assume a specific Ether balance.	
Hash Collisions Variable	SWC-133	Using abi.encodePacked() with multiple variable length arguments can, in certain situations, lead to a hash collision.	
Hardcoded gas amount	SWC-134	The transfer() and send() functions forward a fixed amount of 2300 gas.	
Unencrypted Private Data	SWC-136	It is a common misconception that private type variables cannot be read.	



SMART CONTRACT ANALYSIS

Started	Saturday Feb 04 2023 09:31:01 GMT+0000 (Coordinated Universal Time)		
Finished	Sunday Feb 05 2023 01:56:59 GMT+0000 (Coordinated Universal Time)		
Mode	Standard		
Main Source File	CoreAl.sol		

Detected Issues

ID	Title	Severity	Status
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "**" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged



SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged



LINE 668

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- CoreAl.sol

```
667 unchecked {
668 _approve(sender, _msgSender(), currentAllowance - amount);
669 }
670 }
671
672
```



LINE 684

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- CoreAl.sol

```
683 spender,
684 _allowances[_msgSender()][spender] + addedValue
685 );
686 return true;
687 }
688
```



LINE 699

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- CoreAl.sol

```
698 unchecked {
699 _approve(_msgSender(), spender, currentAllowance - subtractedValue);
700 }
701
702 return true;
703
```



LINE 721

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- CoreAl.sol

```
720 unchecked {
721 _balances[sender] = senderBalance - amount;
722 }
723 _balances[recipient] += amount;
724
725
```



LINE 723

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- CoreAl.sol

```
722 }
723 _balances[recipient] += amount;
724
725 emit Transfer(sender, recipient, amount);
726
727
```



LINE 735

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- CoreAl.sol

```
734
735 _totalSupply += amount;
736 _balances[account] += amount;
737 emit Transfer(address(0), account, amount);
738
739
```



LINE 736

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- CoreAl.sol

```
__totalSupply += amount;

__balances[account] += amount;

emit Transfer(address(0), account, amount);

assume the contract of the count of the count
```



LINE 750

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- CoreAl.sol

```
749 unchecked {
750   _balances[account] = accountBalance - amount;
751  }
752   _totalSupply -= amount;
753
754
```



LINE 752

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- CoreAl.sol

```
751 }
752 _totalSupply -= amount;
753
754 emit Transfer(account, address(0), amount);
755
756
```



LINE 839

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- CoreAl.sol

```
838
839 _mint(owner(), le8 * (10 ** decimals()));
840 swapTokensAtAmount = totalSupply() / 5_000;
841
842 tradingEnabled = false;
843
```



LINE 839

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- CoreAl.sol

```
838
839 _mint(owner(), le8 * (10 ** decimals()));
840 swapTokensAtAmount = totalSupply() / 5_000;
841
842 tradingEnabled = false;
843
```



LINE 840

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- CoreAl.sol

```
mint(owner(), le8 * (10 ** decimals()));
swapTokensAtAmount = totalSupply() / 5_000;
supply() / 5_000;
tradingEnabled = false;
swapEnabled = false;
swapEnabled = false;
```



LINE 942

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- CoreAl.sol

```
941 to == uniswapV2Pair &&
942 marketingFeeOnBuy + marketingFeeOnSell > 0 &&
943 swapEnabled
944 ) {
945 swapping = true;
946
```



LINE 964

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- CoreAl.sol

```
963 if (_totalFees > 0) {
964    uint256 fees = (amount * _totalFees) / 100;
965    amount = amount - fees;
966    super._transfer(from, address(this), fees);
967    }
968
```



LINE 964

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- CoreAl.sol

```
963 if (_totalFees > 0) {
964    uint256 fees = (amount * _totalFees) / 100;
965    amount = amount - fees;
966    super._transfer(from, address(this), fees);
967    }
968
```



LINE 965

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- CoreAl.sol

```
964  uint256 fees = (amount * _totalFees) / 100;
965  amount = amount - fees;
966  super._transfer(from, address(this), fees);
967  }
968
969
```



LINE 981

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- CoreAl.sol

```
980 require(
981 newAmount > totalSupply() / 1_000_000,
982 "SwapTokensAtAmount must be greater than 0.0001% of total supply"
983 );
984 swapTokensAtAmount = newAmount;
985
```



LINE 1004

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- CoreAl.sol

```
1003
1004  uint256 newBalance = address(this).balance - initialBalance;
1005
1006  payable(marketingWallet).sendValue(newBalance);
1007
1008
```



SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 993

low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- CoreAl.sol

```
address[] memory path = new address[](2);

path[0] = address(this);

path[1] = uniswapV2Router.WETH();

995

uniswapV2Router.swapExactTokensForETHSupportingFeeOnTransferTokens(
997
```



SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 994

low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- CoreAl.sol

```
993 path[0] = address(this);
994 path[1] = uniswapV2Router.WETH();
995
996 uniswapV2Router.swapExactTokensForETHSupportingFeeOnTransferTokens(
997 tokenAmount,
998
```



DISCLAIMER

This report is subject to the terms and conditions (including without limitation, description of services, confidentiality, disclaimer and limitation of liability) set forth in the Services Agreement, or the scope of services, and terms and conditions provided to you ("Customer" or the "Company") in connection with the Agreement. This report provided in connection with the Services set forth in the Agreement shall be used by the Company only to the extent permitted under the terms and conditions set forth in the Agreement. This report may not be transmitted, disclosed, referred to, or relied upon by any person for any purposes, nor may copies be delivered to any other person other than the Company, without Sysfixed's prior written consent in each instance.

This report is not, nor should be considered, an "endorsement" or "disapproval" of any particular project or team. This report is not, nor should be considered, an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Sysfixed to perform a security assessment. This report does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors, business, business model, or legal compliance.

This is a limited report on our findings based on our analysis, in accordance with good industry practice as of the date of this report, in relation to cybersecurity vulnerabilities and issues in the framework and algorithms based on smart contracts, the details of which are set out in this report. In order to get a full view of our analysis, it is crucial for you to read the full report. While we have done our best in conducting our analysis and producing this report, it is important to note that you should not rely on this report and cannot claim against us on the basis of what it says or doesn't say, or how we produced it, and it is important for you to conduct your own independent investigations before making any decisions. We go into more detail on this in the below disclaimer below – please make sure to read it in full.

This report should not be used in any way to make decisions around investment or involvement with any particular project. This report in no way provides investment advice, nor should be leveraged as investment advice of any sort. This report represents an extensive assessing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

This report is provided for information purposes only and on a non-reliance basis and does not constitute investment advice. No one shall have any right to rely on the report or its contents, and Sysfixed and its affiliates (including holding companies, shareholders, subsidiaries, employees, directors, officers, and other representatives) (Sysfixed) owe no duty of care.



ABOUT US

Sysfixed is a blockchain security certification organization established in 2021 with the objective to provide smart contract security services and verify their correctness in blockchain-based protocols. Sysfixed automatically scans for security vulnerabilities in Ethereum and other EVM-based blockchain smart contracts. Sysfixed a comprehensive range of analysis techniques—including static analysis, dynamic analysis, and symbolic execution—can accurately detect security vulnerabilities to provide an in-depth analysis report. With a vibrant ecosystem of world-class integration partners that amplify developer productivity, Sysfixed can be utilized in all phases of your project's lifecycle. Our team of security experts is dedicated to the research and improvement of our tools and techniques used to fortify your code.