

FLOKI CEO Smart Contract Audit Report



19 Feb 2023



TABLE OF CONTENTS

Audited Details

- Audited Project
- Blockchain
- Addresses
- Project Website
- Codebase

Summary

- Contract Summary
- Audit Findings Summary
- Vulnerabilities Summary

Conclusion

Audit Results

Smart Contract Analysis

- Detected Vulnerabilities

Disclaimer

About Us



AUDITED DETAILS

Audited Project

Project name	Token ticker	Blockchain	
FLOKI CEO	FLOKI CEO	Binance Smart Chain	

Addresses

Contract address	0x45289007706e7ee7b42b1fa506661d97740edfb4		
Contract deployer address	0xC5824Df4086012a3C917a074d21412a3e6D95403		

Project Website

https://flokiceo.io/

Codebase

https://bscscan.com/address/0x45289007706e7ee7b42b1fa506661d97740edfb4#code



SUMMARY

Floki Ceo, the Meme token in the BSC ecosystem, \$FlokiCeo is community-driven and cannot control by anyone. A dog named Floki becomes the CEO of Twitter is our story. It starts from an Elon Musk Twitter post. Floki Ceo - A decentralized cryptocurrency with instant rewards for holders. 7% of each transaction will be shared among the holders.

Contract Summary

Documentation Quality

FLOKI CEO provides a very good documentation with standard of solidity base code.

• The technical description is provided clearly and structured and also dont have any high risk issue.

Code Quality

The Overall quality of the basecode is standard.

• Standard solidity basecode and rules are already followed by FLOKI CEO with the discovery of several low issues.

Test Coverage

Test coverage of the project is 100% (Through Codebase)

Audit Findings Summary

- SWC-101 | It is recommended to use vetted safe math libraries for arithmetic operations consistently on lines 137, 137, 137, 137, 138, 138, 140, 140, 237, 243, 253, 286, 301, 303, 325, 326, 331, 334, 336, 364, 364, 365, 365, 367, 367, 388, 394, 395, 397, 397, 405, 411, 414, 415, 417, 473, 477, 480, 481, 519, 531, 531 and 303.
- SWC-103 | Pragma statements can be allowed to float when a contract is intended on lines 6.
- SWC-110 SWC-123 | It is recommended to use of revert(), assert(), and require() in Solidity, and the new REVERT opcode in the EVM on lines 302, 303, 303, 412, 412, 414, 415, 503, 504 and 520.



CONCLUSION

We have audited the FLOKI CEO project released on February 2023 to discover issues and identify potential security vulnerabilities in FLOKI CEO Project. This process is used to find technical issues and security loopholes which might be found in the smart contract.

The security audit report provides satisfactory results with low-risk issues.

The issues found in the FLOKI CEO smart contract code do not pose a considerable risk. The writing of the contract is close to the standard of writing contracts in general. The low-risk issues found are some arithmetic operation issues, a floating pragma is set, and out-of-bounds array access which the index access expression can cause an exception in case an invalid array index value is used.



AUDIT RESULT

Article	Category	Description	Result
Default Visibility	SWC-100 SWC-108	Functions and state variables visibility should be set explicitly. Visibility levels should be specified consciously.	PASS
Integer Overflow and Underflow	SWC-101	If unchecked math is used, all math operations should be safe from overflows and underflows.	ISSUE FOUND
Outdated Compiler Version	SWC-102	It is recommended to use a recent version of the Solidity compiler.	PASS
Floating Pragma	SWC-103	Contracts should be deployed with the same compiler version and flags that they have been tested thoroughly.	ISSUE FOUND
Unchecked Call Return Value	SWC-104	The return value of a message call should be checked.	PASS
Unprotected Ether Withdrawal	SWC-105	Due to missing or insufficient access controls, malicious parties can withdraw from the contract.	PASS
SELFDESTRUCT Instruction	SWC-106	The contract should not be self-destructible while it has funds belonging to users.	PASS
Reentrancy	SWC-107	Check effect interaction pattern should be followed if the code performs recursive call.	PASS
Uninitialized Storage Pointer	SWC-109	Uninitialized local storage variables can point to unexpected storage locations in the contract.	PASS
Assert Violation	SWC-110 SWC-123	Properly functioning code should never reach a failing assert statement.	ISSUE FOUND
Deprecated Solidity Functions	SWC-111	Deprecated built-in functions should never be used.	PASS
Delegate call to Untrusted Callee	SWC-112	Delegatecalls should only be allowed to trusted addresses.	PASS



DoS (Denial of Service)	SWC-113 SWC-128	Execution of the code should never be blocked by a specific contract state unless required.	
Race Conditions	SWC-114	Race Conditions and Transactions Order Dependency should not be possible.	
Authorization through tx.origin	SWC-115	tx.origin should not be used for authorization.	PASS
Block values as a proxy for time	SWC-116	Block numbers should not be used for time calculations.	
Signature Unique ID	SWC-117 SWC-121 SWC-122	Signed messages should always have a unique id. A transaction hash should not be used as a unique id.	PASS
Incorrect Constructor Name	SWC-118	Constructors are special functions that are called only once during the contract creation.	PASS
Shadowing State Variable	SWC-119	State variables should not be shadowed.	PASS
Weak Sources of Randomness	SWC-120	Random values should never be generated from Chain Attributes or be predictable.	PASS
Write to Arbitrary Storage Location	SWC-124	The contract is responsible for ensuring that only authorized user or contract accounts may write to sensitive storage locations.	PASS
Incorrect Inheritance Order	SWC-125	When inheriting multiple contracts, especially if they have identical functions, a developer should carefully specify inheritance in the correct order. The rule of thumb is to inherit contracts from more /general/ to more /specific/.	PASS
Insufficient Gas Griefing	SWC-126	Insufficient gas griefing attacks can be performed on contracts which accept data and use it in a sub-call on another contract.	PASS
Arbitrary Jump Function	SWC-127	As Solidity doesnt support pointer arithmetics, it is impossible to change such variable to an arbitrary value.	PASS



Typographical Error	SWC-129	A typographical error can occur for example when the intent of a defined operation is to sum a number to a variable.	
Override control character	SWC-130	Malicious actors can use the Right-To-Left-Override unicode character to force RTL text rendering and confuse users as to the real intent of a contract.	
Unused variables	SWC-131 SWC-135	Unused variables are allowed in Solidity and they do not pose a direct security issue.	PASS
Unexpected Ether balance	SWC-132	Contracts can behave erroneously when they strictly assume a specific Ether balance.	
Hash Collisions Variable	SWC-133	Using abi.encodePacked() with multiple variable length arguments can, in certain situations, lead to a hash collision.	
Hardcoded gas amount	SWC-134	The transfer() and send() functions forward a fixed amount of 2300 gas.	
Unencrypted Private Data	SWC-136	It is a common misconception that private type variables cannot be read.	



SMART CONTRACT ANALYSIS

Started	Saturday Feb 18 2023 01:43:54 GMT+0000 (Coordinated Universal Time)		
Finished	Sunday Feb 19 2023 17:53:14 GMT+0000 (Coordinated Universal Time)		
Mode	Standard		
Main Source File	FLOKICEO.sol		

Detected Issues

ID	Title	Severity	Status
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "**" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "**" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "%" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "**" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "++" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged



SWC-101	ARITHMETIC OPERATION "-=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "++" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged





SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "++" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "**" DISCOVERED	low	acknowledged
SWC-101	COMPILER-REWRITABLE " <uint> - 1" DISCOVERED</uint>	low	acknowledged
SWC-103	A FLOATING PRAGMA IS SET.	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged





LINE 137

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
136
137 uint256 private _tTotal = 420 *10**15 * 10**_decimals;
138 uint256 private _rTotal = (MAX - (MAX % _tTotal));
139
140 uint256 public swapTokensAtAmount = 1e14 * 10**_decimals;
141
```



LINE 137

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
136
137 uint256 private _tTotal = 420 *10**15 * 10**_decimals;
138 uint256 private _rTotal = (MAX - (MAX % _tTotal));
139
140 uint256 public swapTokensAtAmount = 1e14 * 10**_decimals;
141
```



LINE 137

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
136
137 uint256 private _tTotal = 420 *10**15 * 10**_decimals;
138 uint256 private _rTotal = (MAX - (MAX % _tTotal));
139
140 uint256 public swapTokensAtAmount = 1e14 * 10**_decimals;
141
```



LINE 137

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
136
137 uint256 private _tTotal = 420 *10**15 * 10**_decimals;
138 uint256 private _rTotal = (MAX - (MAX % _tTotal));
139
140 uint256 public swapTokensAtAmount = 1e14 * 10**_decimals;
141
```



LINE 138

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
137 uint256 private _tTotal = 420 *10**15 * 10**_decimals;
138 uint256 private _rTotal = (MAX - (MAX % _tTotal));
139
140 uint256 public swapTokensAtAmount = le14 * 10**_decimals;
141
142
```



LINE 138

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
137 uint256 private _tTotal = 420 *10**15 * 10**_decimals;
138 uint256 private _rTotal = (MAX - (MAX % _tTotal));
139
140 uint256 public swapTokensAtAmount = 1e14 * 10**_decimals;
141
142
```



LINE 140

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol



LINE 140

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol



LINE 237

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
236 require(currentAllowance >= amount, "BEP20: transfer amount exceeds allowance");
237 _approve(sender, _msgSender(), currentAllowance - amount);
238
239 return true;
240 }
241
```



LINE 243

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
242 function increaseAllowance(address spender, uint256 addedValue) public returns
(bool) {
243 _approve(_msgSender(), spender, _allowances[_msgSender()][spender] + addedValue);
244 return true;
245 }
246
247
```



LINE 253

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
252 require(currentAllowance >= subtractedValue, "BEP20: decreased allowance below
zero");
253 _approve(_msgSender(), spender, currentAllowance - subtractedValue);
254
255 return true;
256 }
257
```



LINE 286

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
285 uint256 currentRate = _getRate();
286 return rAmount / currentRate;
287 }
288
289 //@dev kept original RFI naming -> "reward" as in reflection
290
```



LINE 301

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
300 require(_isExcluded[account], "Account is not excluded");
301 for (uint256 i = 0; i < _excluded.length; i++) {
302 if (_excluded[i] == account) {
303 _excluded[i] = _excluded[_excluded.length - 1];
304 _tOwned[account] = 0;
305
```



LINE 303

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
302 if (_excluded[i] == account) {
303    _excluded[i] = _excluded[_excluded.length - 1];
304    _tOwned[account] = 0;
305    _isExcluded[account] = false;
306    _excluded.pop();
307
```



LINE 325

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
324 function _reflectRfi(uint256 rRfi, uint256 tRfi) private {
325 _rTotal -= rRfi;
326 totFeesPaid.rfi += tRfi;
327 }
328
329
```



LINE 326

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
325 _rTotal -= rRfi;
326 totFeesPaid.rfi += tRfi;
327 }
328
329
330
```



LINE 331

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
330 function _takeMarketing(uint256 rMarketing, uint256 tMarketing) private {
331 totFeesPaid.marketing += tMarketing;
332
333 if (_isExcluded[address(this)]) {
334 _tOwned[address(this)] += tMarketing;
335
```



LINE 334

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
333 if (_isExcluded[address(this)]) {
334  _tOwned[address(this)] += tMarketing;
335 }
336  _rOwned[address(this)] += rMarketing;
337 }
338
```



LINE 336

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

Locations

335 }
336 _rOwned[address(this)] += rMarketing;
337 }
338
339
340



LINE 364

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
363
364 s.tRfi = (tAmount * taxes.rfi) / 100;
365 s.tMarketing = (tAmount * taxes.marketing) / 100;
366 s.tTransferAmount =
367 tAmount -
368
```



LINE 364

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
363
364 s.tRfi = (tAmount * taxes.rfi) / 100;
365 s.tMarketing = (tAmount * taxes.marketing) / 100;
366 s.tTransferAmount =
367 tAmount -
368
```



LINE 365

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
364 s.tRfi = (tAmount * taxes.rfi) / 100;
365 s.tMarketing = (tAmount * taxes.marketing) / 100;
366 s.tTransferAmount =
367 tAmount -
368 s.tRfi -
369
```



LINE 365

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
364 s.tRfi = (tAmount * taxes.rfi) / 100;
365 s.tMarketing = (tAmount * taxes.marketing) / 100;
366 s.tTransferAmount =
367 tAmount -
368 s.tRfi -
369
```



SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 367

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

Locations

366 s.tTransferAmount = 367 tAmount -368 s.tRfi -369 s.tMarketing; 370 return s; 371



SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 367

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

Locations

366 s.tTransferAmount = 367 tAmount -368 s.tRfi -369 s.tMarketing; 370 return s; 371



LINE 388

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
387 {
388 rAmount = tAmount * currentRate;
389
390 if (!takeFee) {
391 return (rAmount, rAmount, 0, 0);
392
```



LINE 394

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
393
394 rRfi = s.tRfi * currentRate;
395 rMarketing = s.tMarketing * currentRate;
396 rTransferAmount =
397 rAmount -
398
```



LINE 395

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
394 rRfi = s.tRfi * currentRate;
395 rMarketing = s.tMarketing * currentRate;
396 rTransferAmount =
397 rAmount -
398 rRfi -
399
```



LINE 397

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

Locations

396 rTransferAmount =
397 rAmount 398 rRfi 399 rMarketing;
400 return (rAmount, rTransferAmount, rRfi, rMarketing);
401



LINE 397

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

Locations

396 rTransferAmount =
397 rAmount 398 rRfi 399 rMarketing;
400 return (rAmount, rTransferAmount, rRfi, rMarketing);
401



LINE 405

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
404 (uint256 rSupply, uint256 tSupply) = _getCurrentSupply();
405 return rSupply / tSupply;
406 }
407
408 function _getCurrentSupply() private view returns (uint256, uint256) {
409
```



LINE 411

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
410 uint256 tSupply = _tTotal;
411 for (uint256 i = 0; i < _excluded.length; i++) {
412 if (_rOwned[_excluded[i]] > rSupply || _tOwned[_excluded[i]] > tSupply)
413 return (_rTotal, _tTotal);
414 rSupply = rSupply - _rOwned[_excluded[i]];
415
```



LINE 414

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
413 return (_rTotal, _tTotal);
414 rSupply = rSupply - _rOwned[_excluded[i]];
415 tSupply = tSupply - _tOwned[_excluded[i]];
416 }
417 if (rSupply < _rTotal / _tTotal) return (_rTotal, _tTotal);
418
```



LINE 415

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
414 rSupply = rSupply - _rOwned[_excluded[i]];
415 tSupply = tSupply - _tOwned[_excluded[i]];
416 }
417 if (rSupply < _rTotal / _tTotal) return (_rTotal, _tTotal);
418 return (rSupply, tSupply);
419
```



LINE 417

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
416 }
417 if (rSupply < _rTotal / _tTotal) return (_rTotal, _tTotal);
418 return (rSupply, tSupply);
419 }
420
421</pre>
```



LINE 473

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
472 //from excluded
473 _tOwned[sender] = _tOwned[sender] - tAmount;
474 }
475 if (_isExcluded[recipient]) {
476 //to excluded
477
```



LINE 477

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
476 //to excluded
477 _tOwned[recipient] = _tOwned[recipient] + s.tTransferAmount;
478 }
479
480 _rOwned[sender] = _rOwned[sender] - s.rAmount;
481
```



LINE 480

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
479
480 _rOwned[sender] = _rOwned[sender] - s.rAmount;
481 _rOwned[recipient] = _rOwned[recipient] + s.rTransferAmount;
482
483 if (s.rRfi > 0 || s.tRfi > 0) _reflectRfi(s.rRfi, s.tRfi);
484
```



LINE 481

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
480 _rOwned[sender] = _rOwned[sender] - s.rAmount;
481 _rOwned[recipient] = _rOwned[recipient] + s.rTransferAmount;
482
483 if (s.rRfi > 0 || s.tRfi > 0) _reflectRfi(s.rRfi, s.tRfi);
484 if (s.rMarketing > 0 || s.tMarketing > 0) _takeMarketing(s.rMarketing,
s.tMarketing);
485
```



LINE 519

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
518 function bulkExcludeFee(address[] memory accounts, bool state) external onlyOwner {
519 for (uint256 i = 0; i < accounts.length; i++) {
520 __isExcludedFromFee[accounts[i]] = state;
521 }
522 }
523</pre>
```



LINE 531

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
530 require(amount <= le15, "Cannot set swap threshold amount higher than 1% of
tokens");
531 swapTokensAtAmount = amount * 10**_decimals;
532 }
533 
534 //Use this in case BNB are sent to the contract by mistake
535
```



LINE 531

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
530 require(amount <= le15, "Cannot set swap threshold amount higher than 1% of
tokens");
531 swapTokensAtAmount = amount * 10**_decimals;
532 }
533
534 //Use this in case BNB are sent to the contract by mistake
535
```



SWC-101 | COMPILER-REWRITABLE "<UINT> - 1" DISCOVERED

LINE 303

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FLOKICEO.sol

```
302 if (_excluded[i] == account) {
303    _excluded[i] = _excluded[_excluded.length - 1];
304    _tOwned[account] = 0;
305    _isExcluded[account] = false;
306    _excluded.pop();
307
```



SWC-103 | A FLOATING PRAGMA IS SET.

LINE 6

Iow SEVERITY

The current pragma Solidity directive is ""^0.8.17"". It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

Source File

- FLOKICEO.sol

```
5 // SPDX-License-Identifier: UNLICENSE
6 pragma solidity ^0.8.17;
7
8 interface IBEP20 {
9 function totalSupply() external view returns (uint256);
10
```



LINE 302

Iow SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- FLOKICEO.sol

```
301 for (uint256 i = 0; i < _excluded.length; i++) {
302 if (_excluded[i] == account) {
303 _excluded[i] = _excluded[_excluded.length - 1];
304 _tOwned[account] = 0;
305 _isExcluded[account] = false;
306</pre>
```



LINE 303

Iow SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- FLOKICEO.sol

```
302 if (_excluded[i] == account) {
303    _excluded[i] = _excluded[_excluded.length - 1];
304    _tOwned[account] = 0;
305    _isExcluded[account] = false;
306    _excluded.pop();
307
```



LINE 303

Iow SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- FLOKICEO.sol

```
302 if (_excluded[i] == account) {
303    _excluded[i] = _excluded[_excluded.length - 1];
304    _tOwned[account] = 0;
305    _isExcluded[account] = false;
306    _excluded.pop();
307
```



LINE 412

Iow SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- FLOKICEO.sol

```
411 for (uint256 i = 0; i < _excluded.length; i++) {
412 if (_rOwned[_excluded[i]] > rSupply || _tOwned[_excluded[i]] > tSupply)
413 return (_rTotal, _tTotal);
414 rSupply = rSupply - _rOwned[_excluded[i]];
415 tSupply = tSupply - _tOwned[_excluded[i]];
416
```



LINE 412

Iow SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- FLOKICEO.sol

```
411 for (uint256 i = 0; i < _excluded.length; i++) {
412 if (_rOwned[_excluded[i]] > rSupply || _tOwned[_excluded[i]] > tSupply)
413 return (_rTotal, _tTotal);
414 rSupply = rSupply - _rOwned[_excluded[i]];
415 tSupply = tSupply - _tOwned[_excluded[i]];
416
```



LINE 414

Iow SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- FLOKICEO.sol

```
413 return (_rTotal, _tTotal);
414 rSupply = rSupply - _rOwned[_excluded[i]];
415 tSupply = tSupply - _tOwned[_excluded[i]];
416 }
417 if (rSupply < _rTotal / _tTotal) return (_rTotal, _tTotal);
418
```



LINE 415

Iow SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- FLOKICEO.sol

```
414 rSupply = rSupply - _rOwned[_excluded[i]];
415 tSupply = tSupply - _tOwned[_excluded[i]];
416 }
417 if (rSupply < _rTotal / _tTotal) return (_rTotal, _tTotal);
418 return (rSupply, tSupply);
419
```



LINE 503

Iow SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- FLOKICEO.sol

```
502 address[] memory path = new address[](2);
503 path[0] = address(this);
504 path[1] = router.WETH();
505
506 _approve(address(this), address(router), tokenAmount);
507
```



LINE 504

Iow SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- FLOKICEO.sol

```
503 path[0] = address(this);
504 path[1] = router.WETH();
505
506 _approve(address(this), address(router), tokenAmount);
507
508
```



LINE 520

Iow SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- FLOKICEO.sol

```
519 for (uint256 i = 0; i < accounts.length; i++) {
520 __isExcludedFromFee[accounts[i]] = state;
521 }
522 }
523
524</pre>
```



DISCLAIMER

This report is subject to the terms and conditions (including without limitation, description of services, confidentiality, disclaimer and limitation of liability) set forth in the Services Agreement, or the scope of services, and terms and conditions provided to you ("Customer" or the "Company") in connection with the Agreement. This report provided in connection with the Services set forth in the Agreement shall be used by the Company only to the extent permitted under the terms and conditions set forth in the Agreement. This report may not be transmitted, disclosed, referred to, or relied upon by any person for any purposes, nor may copies be delivered to any other person other than the Company, without Sysfixed's prior written consent in each instance.

This report is not, nor should be considered, an "endorsement" or "disapproval" of any particular project or team. This report is not, nor should be considered, an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Sysfixed to perform a security assessment. This report does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors, business, business model, or legal compliance.

This is a limited report on our findings based on our analysis, in accordance with good industry practice as of the date of this report, in relation to cybersecurity vulnerabilities and issues in the framework and algorithms based on smart contracts, the details of which are set out in this report. In order to get a full view of our analysis, it is crucial for you to read the full report. While we have done our best in conducting our analysis and producing this report, it is important to note that you should not rely on this report and cannot claim against us on the basis of what it says or doesn't say, or how we produced it, and it is important for you to conduct your own independent investigations before making any decisions. We go into more detail on this in the below disclaimer below – please make sure to read it in full.

This report should not be used in any way to make decisions around investment or involvement with any particular project. This report in no way provides investment advice, nor should be leveraged as investment advice of any sort. This report represents an extensive assessing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

This report is provided for information purposes only and on a non-reliance basis and does not constitute investment advice. No one shall have any right to rely on the report or its contents, and Sysfixed and its affiliates (including holding companies, shareholders, subsidiaries, employees, directors, officers, and other representatives) (Sysfixed) owe no duty of care.



ABOUT US

Sysfixed is a blockchain security certification organization established in 2021 with the objective to provide smart contract security services and verify their correctness in blockchain-based protocols. Sysfixed automatically scans for security vulnerabilities in Ethereum and other EVM-based blockchain smart contracts. Sysfixed a comprehensive range of analysis techniques—including static analysis, dynamic analysis, and symbolic execution—can accurately detect security vulnerabilities to provide an in-depth analysis report. With a vibrant ecosystem of world-class integration partners that amplify developer productivity, Sysfixed can be utilized in all phases of your project's lifecycle. Our team of security experts is dedicated to the research and improvement of our tools and techniques used to fortify your code.