

Borzoi Inu
Smart Contract
Audit Report





## **TABLE OF CONTENTS**

### | Audited Details

- Audited Project
- Blockchain
- Addresses
- Project Website
- Codebase

### Summary

- Contract Summary
- Audit Findings Summary
- Vulnerabilities Summary

### Conclusion

### | Audit Results

### Smart Contract Analysis

- Detected Vulnerabilities

### Disclaimer

### About Us



# **AUDITED DETAILS**

### Audited Project

Project name	Token ticker	Blockchain	
Borzoi Inu	BORZ	Binance Smart Chain	

## Addresses

Contract address	0x08da9eb6147694e671a455d946a620a70d721eae
Contract deployer address	0xe5946E00E18Ad1C00c901e082b2E6A2D077699A1

### Project Website

https://borztoken.com/

### Codebase

https://bscscan.com/address/0x08da9eb6147694e671a455d946a620a70d721eae#contracts



### **SUMMARY**

Decentralized wolfhound living on the Binance Smart Chain. Long Snout Watch automatic price tracking platform for all projects on BSC, Ethereum & Polygon.

### Contract Summary

### **Documentation Quality**

Borzoi Inu provides a very good documentation with standard of solidity base code.

• The technical description is provided clearly and structured and also dont have any high risk issue.

#### **Code Quality**

The Overall quality of the basecode is standard.

 Standard solidity basecode and rules are already followed by Borzoi Inu with the discovery of several low issues.

#### **Test Coverage**

Test coverage of the project is 100% (Through Codebase)

### Audit Findings Summary

- SWC-101 | It is recommended to use vetted safe math libraries for arithmetic operations consistently on lines 27, 31, 35, 39, 45, 52, 344, 344, 354, 354, 355, 355, 468, 498, 532, 532, 533, 534, 535, 538, 538, 543, 546, 546, 547, 547, 571, 572, 577, 583, 583, 584, 586, 587, 588, 593, 599, 599, 600, 602, 603, 604 and 609.
- SWC-110 SWC-123 | It is recommended to use of revert(), assert(), and require() in Solidity, and the new REVERT opcode in the EVM on lines 555 and 556.



## CONCLUSION

We have audited the Borzoi Inu project released on January 2023 to discover issues and identify potential security vulnerabilities in Borzoi Inu Project. This process is used to find technical issues and security loopholes which might be found in the smart contract.

The security audit report provides satisfactory results with low-risk issues.

The issues found in the Borzoi Inu smart contract code do not pose a considerable risk. The writing of the contract is close to the standard of writing contracts in general. The low-risk issues found are some arithmetic operation issues and out-of-bounds array access. The index access expression can cause an exception in case of an invalid array index value.



# **AUDIT RESULT**

Article	Category	Description	Result	
Default Visibility	SWC-100 SWC-108	Functions and state variables visibility should be set explicitly. Visibility levels should be specified consciously.  PAS		
Integer Overflow and Underflow	SWC-101	If unchecked math is used, all math operations should be safe from overflows and underflows.	ISSUE FOUND	
Outdated Compiler Version	SWC-102	It is recommended to use a recent version of the Solidity compiler.	PASS	
Floating Pragma	SWC-103	Contracts should be deployed with the same compiler version and flags that they have been tested thoroughly.	PASS	
Unchecked Call Return Value	SWC-104	The return value of a message call should be checked.	PASS	
Unprotected Ether Withdrawal	SWC-105	Due to missing or insufficient access controls, malicious parties can withdraw from the contract.	PASS	
SELFDESTRUCT Instruction	SWC-106	The contract should not be self-destructible while it has funds belonging to users.	PASS	
Reentrancy	SWC-107	Check effect interaction pattern should be followed if the code performs recursive call.	PASS	
Uninitialized Storage Pointer	SWC-109	Uninitialized local storage variables can point to unexpected storage locations in the contract.	PASS	
Assert Violation	SWC-110 SWC-123	Properly functioning code should never reach a ISSUE failing assert statement. FOUN		
Deprecated Solidity Functions	SWC-111	Deprecated built-in functions should never be used.	PASS	
Delegate call to Untrusted Callee	SWC-112	Delegatecalls should only be allowed to trusted addresses.	PASS	



DoS (Denial of Service)	SWC-113 SWC-128	Execution of the code should never be blocked by a specific contract state unless required.	
Race Conditions	SWC-114	Race Conditions and Transactions Order Dependency should not be possible.	
Authorization through tx.origin	SWC-115	tx.origin should not be used for authorization.	PASS
Block values as a proxy for time	SWC-116	Block numbers should not be used for time calculations.	PASS
Signature Unique ID	SWC-117 SWC-121 SWC-122	Signed messages should always have a unique id. A transaction hash should not be used as a unique id.	PASS
Incorrect Constructor Name	SWC-118	Constructors are special functions that are called only once during the contract creation.	
Shadowing State Variable	SWC-119	WC-119 State variables should not be shadowed.	
Weak Sources of Randomness	SWC-120	Random values should never be generated from Chain Attributes or be predictable.	
Write to Arbitrary Storage Location	SWC-124	The contract is responsible for ensuring that only authorized user or contract accounts may write to sensitive storage locations.	
Incorrect Inheritance Order	SWC-125		PASS
Insufficient Gas Griefing	SWC-126	Insufficient gas griefing attacks can be performed on contracts which accept data and use it in a sub-call on another contract.	PASS
Arbitrary Jump Function	SWC-127	As Solidity doesnt support pointer arithmetics, it is impossible to change such variable to an arbitrary value.	PASS



Typographical Error	SWC-129	A typographical error can occur for example when the intent of a defined operation is to sum a number to a variable.	
Override control character	SWC-130	Malicious actors can use the Right-To-Left-Override unicode character to force RTL text rendering and confuse users as to the real intent of a contract.	
Unused variables	SWC-131 SWC-135	Unused variables are allowed in Solidity and they do not pose a direct security issue.	PASS
Unexpected Ether balance	SWC-132	Contracts can behave erroneously when they strictly assume a specific Ether balance.	
Hash Collisions Variable	SWC-133	Using abi.encodePacked() with multiple variable length arguments can, in certain situations, lead to a hash collision.	PASS
Hardcoded gas amount	SWC-134	The transfer() and send() functions forward a fixed amount of 2300 gas.	
Unencrypted Private Data	SWC-136	It is a common misconception that private type variables cannot be read.	PASS



# **SMART CONTRACT ANALYSIS**

Started	Monday Jan 23 2023 16:25:02 GMT+0000 (Coordinated Universal Time)		
Finished	Tuesday Jan 24 2023 06:04:45 GMT+0000 (Coordinated Universal Time)		
Mode	Standard		
Main Source File	BORZ.sol		

## Detected Issues

ID	Title	Severity	Status
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "**" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "++" DISCOVERED	low	acknowledged



SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged



SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged



LINE 27

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
function add(uint256 a, uint256 b) internal pure returns (uint256) {
  return a + b;
}

function sub(uint256 a, uint256 b) internal pure returns (uint256) {
  function sub(uint256 a, uint256 b) internal pure returns (uint256) {
}
```



LINE 31

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
function sub(uint256 a, uint256 b) internal pure returns (uint256) {
  return a - b;
}

function mul(uint256 a, uint256 b) internal pure returns (uint256) {
  function mul(uint256 a, uint256 b) internal pure returns (uint256) {
}
```



LINE 35

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
function mul(uint256 a, uint256 b) internal pure returns (uint256) {
  return a * b;
}

function div(uint256 a, uint256 b) internal pure returns (uint256) {
  function div(uint256 a, uint256 b) internal pure returns (uint256) {
}
```



LINE 39

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
function div(uint256 a, uint256 b) internal pure returns (uint256) {
  return a / b;
}

function sub(uint256 a, uint256 b, string memory errorMessage) internal pure returns
(uint256) {
}
```



LINE 45

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
44  require(b <= a, errorMessage);
45  return a - b;
46  }
47  }
48
49</pre>
```



**LINE 52** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol



**LINE 344** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol



**LINE 344** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
uint8 private constant _supplyDecimals = 9;
uint256 private _tokenSupply = 10000000000 * 10**_supplyDecimals;

// Buy/Sell Tax
uint256 public Tax_Buy = 5;

348
```



**LINE 354** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
353
354 uint256 public _BagLimit = _tokenSupply * 7 / 100;
355 uint256 public _TransactionLimit = _tokenSupply * 7 / 100;
356
357 // Swap Trigger & Transaction Counter
358
```



**LINE 354** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
353
354 uint256 public _BagLimit = _tokenSupply * 7 / 100;
355 uint256 public _TransactionLimit = _tokenSupply * 7 / 100;
356
357 // Swap Trigger & Transaction Counter
358
```



**LINE 355** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
354  uint256 public _BagLimit = _tokenSupply * 7 / 100;
355  uint256 public _TransactionLimit = _tokenSupply * 7 / 100;
356
357  // Swap Trigger & Transaction Counter
358  uint8 private tx_Counter = 0;
359
```



**LINE 355** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
354  uint256 public _BagLimit = _tokenSupply * 7 / 100;
355  uint256 public _TransactionLimit = _tokenSupply * 7 / 100;
356
357  // Swap Trigger & Transaction Counter
358  uint8 private tx_Counter = 0;
359
```



**LINE 468** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
467  uint256 bagSize = balanceOf(to);
468  require((bagSize + amount) <= _BagLimit, "Error: bag limit reached.");
469  }
470
471  if (from != owner())
472</pre>
```



**LINE 498** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
497  }
498  tx_Counter++;
499  }
500  _tokenTransfer(from, to, amount, feeUsed, isBuy);
501  }
502
```



**LINE 532** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- BORZ.sol

```
531  // Burn Split
532  uint256 tokens_to_Burn = contractTokenBalance * SplitBurn / 100;
533  _tokenSupply = _tokenSupply - tokens_to_Burn;
534  _balances[walletDEAD] = _balances[walletDEAD] + tokens_to_Burn;
535  _balances[address(this)] = _balances[address(this)] - tokens_to_Burn;
536
```



**LINE 532** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- BORZ.sol

```
531  // Burn Split
532  uint256 tokens_to_Burn = contractTokenBalance * SplitBurn / 100;
533  _tokenSupply = _tokenSupply - tokens_to_Burn;
534  _balances[walletDEAD] = _balances[walletDEAD] + tokens_to_Burn;
535  _balances[address(this)] = _balances[address(this)] - tokens_to_Burn;
536
```



**LINE 533** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
uint256 tokens_to_Burn = contractTokenBalance * SplitBurn / 100;

tokenSupply = _tokenSupply - tokens_to_Burn;

balances[walletDEAD] = _balances[walletDEAD] + tokens_to_Burn;

balances[address(this)] = _balances[address(this)] - tokens_to_Burn;

balances[address(this)] = _balances[address(this)] - tokens_to_Burn;

sac
```



**LINE 534** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol



**LINE 535** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol



**LINE 538** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
537 // Fee Split
538 uint256 tokensMarketing = contractTokenBalance * SplitMarketing / 100;
539
540 // Swap for BNB
541 uint256 balanceBeforeSwap = address(this).balance;
542
```



**LINE 538** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
537  // Fee Split
538  uint256 tokensMarketing = contractTokenBalance * SplitMarketing / 100;
539
540  // Swap for BNB
541  uint256 balanceBeforeSwap = address(this).balance;
542
```



**LINE 543** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
542  swapTokensForBNB(tokensMarketing);
543  uint256 TotalBNB = address(this).balance - balanceBeforeSwap;
544
545  // Marketing Split
546  uint256 MarketingSize = SplitMarketing * 100 / SplitMarketing;
547
```



**LINE 546** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
545 // Marketing Split
546 uint256 MarketingSize = SplitMarketing * 100 / SplitMarketing;
547 uint256 MarketingBNB = TotalBNB * MarketingSize / 100;
548
549 sendToWallet(walletMarketing, MarketingBNB);
550
```



**LINE 546** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
545 // Marketing Split
546 uint256 MarketingSize = SplitMarketing * 100 / SplitMarketing;
547 uint256 MarketingBNB = TotalBNB * MarketingSize / 100;
548
549 sendToWallet(walletMarketing, MarketingBNB);
550
```



**LINE 547** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
546  uint256 MarketingSize = SplitMarketing * 100 / SplitMarketing;
547  uint256 MarketingBNB = TotalBNB * MarketingSize / 100;
548
549  sendToWallet(walletMarketing, MarketingBNB);
550  }
551
```



**LINE 547** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
546  uint256 MarketingSize = SplitMarketing * 100 / SplitMarketing;
547  uint256 MarketingBNB = TotalBNB * MarketingSize / 100;
548
549  sendToWallet(walletMarketing, MarketingBNB);
550  }
551
```



**LINE 571** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
570
571 _balances[sender] = _balances[sender] - tokenAmount;
572 _balances[recipient] = _balances[recipient] + tokenAmount;
573
574 emit Transfer(sender, recipient, tokenAmount);
575
```



**LINE 572** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
571 _balances[sender] = _balances[sender] - tokenAmount;
572 _balances[recipient] = _balances[recipient] + tokenAmount;
573
574 emit Transfer(sender, recipient, tokenAmount);
575
576
```



**LINE 577** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
576 if (recipient == walletDEAD)
577 _tokenSupply = _tokenSupply - tokenAmount;
578
579
580
581
```



**LINE 583** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
582
583 uint256 BuyFee = tokenAmount * Tax_Buy/100;
584 uint256 taxedTokenAmount = tokenAmount - BuyFee;
585
586 _balances[sender] = _balances[sender] - tokenAmount;
587
```



**LINE 583** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
582
583 uint256 BuyFee = tokenAmount * Tax_Buy/100;
584 uint256 taxedTokenAmount = tokenAmount - BuyFee;
585
586 _balances[sender] = _balances[sender] - tokenAmount;
587
```



**LINE 584** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
uint256 BuyFee = tokenAmount * Tax_Buy/100;
uint256 taxedTokenAmount = tokenAmount - BuyFee;

base

balances[sender] = _balances[sender] - tokenAmount;

balances[recipient] = _balances[recipient] + taxedTokenAmount;

sample = _balances[recipient]
```



**LINE 586** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
585
586 _balances[sender] = _balances[sender] - tokenAmount;
587 _balances[recipient] = _balances[recipient] + taxedTokenAmount;
588 _balances[address(this)] = _balances[address(this)] + BuyFee;
589
590
```



**LINE 587** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
__balances[sender] = __balances[sender] - tokenAmount;

__balances[recipient] = __balances[recipient] + taxedTokenAmount;

__balances[address(this)] = __balances[address(this)] + BuyFee;

__ba
```



**LINE 588** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
__balances[recipient] = __balances[recipient] + taxedTokenAmount;

588    __balances[address(this)] = __balances[address(this)] + BuyFee;

589

590    emit Transfer(sender, recipient, taxedTokenAmount);

591

592
```



**LINE 593** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
if (recipient == walletDEAD)

593   _tokenSupply = _tokenSupply - taxedTokenAmount;

594

595

596

597
```



**LINE 599** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
598
599    uint256    SellFee = tokenAmount * Tax_Sell/100;
600    uint256    taxedTokenAmount = tokenAmount - SellFee;
601
602    _balances[sender] = _balances[sender] - tokenAmount;
603
```



**LINE 599** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
598
599  uint256 SellFee = tokenAmount * Tax_Sell/100;
600  uint256 taxedTokenAmount = tokenAmount - SellFee;
601
602  _balances[sender] = _balances[sender] - tokenAmount;
603
```



**LINE 600** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
uint256 SellFee = tokenAmount * Tax_Sell/100;
uint256 taxedTokenAmount = tokenAmount - SellFee;

uint256 taxedTokenAmount = tokenAmount;

uint256 taxedTokenAmount;

uint256 taxedTokenAmount;
```



**LINE 602** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
601
602    _balances[sender] = _balances[sender] - tokenAmount;
603    _balances[recipient] = _balances[recipient] + taxedTokenAmount;
604    _balances[address(this)] = _balances[address(this)] + SellFee;
605
606
```



**LINE 603** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
602    _balances[sender] = _balances[sender] - tokenAmount;
603    _balances[recipient] = _balances[recipient] + taxedTokenAmount;
604    _balances[address(this)] = _balances[address(this)] + SellFee;
605
606    emit Transfer(sender, recipient, taxedTokenAmount);
607
```



**LINE 604** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
__balances[recipient] = __balances[recipient] + taxedTokenAmount;

604    __balances[address(this)] = __balances[address(this)] + SellFee;

605

606    emit Transfer(sender, recipient, taxedTokenAmount);

607

608
```



**LINE** 609

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BORZ.sol

```
608 if (recipient == walletDEAD)
609  _tokenSupply = _tokenSupply - taxedTokenAmount;
610
611  }
612 }
613
```



### SWC-110 | OUT OF BOUNDS ARRAY ACCESS

**LINE 555** 

### **low SEVERITY**

The index access expression can cause an exception in case of use of invalid array index value.

#### Source File

- BORZ.sol

```
address[] memory path = new address[](2);
path[0] = address(this);
path[1] = uniswapV2Router.WETH();
_approve(address(this), address(uniswapV2Router), tokenAmount);
uniswapV2Router.swapExactTokensForETHSupportingFeeOnTransferTokens(
```



# SWC-110 | OUT OF BOUNDS ARRAY ACCESS

**LINE 556** 

### **low SEVERITY**

The index access expression can cause an exception in case of use of invalid array index value.

### Source File

- BORZ.sol

```
path[0] = address(this);
path[1] = uniswapV2Router.WETH();

557    _approve(address(this), address(uniswapV2Router), tokenAmount);

558    uniswapV2Router.swapExactTokensForETHSupportingFeeOnTransferTokens(
559    tokenAmount,

560
```



# **DISCLAIMER**

This report is subject to the terms and conditions (including without limitation, description of services, confidentiality, disclaimer and limitation of liability) set forth in the Services Agreement, or the scope of services, and terms and conditions provided to you ("Customer" or the "Company") in connection with the Agreement. This report provided in connection with the Services set forth in the Agreement shall be used by the Company only to the extent permitted under the terms and conditions set forth in the Agreement. This report may not be transmitted, disclosed, referred to, or relied upon by any person for any purposes, nor may copies be delivered to any other person other than the Company, without Sysfixed's prior written consent in each instance.

This report is not, nor should be considered, an "endorsement" or "disapproval" of any particular project or team. This report is not, nor should be considered, an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Sysfixed to perform a security assessment. This report does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors, business, business model, or legal compliance.

This is a limited report on our findings based on our analysis, in accordance with good industry practice as of the date of this report, in relation to cybersecurity vulnerabilities and issues in the framework and algorithms based on smart contracts, the details of which are set out in this report. In order to get a full view of our analysis, it is crucial for you to read the full report. While we have done our best in conducting our analysis and producing this report, it is important to note that you should not rely on this report and cannot claim against us on the basis of what it says or doesn't say, or how we produced it, and it is important for you to conduct your own independent investigations before making any decisions. We go into more detail on this in the below disclaimer below – please make sure to read it in full.

This report should not be used in any way to make decisions around investment or involvement with any particular project. This report in no way provides investment advice, nor should be leveraged as investment advice of any sort. This report represents an extensive assessing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

This report is provided for information purposes only and on a non-reliance basis and does not constitute investment advice. No one shall have any right to rely on the report or its contents, and Sysfixed and its affiliates (including holding companies, shareholders, subsidiaries, employees, directors, officers, and other representatives) (Sysfixed) owe no duty of care.



# **ABOUT US**

Sysfixed is a blockchain security certification organization established in 2021 with the objective to provide smart contract security services and verify their correctness in blockchain-based protocols. Sysfixed automatically scans for security vulnerabilities in Ethereum and other EVM-based blockchain smart contracts. Sysfixed a comprehensive range of analysis techniques—including static analysis, dynamic analysis, and symbolic execution—can accurately detect security vulnerabilities to provide an in-depth analysis report. With a vibrant ecosystem of world-class integration partners that amplify developer productivity, Sysfixed can be utilized in all phases of your project's lifecycle. Our team of security experts is dedicated to the research and improvement of our tools and techniques used to fortify your code.