



Billiard Crypto Reward Smart Contract Audit Report

TABLE OF CONTENTS

Audited Details

- Audited Project
- Blockchain
- Addresses
- Project Website
- Codebase

Summary

- Contract Summary
- Audit Findings Summary
- Vulnerabilities Summary

Conclusion

Audit Results

Smart Contract Analysis

- Detected Vulnerabilities

Disclaimer

About Us

AUDITED DETAILS

Audited Project

Project name	Token ticker	Blockchain
Billiard Crypto Reward	BICR	Binance Smart Chain

Addresses

Contract address	0xedbac1830c1b3280882c73449198ebf6a35ede43
Contract deployer address	0xA7618C49B0C419969F012B3e44a6DA9281744cc3

Project Website

<https://billiardcrypto.com/>

Codebase

<https://bscscan.com/address/0xedbac1830c1b3280882c73449198ebf6a35ede43#code>

SUMMARY

Billiards, any of various games played on a rectangular table with a designated number of small balls and a long stick called a cue. The table and the cushioned rail bordering the table are topped with a feltlike tight-fitting cloth. Carom, or French, billiards is played with three balls on a table that has no pockets. The other principal games are played on tables that have six pockets, one at each corner and one in each of the long sides; these games include English billiards, played with three balls; snooker, played with 21 balls and a cue ball; and pocket billiards, or pool, played with 15 balls and a cue ball. There are numerous varieties of each game—particularly of carom and pocket billiards.

Contract Summary

Documentation Quality

Billiard Crypto Reward provides a very good documentation with standard of solidity base code.

- The technical description is provided clearly and structured and also don't have any high risk issue.

Code Quality

The Overall quality of the basecode is standard.

- Standard solidity basecode and rules are already followed by Billiard Crypto Reward with the discovery of several low issues.

Test Coverage

Test coverage of the project is 100% (Through Codebase)

Audit Findings Summary

- SWC-100 SWC-108 | Explicitly define visibility for all state variables on lines 453.
- SWC-101 | It is recommended to use vetted safe math libraries for arithmetic operations consistently on lines 198, 220, 245, 276, 277, 292, 293, 315, 316, 460, 460, 529, 539, 550, 580, 589, 595, 604, 604, 611, 615, 615, 635, 636, 636, 638, 644, 645, 645, 647, 647, 655, 707, 707, 728, 736, 749, 767 and 770.
- SWC-103 | Pragma statements can be allowed to float when a contract is intended on lines 11.
- SWC-110 SWC-123 | It is recommended to use of revert(), assert(), and require() in Solidity, and the new REVERT opcode in the EVM on lines 667, 668, 750, 768 and 771.
- SWC-120 | It is recommended to use external sources of randomness via oracles on lines 580 and 714.

CONCLUSION

We have audited the Billiard Crypto Reward project released in February 2021 to discover issues and identify potential security vulnerabilities in Billiard Crypto Reward Project. This process is used to find technical issues and security loopholes which might be found in the smart contract.

The security audit report provides satisfactory results with low-risk issues.

The Billiard Crypto Reward smart contract code issues do not pose a considerable risk. The writing of the contract is close to the standard of writing contracts in general. The low-risk issues found are some arithmetic operation issues, a floating pragma is set, a state variable visibility is not set, the potential use of "block.number" as a source of randomness, and out-of-bounds array access which the index access expression can cause an exception in case of the use of an invalid array index value.

AUDIT RESULT

Article	Category	Description	Result
Default Visibility	SWC-100 SWC-108	Functions and state variables visibility should be set explicitly. Visibility levels should be specified consciously.	ISSUE FOUND
Integer Overflow and Underflow	SWC-101	If unchecked math is used, all math operations should be safe from overflows and underflows.	ISSUE FOUND
Outdated Compiler Version	SWC-102	It is recommended to use a recent version of the Solidity compiler.	PASS
Floating Pragma	SWC-103	Contracts should be deployed with the same compiler version and flags that they have been tested thoroughly.	ISSUE FOUND
Unchecked Call Return Value	SWC-104	The return value of a message call should be checked.	PASS
Unprotected Ether Withdrawal	SWC-105	Due to missing or insufficient access controls, malicious parties can withdraw from the contract.	PASS
SELFDESTRUCT Instruction	SWC-106	The contract should not be self-destructible while it has funds belonging to users.	PASS
Reentrancy	SWC-107	Check effect interaction pattern should be followed if the code performs recursive call.	PASS
Uninitialized Storage Pointer	SWC-109	Uninitialized local storage variables can point to unexpected storage locations in the contract.	PASS
Assert Violation	SWC-110 SWC-123	Properly functioning code should never reach a failing assert statement.	ISSUE FOUND
Deprecated Solidity Functions	SWC-111	Deprecated built-in functions should never be used.	PASS
Delegate call to Untrusted Callee	SWC-112	Delegatecalls should only be allowed to trusted addresses.	PASS

DoS (Denial of Service)	SWC-113 SWC-128	Execution of the code should never be blocked by a specific contract state unless required.	PASS
Race Conditions	SWC-114	Race Conditions and Transactions Order Dependency should not be possible.	PASS
Authorization through tx.origin	SWC-115	tx.origin should not be used for authorization.	PASS
Block values as a proxy for time	SWC-116	Block numbers should not be used for time calculations.	PASS
Signature Unique ID	SWC-117 SWC-121 SWC-122	Signed messages should always have a unique id. A transaction hash should not be used as a unique id.	PASS
Incorrect Constructor Name	SWC-118	Constructors are special functions that are called only once during the contract creation.	PASS
Shadowing State Variable	SWC-119	State variables should not be shadowed.	PASS
Weak Sources of Randomness	SWC-120	Random values should never be generated from Chain Attributes or be predictable.	ISSUE FOUND
Write to Arbitrary Storage Location	SWC-124	The contract is responsible for ensuring that only authorized user or contract accounts may write to sensitive storage locations.	PASS
Incorrect Inheritance Order	SWC-125	When inheriting multiple contracts, especially if they have identical functions, a developer should carefully specify inheritance in the correct order. The rule of thumb is to inherit contracts from more /general/ to more /specific/.	PASS
Insufficient Gas Griefing	SWC-126	Insufficient gas griefing attacks can be performed on contracts which accept data and use it in a sub-call on another contract.	PASS
Arbitrary Jump Function	SWC-127	As Solidity doesnt support pointer arithmetics, it is impossible to change such variable to an arbitrary value.	PASS

Typographical Error	SWC-129	A typographical error can occur for example when the intent of a defined operation is to sum a number to a variable.	PASS
Override control character	SWC-130	Malicious actors can use the Right-To-Left-Override unicode character to force RTL text rendering and confuse users as to the real intent of a contract.	PASS
Unused variables	SWC-131 SWC-135	Unused variables are allowed in Solidity and they do not pose a direct security issue.	PASS
Unexpected Ether balance	SWC-132	Contracts can behave erroneously when they strictly assume a specific Ether balance.	PASS
Hash Collisions Variable	SWC-133	Using <code>abi.encodePacked()</code> with multiple variable length arguments can, in certain situations, lead to a hash collision.	PASS
Hardcoded gas amount	SWC-134	The <code>transfer()</code> and <code>send()</code> functions forward a fixed amount of 2300 gas.	PASS
Unencrypted Private Data	SWC-136	It is a common misconception that private type variables cannot be read.	PASS

SMART CONTRACT ANALYSIS

Started	Monday Feb 20 2023 18:58:55 GMT+0000 (Coordinated Universal Time)
Finished	Tuesday Feb 21 2023 23:30:14 GMT+0000 (Coordinated Universal Time)
Mode	Standard
Main Source File	BilliardCryptoReward.sol

Detected Issues

ID	Title	Severity	Status
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "**" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged

SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged

SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "**" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "++" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "++" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "++" DISCOVERED	low	acknowledged
SWC-103	A FLOATING PRAGMA IS SET.	low	acknowledged
SWC-108	STATE VARIABLE VISIBILITY IS NOT SET.	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-120	POTENTIAL USE OF "BLOCK.NUMBER" AS SOURCE OF RANDOMNESS.	low	acknowledged
SWC-120	POTENTIAL USE OF "BLOCK.NUMBER" AS SOURCE OF RANDOMNESS.	low	acknowledged

SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 198

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
197     require(currentAllowance >= amount, "ERC20: transfer amount exceeds allowance");
198     _approve(sender, _msgSender(), currentAllowance - amount);
199
200     return true;
201 }
202
```

SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 220

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
219  {
220  _approve(_msgSender(), spender, _allowances[_msgSender()][spender] + addedValue);
221  return true;
222  }
223
224
```

SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 245

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
244   require(currentAllowance >= subtractedValue, "ERC20: decreased allowance below
zero");
245   _approve(_msgSender(), spender, currentAllowance - subtractedValue);
246
247   return true;
248   }
249
```

SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 276

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
275   require(senderBalance >= amount, "ERC20: transfer amount exceeds balance");
276   _balances[sender] = senderBalance - amount;
277   _balances[recipient] += amount;
278
279   emit Transfer(sender, recipient, amount);
280
```

SWC-101 | ARITHMETIC OPERATION "+=" DISCOVERED

LINE 277

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
276  _balances[sender] = senderBalance - amount;  
277  _balances[recipient] += amount;  
278  
279  emit Transfer(sender, recipient, amount);  
280  }  
281
```


SWC-101 | ARITHMETIC OPERATION "+=" DISCOVERED

LINE 292

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
291
292   _totalSupply += amount;
293   _balances[account] += amount;
294   emit Transfer(address(0), account, amount);
295   }
296
```

SWC-101 | ARITHMETIC OPERATION "+=" DISCOVERED

LINE 293

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
292  _totalSupply += amount;  
293  _balances[account] += amount;  
294  emit Transfer(address(0), account, amount);  
295  }  
296  
297
```

SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 315

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
314   require(accountBalance >= amount, "ERC20: burn amount exceeds balance");
315   _balances[account] = accountBalance - amount;
316   _totalSupply -= amount;
317
318   emit Transfer(account, address(0), amount);
319
```

SWC-101 | ARITHMETIC OPERATION "-=" DISCOVERED

LINE 316

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
315     _balances[account] = accountBalance - amount;  
316     _totalSupply -= amount;  
317  
318     emit Transfer(account, address(0), amount);  
319 }  
320
```

SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED

LINE 460

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
459
460  uint256 public tokenLiquidityThreshold = 1e4 * 10**18;
461
462  uint256 public genesis_block;
463  uint256 private deadline = 1;
464
```

SWC-101 | ARITHMETIC OPERATION "**" DISCOVERED

LINE 460

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
459
460  uint256 public tokenLiquidityThreshold = 1e4 * 10**18;
461
462  uint256 public genesis_block;
463  uint256 private deadline = 1;
464
```

SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 529

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
528     require(currentAllowance >= amount, "ERC20: transfer amount exceeds allowance");
529     _approve(sender, _msgSender(), currentAllowance - amount);
530
531     return true;
532 }
533
```

SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 539

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
538 {  
539   _approve(_msgSender(), spender, _allowances[_msgSender()][spender] + addedValue);  
540   return true;  
541 }  
542  
543
```


SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 550

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
549   require(currentAllowance >= subtractedValue, "ERC20: decreased allowance below
zero");
550   _approve(_msgSender(), spender, currentAllowance - subtractedValue);
551
552   return true;
553   }
554
```

SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 580

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
579     !exemptFee[recipient] &&  
580     block.number < genesis_block + deadline;  
581  
582     //set fee to zero if fees in contract are handled or exempted  
583     if (_interlock || exemptFee[sender] || exemptFee[recipient])  
584
```

SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 589

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
588     feeswap =
589     sellTaxes.liquidity +
590     sellTaxes.marketing ;
591     feesum = feeswap;
592     currentTaxes = sellTaxes;
593
```

SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 595

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
594 feeswap =  
595 taxes.liquidity +  
596 taxes.marketing ;  
597 feesum = feeswap;  
598 currentTaxes = taxes;  
599
```

SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

LINE 604

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
603
604     fee = (amount * feesum) / 100;
605
606     //send fees if threshold has been reached
607     //don't do this on buys, breaks swap
608
```

SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED

LINE 604

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
603
604     fee = (amount * feesum) / 100;
605
606     //send fees if threshold has been reached
607     //don't do this on buys, breaks swap
608
```

SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 611

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
610 //rest to recipient
611 super._transfer(sender, recipient, amount - fee);
612 if (fee > 0) {
613 //send the fee to the contract
614 if (feeswap > 0) {
615
```

SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

LINE 615

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
614     if (feeswap > 0) {
615         uint256 feeAmount = (amount * feeswap) / 100;
616         super._transfer(sender, address(this), feeAmount);
617     }
618
619
```


SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED

LINE 615

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
614   if (feeswap > 0) {
615       uint256 feeAmount = (amount * feeswap) / 100;
616       super._transfer(sender, address(this), feeAmount);
617   }
618
619
```

SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED

LINE 635

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
634 // Split the contract balance into halves
635 uint256 denominator = feeswap * 2;
636 uint256 tokensToAddLiquidityWith = (contractBalance * swapTaxes.liquidity) /
637 denominator;
638 uint256 toSwap = contractBalance - tokensToAddLiquidityWith;
639
```

SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

LINE 636

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
635 uint256 denominator = feeswap * 2;  
636 uint256 tokensToAddLiquidityWith = (contractBalance * swapTaxes.liquidity) /  
637 denominator;  
638 uint256 toSwap = contractBalance - tokensToAddLiquidityWith;  
639  
640
```

SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED

LINE 636

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
635 uint256 denominator = feeswap * 2;  
636 uint256 tokensToAddLiquidityWith = (contractBalance * swapTaxes.liquidity) /  
637 denominator;  
638 uint256 toSwap = contractBalance - tokensToAddLiquidityWith;  
639  
640
```

SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 638

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
637     denominator;  
638     uint256 toSwap = contractBalance - tokensToAddLiquidityWith;  
639  
640     uint256 initialBalance = IERCliquidityPairToken.balanceOf(address(liquifier));  
641  
642
```

SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 644

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
643
644  uint256 deltaBalance = IERCliquidityPairToken.balanceOf(address(liquifier)) -
    initialBalance;
645  uint256 unitBalance = deltaBalance / (denominator - swapTaxes.liquidity);
646
647  uint256 marketingAmt = unitBalance * 2 * swapTaxes.marketing;
648
```

SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

LINE 645

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
644 uint256 deltaBalance = IERCliquidityPairToken.balanceOf(address(liquifier)) -
initialBalance;
645 uint256 unitBalance = deltaBalance / (denominator - swapTaxes.liquidity);
646
647 uint256 marketingAmt = unitBalance * 2 * swapTaxes.marketing;
648 if (marketingAmt > 0) {
649
```

SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 645

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
644 uint256 deltaBalance = IERCliquidityPairToken.balanceOf(address(liquifier)) -
initialBalance;
645 uint256 unitBalance = deltaBalance / (denominator - swapTaxes.liquidity);
646
647 uint256 marketingAmt = unitBalance * 2 * swapTaxes.marketing;
648 if (marketingAmt > 0) {
649
```


SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED

LINE 647

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
646
647     uint256 marketingAmt = unitBalance * 2 * swapTaxes.marketing;
648     if (marketingAmt > 0) {
649         IERCliquidityPairToken.transferFrom(address(liquifier), marketingWallet,
marketingAmt);
650     }
651
```

SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED

LINE 647

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
646
647     uint256 marketingAmt = unitBalance * 2 * swapTaxes.marketing;
648     if (marketingAmt > 0) {
649         IERCliquidityPairToken.transferFrom(address(liquifier), marketingWallet,
marketingAmt);
650     }
651
```

SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED

LINE 655

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
654
655 uint256 ethPairToAddLiquidityWith = unitBalance * swapTaxes.liquidity;
656 if (ethPairToAddLiquidityWith > 0) {
657     // Add liquidity to pancake
658     addLiquidity(tokensToAddLiquidityWith, ethPairToAddLiquidityWith);
659
```

SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED

LINE 707

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
706   require(new_amount <= 1e5, "Swap threshold amount should be lower or equal to 1% of
tokens");
707   tokenLiquidityThreshold = new_amount * 10**decimals();
708   }
709
710   function EnableTrading() external onlyOwner {
711
```

SWC-101 | ARITHMETIC OPERATION "**" DISCOVERED

LINE 707

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
706     require(new_amount <= 1e5, "Swap threshold amount should be lower or equal to 1% of
tokens");
707     tokenLiquidityThreshold = new_amount * 10**decimals();
708 }
709
710 function EnableTrading() external onlyOwner {
711
```

SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 728

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
727     taxes = Taxes(_marketing, _liquidity);
728     require((_marketing + _liquidity) <= 5, "Must keep fees at 5% or less");
729 }
730
731 function SetSellTaxes(
732
```

SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 736

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
735   sellTaxes = Taxes(_marketing, _liquidity);
736   require((_marketing + _liquidity ) <= 5, "Must keep fees at 5% or less");
737   }
738
739   function updateMarketingWallet(address newWallet) external onlyOwner {
740
```

SWC-101 | ARITHMETIC OPERATION "++" DISCOVERED

LINE 749

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
748     function bulkExemptFee(address[] memory accounts, bool state) external onlyOwner {  
749         for (uint256 i = 0; i < accounts.length; i++) {  
750             exemptFee[accounts[i]] = state;  
751         }  
752     }  
753 }
```


SWC-101 | ARITHMETIC OPERATION "++" DISCOVERED

LINE 767

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
766 ) public onlyOwner {
767   for (uint256 index; index < newAddr.length; index++) {
768     blacklist[newAddr[index]] = true;
769   }
770   for (uint256 index; index < removedAddr.length; index++) {
771
```

SWC-101 | ARITHMETIC OPERATION "++" DISCOVERED

LINE 770

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BilliardCryptoReward.sol

Locations

```
769     }  
770     for (uint256 index; index < removedAddr.length; index++) {  
771         blacklist[removedAddr[index]] = false;  
772     }  
773 }  
774
```

SWC-103 | A FLOATING PRAGMA IS SET.

LINE 11

low SEVERITY

The current pragma Solidity directive is `^0.8.17`. It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

Source File

- BilliardCryptoReward.sol

Locations

```
10
11  pragma solidity ^0.8.17;
12
13  abstract contract Context {
14  function _msgSender() internal view virtual returns (address) {
15
```

SWC-108 | STATE VARIABLE VISIBILITY IS NOT SET.

LINE 453

low SEVERITY

It is best practice to set the visibility of state variables explicitly. The default visibility for "IERCliquidityPairToken" is internal. Other possible visibility settings are public and private.

Source File

- BilliardCryptoReward.sol

Locations

```
452 address public liquidityPairToken;  
453 IERC20 IERCliquidityPairToken;  
454 Liquifier public liquifier;  
455  
456 bool private _interlock = false;  
457
```

SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 667

low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- BilliardCryptoReward.sol

Locations

```
666 address[] memory path = new address[](2);
667 path[0] = address(this);
668 path[1] = liquidityPairToken;
669
670 _approve(address(this), address(router), tokenAmount);
671
```

SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 668

low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- BilliardCryptoReward.sol

Locations

```
667 path[0] = address(this);
668 path[1] = liquidityPairToken;
669
670 _approve(address(this), address(router), tokenAmount);
671
672
```

SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 750

low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- BilliardCryptoReward.sol

Locations

```
749   for (uint256 i = 0; i < accounts.length; i++) {  
750     exemptFee[accounts[i]] = state;  
751   }  
752 }  
753  
754
```

SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 768

low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- BilliardCryptoReward.sol

Locations

```
767   for (uint256 index; index < newAddr.length; index++) {  
768     blacklist[newAddr[index]] = true;  
769   }  
770   for (uint256 index; index < removedAddr.length; index++) {  
771     blacklist[removedAddr[index]] = false;  
772   }
```


SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 771

low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- BilliardCryptoReward.sol

Locations

```
770     for (uint256 index; index < removedAddr.length; index++) {  
771         blacklist[removedAddr[index]] = false;  
772     }  
773 }  
774  
775
```

SWC-120 | POTENTIAL USE OF "BLOCK.NUMBER" AS SOURCE OF RANDOMNESS.

LINE 580

low SEVERITY

The environment variable "block.number" looks like it might be used as a source of randomness. Note that the values of variables like coinbase, gaslimit, block number and timestamp are predictable and can be manipulated by a malicious miner. Also keep in mind that attackers know hashes of earlier blocks. Don't use any of those environment variables as sources of randomness and be aware that use of these variables introduces a certain level of trust into miners.

Source File

- BilliardCryptoReward.sol

Locations

```
579     !exemptFee[recipient] &&  
580     block.number < genesis_block + deadline;  
581  
582     //set fee to zero if fees in contract are handled or exempted  
583     if (_interlock || exemptFee[sender] || exemptFee[recipient])  
584
```

SWC-120 | POTENTIAL USE OF "BLOCK.NUMBER" AS SOURCE OF RANDOMNESS.

LINE 714

low SEVERITY

The environment variable "block.number" looks like it might be used as a source of randomness. Note that the values of variables like coinbase, gaslimit, block number and timestamp are predictable and can be manipulated by a malicious miner. Also keep in mind that attackers know hashes of earlier blocks. Don't use any of those environment variables as sources of randomness and be aware that use of these variables introduces a certain level of trust into miners.

Source File

- BilliardCryptoReward.sol

Locations

```
713     providingLiquidity = true;
714     genesis_block = block.number;
715 }
716
717 function updateddeadline(uint256 _deadline) external onlyOwner {
718
```

DISCLAIMER

This report is subject to the terms and conditions (including without limitation, description of services, confidentiality, disclaimer and limitation of liability) set forth in the Services Agreement, or the scope of services, and terms and conditions provided to you (“Customer” or the “Company”) in connection with the Agreement. This report provided in connection with the Services set forth in the Agreement shall be used by the Company only to the extent permitted under the terms and conditions set forth in the Agreement. This report may not be transmitted, disclosed, referred to, or relied upon by any person for any purposes, nor may copies be delivered to any other person other than the Company, without Sysfixed’s prior written consent in each instance.

This report is not, nor should be considered, an “endorsement” or “disapproval” of any particular project or team. This report is not, nor should be considered, an indication of the economics or value of any “product” or “asset” created by any team or project that contracts Sysfixed to perform a security assessment. This report does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors, business, business model, or legal compliance.

This is a limited report on our findings based on our analysis, in accordance with good industry practice as of the date of this report, in relation to cybersecurity vulnerabilities and issues in the framework and algorithms based on smart contracts, the details of which are set out in this report. In order to get a full view of our analysis, it is crucial for you to read the full report. While we have done our best in conducting our analysis and producing this report, it is important to note that you should not rely on this report and cannot claim against us on the basis of what it says or doesn’t say, or how we produced it, and it is important for you to conduct your own independent investigations before making any decisions. We go into more detail on this in the below disclaimer below – please make sure to read it in full.

This report should not be used in any way to make decisions around investment or involvement with any particular project. This report in no way provides investment advice, nor should be leveraged as investment advice of any sort. This report represents an extensive assessing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

This report is provided for information purposes only and on a non-reliance basis and does not constitute investment advice. No one shall have any right to rely on the report or its contents, and Sysfixed and its affiliates (including holding companies, shareholders, subsidiaries, employees, directors, officers, and other representatives) (Sysfixed) owe no duty of care.

ABOUT US

Sysfixed is a blockchain security certification organization established in 2021 with the objective to provide smart contract security services and verify their correctness in blockchain-based protocols. Sysfixed automatically scans for security vulnerabilities in Ethereum and other EVM-based blockchain smart contracts. Sysfixed a comprehensive range of analysis techniques—including static analysis, dynamic analysis, and symbolic execution—can accurately detect security vulnerabilities to provide an in-depth analysis report. With a vibrant ecosystem of world-class integration partners that amplify developer productivity, Sysfixed can be utilized in all phases of your project's lifecycle. Our team of security experts is dedicated to the research and improvement of our tools and techniques used to fortify your code.