



OdysseyWallet
Smart Contract
Audit Report

TABLE OF CONTENTS

[Audited Details](#)

- Audited Project
- Blockchain
- Addresses
- Project Website
- Codebase

[Summary](#)

- Contract Summary
- Audit Findings Summary
- Vulnerabilities Summary

[Conclusion](#)

[Audit Results](#)

[Smart Contract Analysis](#)

- Detected Vulnerabilities

[Disclaimer](#)

[About Us](#)

AUDITED DETAILS

Audited Project

Project name	Token ticker	Blockchain
OdysseyWallet	ODYS	BSC

Addresses

Contract address	0x54e951E513bC09abaFf971641947Bc69e31068bD
Contract deployer address	0x2F94f5B4Dbe2174B835217eD6Ef8ee2E8711B3e8

Project Website

<https://odysseywallet.io/>

Codebase

<https://bscscan.com/address/0x54e951E513bC09abaFf971641947Bc69e31068bD#code>

SUMMARY

Odyssey Wallet is committed to becoming the first decentralized social community Web3.0 wallet. A system that helps people quickly understand the blockchain and enter web3.0 also assists communities and media creators to interact with members.

Contract Summary

Documentation Quality

This project has a sufficient amount of documentation.

- Technical description provided.

Code Quality

The quality of the code in this project is up to standard

- The official Solidity style guide is followed.

Test Scope

Project test coverage is 100% (Via Codebase)

Audit Findings Summary

Issues Found

- SWC-101 | Arithmetic operation issues discovered on lines 194, 216, 241, 270, 271, 400, 431, 462, 472, 483, 511, 520, 526, 535, 542, 546, 566, 567, 569, 575, 576, 577, 584, 633, 641, 649, 675,
- SWC-103 | A floating pragma is set on line 7, the current pragma Solidity directive is ""^0.8.8"".
- SWC-110 | Out of bounds array access discovered on lines 595, 596, and 676. It is best practice to set the visibility of state variables explicitly to public or private.
- SWC-120 | Potential use of "block.number" as a source of randomness discovered on lines 511 and 656.

CONCLUSION

We have audited the OdysseyWallet project which has released on January 2023 to discover issues and identify potential security vulnerabilities in OdysseyWallet Project. This process is used to find technical issues and security loopholes that find some common issues in the code.

The security audit report produced satisfactory results with low-risk issues.

The most common issue found in writing code on contracts that do not pose a big risk, writing on contracts is close to the standard of writing contracts in general. Some of the low issues that were found were asserted violations and weak sources of the randomness contained in the contract

AUDIT RESULT

Article	Category	Description	Result
Default Visibility	SWC-100 SWC-108	Functions and state variables visibility should be set explicitly. Visibility levels should be specified consciously.	PASS
Integer Overflow and Underflow	SWC-101	If unchecked math is used, all math operations should be safe from overflows and underflows.	ISSUE FOUND
Outdated Compiler Version	SWC-102	It is recommended to use a recent version of the Solidity compiler.	PASS
Floating Pragma	SWC-103	Contracts should be deployed with the same compiler version and flags that they have been tested thoroughly.	ISSUE FOUND
Unchecked Call Return Value	SWC-104	The return value of a message call should be checked.	PASS
SELFDESTRUCT Instruction	SWC-106	The contract should not be self-destructible while it has funds belonging to users.	PASS
Check-Effect Interaction	SWC-107	Check-Effect-Interaction pattern should be followed if the code performs ANY external call.	PASS
Assert Violation	SWC-110	Properly functioning code should never reach a failing assert statement.	ISSUE FOUND
Deprecated Solidity Functions	SWC-111	Deprecated built-in functions should never be used.	PASS
Delegate call to Untrusted Callee	SWC-112	Delegatecalls should only be allowed to trusted addresses	PASS
DoS (Denial of Service)	SWC-113 SWC-128	Execution of the code should never be blocked by a specific contract state unless required.	PASS
Race Conditions	SWC-114	Race Conditions and Transactions Order Dependency should not be possible.	PASS

Authorization through tx.origin	SWC-115	tx.origin should not be used for authorization.	PASS
Block values as a proxy for time	SWC-116	Block numbers should not be used for time calculations.	PASS
Signature Unique Id	SWC-117 SWC-121 SWC-122	Signed messages should always have a unique id. A transaction hash should not be used as a unique id.	PASS
Shadowing State Variable	SWC-119	State variables should not be shadowed.	PASS
Weak Sources of Randomness	SWC-120	Random values should never be generated from Chain Attributes or be predictable.	ISSUE FOUND
Incorrect Inheritance Order	SWC-125	When inheriting multiple contracts, especially if they have identical functions, a developer should carefully specify inher	PASS

SMART CONTRACT ANALYSIS

Started	Tue Jan 17 2023 22:37:20 GMT+0000 (Coordinated Universal Time)
Finished	Wed Jan 18 2023 00:17:57 GMT+0000 (Coordinated Universal Time)
Mode	Standard
Main Source File	Odyssey.Sol

Detected Issues

ID	Title	Severity	Status
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "**" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged

SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "++" DISCOVERED	low	acknowledged
SWC-103	A FLOATING PRAGMA IS SET	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-120	POTENTIAL USE OF "BLOCK.NUMBER" AS SOURCE OF RANDOMNESS	low	acknowledged
SWC-120	POTENTIAL USE OF "BLOCK.NUMBER" AS SOURCE OF RANDOMNESS	low	acknowledged

SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 194

low SEVERITY

This plugin produces issues to support false positive discovery within Mythril.

Source File

- Odyssey.sol

Locations

```
193   require(currentAllowance >= amount, "BEP20: transfer amount exceeds allowance");
194   _approve(sender, _msgSender(), currentAllowance - amount);
195   return true;
196   |
```

SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 216

low SEVERITY

This plugin produces issues to support false positive discovery within Mythril.

Source File

- Odyssey.sol

Locations

```
215  {  
216  _approve(_msgSender(), spender, _allowances[_msgSender()][spender] + addedValue);  
217  return true;  
218  }
```

SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 241

low SEVERITY

This plugin produces issues to support false positive discovery within Mythril.

Source File

- Odyssey.sol

Locations

```
240   require(currentAllowance >= subtractedValue, "BEP20: decreased allowance below
zero");
241   _approve(_msgSender(), spender, currentAllowance - subtractedValue);
242   return true;
243   |
```

SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 270

low SEVERITY

This plugin produces issues to support false positive discovery within Mythril.

Source File

- Odyssey.sol

Locations

```
269   require(senderBalance >= amount, "BEP20: transfer amount exceeds balance");
270   _balances[sender] = senderBalance - amount;
271   _balances[recipient] += amount;
272   |
```

SWC-101 | ARITHMETIC OPERATION "+=" DISCOVERED

LINE 271

low SEVERITY

This plugin produces issues to support false positive discovery within Mythril.

Source File

- Odyssey.sol

Locations

```
270 balances[sender] = senderBalance - amount;  
271 _balances[recipient] += amount;  
272 emit Transfer(sender, recipient, amount);  
273 |
```

SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED

LINE 400

low SEVERITY

This plugin produces issues to support false positive discovery within Mythril.

Source File

- Odyssey.sol

Locations

```
399  bool public tradingEnabled = false;
400  uint256 public tokenLiquidityThreshold = 1e7 * 10**18;
401  uint256 public genesis_block;
402  |
```

SWC-101 | ARITHMETIC OPERATION "**" DISCOVERED

LINE 431

low SEVERITY

This plugin produces issues to support false positive discovery within Mythril.

Source File

- Odyssey.sol

Locations

```
430     constructor() BEP20("OdysseyWallet", "ODYS") {
431         _tokengeneration(msg.sender, 1e10 * 10**decimals());
432         exemptFee[msg.sender] = true;
```


SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 462

low SEVERITY

This plugin produces issues to support false positive discovery within Mythril.

Source File

- Odyssey.sol

Locations

```
461   require(currentAllowance >= amount, "BEP20: transfer amount exceeds allowance");
462   _approve(sender, _msgSender(), currentAllowance - amount);
463   return true;
464   |
```

SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 472

low SEVERITY

This plugin produces issues to support false positive discovery within Mythril.

Source File

- Odyssey.sol

Locations

```
471  {  
472  _approve(_msgSender(), spender, _allowances[_msgSender()][spender] + addedValue);  
473  return true;  
474  }
```

SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 483

low SEVERITY

This plugin produces issues to support false positive discovery within Mythril.

Source File

- Odyssey.sol

Locations

```
482   require(currentAllowance >= subtractedValue, "BEP20: decreased allowance below
zero");
483   _approve(_msgSender(), spender, currentAllowance - subtractedValue);
484   return true;
485   |
```

SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 511

low SEVERITY

This plugin produces issues to support false positive discovery within Mythril.

Source File

- Odyssey.sol

Locations

```
510     !exemptFee[recipient] &&  
511     block.number < genesis_block + deadline;  
512     //set fee to zero if fees in contract are handled or exempted  
513     |
```

SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 520

low SEVERITY

This plugin produces issues to support false positive discovery within Mythril.

Source File

- Odyssey.sol

Locations

```
519     feeswap =
520     sellTaxes.liquidity +
521     sellTaxes.marketing;
522     feesum = feeswap;
```

SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 526

low SEVERITY

This plugin produces issues to support false positive discovery within Mythril.

Source File

- Odyssey.sol

Locations

```
525     feeswap =  
526     taxes.liquidity +  
527     taxes.marketing;  
528     feesum = feeswap;
```

SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

LINE 535

low SEVERITY

This plugin produces issues to support false positive discovery within Mythril.

Source File

- Odyssey.sol

Locations

```
534     }  
535     fee = (amount * feesum) / 100;  
536     //send fees if threshold has been reached  
537     |
```

SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 542

low SEVERITY

This plugin produces issues to support false positive discovery within Mythril.

Source File

- Odyssey.sol

Locations

```
541 //rest to recipient
542 super._transfer(sender, recipient, amount - fee);
543 if (fee > 0) {
544 //send the fee to the contract
```


SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

LINE 546

low SEVERITY

This plugin produces issues to support false positive discovery within Mythril.

Source File

- Odyssey.sol

Locations

```
545   if (feeswap > 0) {  
546       uint256 feeAmount = (amount * feeswap) / 100;  
547       super._transfer(sender, address(this), feeAmount);  
548   }
```

SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED

LINE 566

low SEVERITY

This plugin produces issues to support false positive discovery within Mythril.

Source File

- Odyssey.sol

Locations

```
565 // Split the contract balance into halves
566 uint256 denominator = feeswap * 2;
567 uint256 tokensToAddLiquidityWith = (contractBalance * swapTaxes.liquidity) /
568 denominator;
```

SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

LINE 567

low SEVERITY

This plugin produces issues to support false positive discovery within Mythril.

Source File

- Odyssey.sol

Locations

```
566 uint256 denominator = feeswap * 2;  
567 uint256 tokensToAddLiquidityWith = (contractBalance * swapTaxes.liquidity) /  
568 denominator;  
569 uint256 toSwap = contractBalance - tokensToAddLiquidityWith;
```

SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 569

low SEVERITY

This plugin produces issues to support false positive discovery within Mythril.

Source File

- Odyssey.sol

Locations

```
568 denominator;  
569 uint256 toSwap = contractBalance - tokensToAddLiquidityWith;  
570 uint256 initialBalance = address(this).balance;  
571 |
```

SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 575

low SEVERITY

This plugin produces issues to support false positive discovery within Mythril.

Source File

- Odyssey.sol

Locations

```
574 swapTokensForETH(toSwap);
575 uint256 deltaBalance = address(this).balance - initialBalance;
576 uint256 unitBalance = deltaBalance / (denominator - swapTaxes.liquidity);
577 uint256 ethToAddLiquidityWith = unitBalance * swapTaxes.liquidity;
```

SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

LINE 576

low SEVERITY

This plugin produces issues to support false positive discovery within Mythril.

Source File

- Odyssey.sol

Locations

```
575 uint256 deltaBalance = address(this).balance - initialBalance;  
576 uint256 unitBalance = deltaBalance / (denominator - swapTaxes.liquidity);  
577 uint256 ethToAddLiquidityWith = unitBalance * swapTaxes.liquidity;  
578 |
```

SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED

LINE 577

low SEVERITY

This plugin produces issues to support false positive discovery within Mythril.

Source File

- Odyssey.sol

Locations

```
576 uint256 unitBalance = deltaBalance / (denominator - swapTaxes.liquidity);
577 uint256 ethToAddLiquidityWith = unitBalance * swapTaxes.liquidity;
578 if (ethToAddLiquidityWith > 0) {
579 |
```

SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED

LINE 584

low SEVERITY

This plugin produces issues to support false positive discovery within Mythril.

Source File

- Odyssey.sol

Locations

```
583     }  
584     uint256 marketingAmt = unitBalance * 2 * swapTaxes.marketing;  
585     if (marketingAmt > 0) {  
586         payable(marketingWallet).sendValue(marketingAmt);
```


SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED

LINE 633

low SEVERITY

This plugin produces issues to support false positive discovery within Mythril.

Source File

- Odyssey.sol

Locations

```
632     require(new_amount <= 1e8, "Swap threshold amount should be lower or equal to 1% of
tokens");
633     tokenLiquidityThreshold = new_amount * 10**decimals();
634 }
635 |
```

SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 641

low SEVERITY

This plugin produces issues to support false positive discovery within Mythril.

Source File

- Odyssey.sol

Locations

```
640 taxes = Taxes(_marketing, _liquidity);
641 require((_marketing + _liquidity) <= 5, "Must keep fees at 5% or less");
642 }
643 |
```

SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 648

low SEVERITY

This plugin produces issues to support false positive discovery within Mythril.

Source File

- Odyssey.sol

Locations

```
647     sellTaxes = Taxes(_marketing, _liquidity);
648     require((_marketing + _liquidity) <= 5, "Must keep fees at 5% or less");
649   }
650   |
```

SWC-101 | ARITHMETIC OPERATION "++" DISCOVERED

LINE 675

low SEVERITY

This plugin produces issues to support false positive discovery within Mythril.

Source File

- Odyssey.sol

Locations

```
674 function bulkExemptFee(address[] memory accounts, bool state) external onlyOwner {  
675     for (uint256 i = 0; i < accounts.length; i++) {  
676         exemptFee[accounts[i]] = state;  
677     }
```

SWC-103 | A FLOATING PRAGMA IS SET

LINE 7

low SEVERITY

The current pragma Solidity directive is ""^0.8.8"". It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

Source File

- Odyssey.sol

Locations

```
6 //SPDX-License-Identifier: UNLICENSED
7 pragma solidity ^0.8.8;
8 abstract contract Context {
9 |
```

SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 595

low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- Odyssey.sol

Locations

```
594 address[] memory path = new address[](2);
595 path[0] = address(this);
596 path[1] = router.WETH();
597 |
```

SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 596

low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- Odyssey.sol

Locations

```
595   path[0] = address(this);  
596   path[1] = router.WETH();  
597   _approve(address(this), address(router), tokenAmount);  
598   |
```

SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 676

low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- Odyssey.sol

Locations

```
675   for (uint256 i = 0; i < accounts.length; i++) {  
676     exemptFee[accounts[i]] = state;  
677   }  
678 }
```


SWC-120 | POTENTIAL USE OF "BLOCK.NUMBER" AS SOURCE OF RANDOMNESS

LINE 511

low SEVERITY

The environment variable "block.number" looks like it might be used as a source of randomness. Note that the values of variables like coinbase, gas limit, block number and timestamp are predictable and can be manipulated by a malicious miner. Also, keep in mind that attackers know hashes of earlier blocks. Don't use any of those environment variables as sources of randomness and be aware that the use of these variables introduces a certain level of trust to miners.

Source File

- Odyssey.sol

Locations

```
510     !exemptFee[recipient] &&  
511     block.number < genesis_block + deadline;  
512     //set fee to zero if fees in contract are handled or exempted  
513     |
```

SWC-120 | POTENTIAL USE OF "BLOCK.NUMBER" AS SOURCE OF RANDOMNESS

LINE 656

low SEVERITY

The environment variable "block.number" looks like it might be used as a source of randomness. Note that the values of variables like coinbase, gas limit, block number and timestamp are predictable and can be manipulated by a malicious miner. Also, keep in mind that attackers know hashes of earlier blocks. Don't use any of those environment variables as sources of randomness and be aware that the use of these variables introduces a certain level of trust into miners.

Source File

- Odyssey.sol

Locations

```
655 providingLiquidity = true;
656 genesis_block = block.number;
657 }
658 |
```

DISCLAIMER

This report is subject to the terms and conditions (including without limitation, description of services, confidentiality, disclaimer and limitation of liability) set forth in the Services Agreement, or the scope of services, and terms and conditions provided to you (“Customer” or the “Company”) in connection with the Agreement. This report provided in connection with the Services set forth in the Agreement shall be used by the Company only to the extent permitted under the terms and conditions set forth in the Agreement. This report may not be transmitted, disclosed, referred to, or relied upon by any person for any purposes, nor may copies be delivered to any other person other than the Company, without Sysfixed’s prior written consent in each instance.

This report is not, nor should be considered, an “endorsement” or “disapproval” of any particular project or team. This report is not, nor should be considered, an indication of the economics or value of any “product” or “asset” created by any team or project that contracts Sysfixed to perform a security assessment. This report does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors, business, business model, or legal compliance.

This is a limited report on our findings based on our analysis, in accordance with good industry practice as of the date of this report, in relation to cybersecurity vulnerabilities and issues in the framework and algorithms based on smart contracts, the details of which are set out in this report. In order to get a full view of our analysis, it is crucial for you to read the full report. While we have done our best in conducting our analysis and producing this report, it is important to note that you should not rely on this report and cannot claim against us on the basis of what it says or doesn’t say, or how we produced it, and it is important for you to conduct your own independent investigations before making any decisions. We go into more detail on this in the below disclaimer below – please make sure to read it in full.

This report should not be used in any way to make decisions around investment or involvement with any particular project. This report in no way provides investment advice, nor should be leveraged as investment advice of any sort. This report represents an extensive assessing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

This report is provided for information purposes only and on a non-reliance basis and does not constitute investment advice. No one shall have any right to rely on the report or its contents, and Sysfixed and its affiliates (including holding companies, shareholders, subsidiaries, employees, directors, officers, and other representatives) (Sysfixed) owe no duty of care.

ABOUT US

Sysfixed is a blockchain security certification organization established in 2021 with the objective to provide smart contract security services and verify their correctness in blockchain-based protocols. Sysfixed automatically scans for security vulnerabilities in Ethereum and other EVM-based blockchain smart contracts. Sysfixed a comprehensive range of analysis techniques—including static analysis, dynamic analysis, and symbolic execution—can accurately detect security vulnerabilities to provide an in-depth analysis report. With a vibrant ecosystem of world-class integration partners that amplify developer productivity, Sysfixed can be utilized in all phases of your project's lifecycle. Our team of security experts is dedicated to the research and improvement of our tools and techniques used to fortify your code.