

Undercity

Congret Co

Smart Contract Audit Report



06 Dec 2022



# **TABLE OF CONTENTS**

### | Audited Details

- Audited Project
- Blockchain
- Addresses
- Project Website
- Codebase

### Summary

- Contract Summary
- Audit Findings Summary
- Vulnerabilities Summary

### Conclusion

### | Audit Results

### Smart Contract Analysis

- Detected Vulnerabilities

### Disclaimer

### About Us



# **AUDITED DETAILS**

## | Audited Project

Project name	Token ticker	Blockchain	
Undercity	UND	Ethereum	

## Addresses

Contract address	0xe2f261f86ab126ea83c353d765c9ec56ff67f9f9
Contract deployer address	0x8D45Ec7200FA64C14D6346977f9C72f07Eec3D10

### Project Website

https://undercity.fr/

### Codebase

https://ethers can.io/address/0xe2f261f86ab126ea83c353d765c9ec56ff67f9f9# code



### **SUMMARY**

Undercity is a revolutionary crypto that you can use in the first gamer village on 10,000 m2 but also directly in our METAVERSE. A mix between reality and digital

### Contract Summary

#### **Documentation Quality**

Undercity provides a very good documentation with standard of solidity base code.

• The technical description is provided clearly and structured and also dont have any high risk issue.

#### **Code Quality**

The Overall quality of the basecode is standard.

• Standard solidity basecode and rules are already followed by Undercity with the discovery of several low issues.

#### **Test Coverage**

Test coverage of the project is 100% (Through Codebase)

### Audit Findings Summary

- SWC-101 | It is recommended to use vetted safe math libraries for arithmetic operations consistently on lines 106, 112, 119, 132, 133, 143, 144, 155, 156, 282, 282, 333, 367, 386, 399 and 399.
- SWC-103 | Pragma statements can be allowed to float when a contract is intended on lines 17.
- SWC-110 SWC-123 | It is recommended to use of revert(), assert(), and require() in Solidity, and the new REVERT opcode in the EVM on lines 387, 388 and 388.



# CONCLUSION

We have audited the Undercity project released on December 2022 to discover issues and identify potential security vulnerabilities in Undercity Project. This process is used to find technical issues and security loopholes which might be found in the smart contract.

The security audit report provides a satisfactory result with some low-risk issues.

The issues found in the Undercity smart contract code do not pose a considerable risk. The writing of the contract is close to the standard of writing contracts in general. The low-risk issues found are some arithmetic operation issues, a floating pragma is set and out of bounds array access which the index access expression can cause an exception in case of the use of an invalid array index value.



# **AUDIT RESULT**

Article	Category	Description	Result	
Default Visibility	SWC-100 SWC-108	Functions and state variables visibility should be set explicitly. Visibility levels should be specified consciously.  PAS		
Integer Overflow and Underflow	SWC-101	If unchecked math is used, all math operations should be safe from overflows and underflows.	ISSUE FOUND	
Outdated Compiler Version	SWC-102	It is recommended to use a recent version of the Solidity compiler.	rsion of the PASS	
Floating Pragma	SWC-103	Contracts should be deployed with the same compiler version and flags that they have been tested thoroughly.  ISSUE FOUN		
Unchecked Call Return Value	SWC-104	The return value of a message call should be checked.		
Unprotected Ether Withdrawal	SWC-105	Due to missing or insufficient access controls, malicious parties can withdraw from the contract.		
SELFDESTRUCT Instruction	SWC-106	The contract should not be self-destructible while it has funds belonging to users.		
Reentrancy	SWC-107	Check effect interaction pattern should be followed if the code performs recursive call.		
Uninitialized Storage Pointer	SWC-109	Uninitialized local storage variables can point to unexpected storage locations in the contract.		
Assert Violation	SWC-110 SWC-123	Properly functioning code should never reach a failing assert statement.		
Deprecated Solidity Functions	SWC-111	Deprecated built-in functions should never be used. PAS		
Delegate call to Untrusted Callee	SWC-112	Delegatecalls should only be allowed to trusted addresses.		



DoS (Denial of Service)	SWC-113 SWC-128	Execution of the code should never be blocked by a specific contract state unless required.	
Race Conditions	SWC-114	Race Conditions and Transactions Order Dependency should not be possible.	
Authorization through tx.origin	SWC-115	tx.origin should not be used for authorization.	
Block values as a proxy for time	SWC-116	Block numbers should not be used for time calculations.	
Signature Unique ID	SWC-121		PASS
Incorrect Constructor Name	SWC-118	SWC-118 Constructors are special functions that are called only once during the contract creation.	
Shadowing State Variable	SWC-119	State variables should not be shadowed.	
Weak Sources of Randomness	SWC-120	Random values should never be generated from Chain Attributes or be predictable.	
Write to Arbitrary Storage Location	SWC-124   user or contract accounts may write to sensitive storage		PASS
Incorrect Inheritance Order  When inheriting multiple contracts, especially if they have identical functions, a developer should carefully specify inheritance in the correct order. The rule of thumb is to inherit contracts from more /general/ to more /specific/.		PASS	
Insufficient Gas Griefing	SWC-126	Insufficient gas griefing attacks can be performed on contracts which accept data and use it in a sub-call on another contract.	
Arbitrary Jump Function	SWC-127	As Solidity doesnt support pointer arithmetics, it is impossible to change such variable to an arbitrary value.	



Typographical Error	SWC-129	A typographical error can occur for example when the intent of a defined operation is to sum a number to a variable.	
Override control character	SWC-130	Malicious actors can use the Right-To-Left-Override unicode character to force RTL text rendering and confuse users as to the real intent of a contract.	
Unused variables	SWC-131 SWC-135	Unused variables are allowed in Solidity and they do not pose a direct security issue.	PASS
Unexpected Ether balance	SWC-132	Contracts can behave erroneously when they strictly assume a specific Ether balance.	
Hash Collisions Variable	SWC-133	Using abi.encodePacked() with multiple variable length arguments can, in certain situations, lead to a hash collision.	
Hardcoded gas amount	SWC-134	The transfer() and send() functions forward a fixed amount of 2300 gas.	
Unencrypted Private Data	SWC-136	It is a common misconception that private type variables cannot be read.	PASS



# **SMART CONTRACT ANALYSIS**

Started	Monday Dec 05 2022 10:01:37 GMT+0000 (Coordinated Universal Time)		
Finished	Tuesday Dec 06 2022 05:39:24 GMT+0000 (Coordinated Universal Time)		
Mode	Standard		
Main Source File	Undercity.sol		

# Detected Issues

ID	Title	Severity	Status
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "**" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "++" DISCOVERED	low	acknowledged



SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-103	A FLOATING PRAGMA IS SET.	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged



**LINE 106** 

#### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- Undercity.sol

```
require(currentAllowance >= amount, "ERC20: transfer amount exceeds allowance");
    _approve(sender, _msgSender(), currentAllowance - amount);

return true;
}
```



**LINE 112** 

#### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- Undercity.sol

```
function increaseAllowance(address spender, uint256 addedValue) public virtual
returns (bool) {

increaseAllowance(address spender, uint256 addedValue) public virtual
returns (bool) {

increaseAllowance(address spender, uint256 addedValue) public virtual
returns (bool) {

increaseAllowance(address spender, uint256 addedValue) public virtual
returns (bool) {

increaseAllowance(address spender, uint256 addedValue) public virtual
returns (bool) {

increaseAllowance(address spender, uint256 addedValue) public virtual
returns (bool) {

increaseAllowance(address spender, uint256 addedValue) public virtual
returns (bool) {

increaseAllowance(address spender, uint256 addedValue) public virtual
returns (bool) {

increaseAllowance(address spender, uint256 addedValue) public virtual
returns (bool) {

increaseAllowance(address spender, uint256 addedValue) public virtual
returns (bool) {

increaseAllowance(address spender, uint256 addedValue) public virtual
returns (bool) {

increaseAllowance(address spender, uint256 addedValue) public virtual
returns (bool) {

increaseAllowance(address spender, uint256 addedValue) public virtual
returns (bool) {

increaseAllowance(address spender, uint256 addedValue) public virtual
returns (bool) {

increaseAllowance(address spender, uint256 addedValue) public virtual
returns (bool) {

increaseAllowance(address spender, uint256 addedValue) public virtual
returns (bool) {

increaseAllowance(address spender, uint256 addedValue) public virtual
returns (bool) {

increaseAllowance(address spender, uint256 addedValue) public virtual
returns (bool) {

increaseAllowance(address spender, uint256 addedValue) public virtual
returns (bool) {

increaseAllowance(address spender, uint256 addedValue) public virtual
returns (bool) {

increaseAllowance(address spender, uint256 addedValue) public virtual
returns (bool) {

increaseAllowance(address spender, uint256 addedValue) public virtual
returns (bool) {

increaseAllowance(address spender, uint256 addedValue) public virtual
returns (bool) {

increase
```



**LINE** 119

#### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- Undercity.sol

```
118  require(currentAllowance >= subtractedValue, "ERC20: decreased allowance below
zero");
119  _approve(_msgSender(), spender, currentAllowance - subtractedValue);
120
121  return true;
122  }
123
```



**LINE 132** 

#### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- Undercity.sol

```
131 require(senderBalance >= amount, "ERC20: transfer amount exceeds balance");
132 _balances[sender] = senderBalance - amount;
133 _balances[recipient] += amount;
134
135 emit Transfer(sender, recipient, amount);
136
```



**LINE 133** 

#### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- Undercity.sol

```
132    _balances[sender] = senderBalance - amount;
133    _balances[recipient] += amount;
134
135    emit Transfer(sender, recipient, amount);
136  }
137
```



**LINE 143** 

#### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- Undercity.sol

```
142
143  _totalSupply += amount;
144  _balances[account] += amount;
145  emit Transfer(address(0), account, amount);
146 }
147
```



**LINE 144** 

#### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- Undercity.sol

```
143  _totalSupply += amount;
144  _balances[account] += amount;
145  emit Transfer(address(0), account, amount);
146  }
147
148
```



**LINE 155** 

#### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- Undercity.sol

```
154    require(accountBalance >= amount, "ERC20: burn amount exceeds balance");
155    _balances[account] = accountBalance - amount;
156    _totalSupply -= amount;
157
158    emit Transfer(account, address(0), amount);
159
```



**LINE 156** 

#### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- Undercity.sol

```
155   _balances[account] = accountBalance - amount;
156   _totalSupply -= amount;
157
158   emit Transfer(account, address(0), amount);
159  }
160
```



**LINE 282** 

#### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- Undercity.sol

```
281  // Create supply
282  _mint(owner(), 57_000_000 * 10**18);
283
284  // Create V2 pairs
285  IUniswapV2Factory uniswapV2Factory = IUniswapV2Factory(UNISWAPV2_ROUTER.factory());
286
```



**LINE 282** 

#### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- Undercity.sol

```
281  // Create supply
282  _mint(owner(), 57_000_000 * 10**18);
283
284  // Create V2 pairs
285  IUniswapV2Factory uniswapV2Factory = IUniswapV2Factory(UNISWAPV2_ROUTER.factory());
286
```



**LINE 333** 

#### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- Undercity.sol

```
332 require(timeInSeconds <= 600, "UND: The cooldown must be lower or equals to 600
seconds");
333 coolDownTime = timeInSeconds * 1 seconds;
334 coolDownEnabled = state;
335 emit CoolDownUpdated(state,timeInSeconds);
336 }
337</pre>
```



**LINE 367** 

#### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- Undercity.sol

```
366 if(coolDownEnabled && !isBuyTransfer && !_isExcludedFromCooldown[from]){
367    uint256 timePassed = block.timestamp - _lastTimeTx[from];
368    require(timePassed >= coolDownTime, "UND: The cooldown is not finished, please
retry the transfer later");
369  }
370
371
```



**LINE 386** 

#### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- Undercity.sol

```
385 require(_holders.length == _amounts.length);
386 for (uint i = 0; i < _holders.length; i++) {
387   if (_holders[i] != address(0)) {
388     super._transfer(_msgSender(), _holders[i], _amounts[i]);
389   }
390</pre>
```



**LINE 399** 

#### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- Undercity.sol

```
function getCirculatingSupply() external view returns (uint256) {
  return totalSupply() - balanceOf(_DEAD) - balanceOf(address(0));

400  }
401
402  function isExcludedFromCooldown(address account) external view returns(bool) {
403
```



**LINE 399** 

#### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- Undercity.sol

```
function getCirculatingSupply() external view returns (uint256) {
  return totalSupply() - balanceOf(_DEAD) - balanceOf(address(0));

400  }
401
402  function isExcludedFromCooldown(address account) external view returns(bool) {
403
```



### SWC-103 | A FLOATING PRAGMA IS SET.

LINE 17

#### **low SEVERITY**

The current pragma Solidity directive is ""^0.8.15"". It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

#### Source File

- Undercity.sol

```
16
17 pragma solidity ^0.8.15;
18
19 abstract contract Context {
20 function _msgSender() internal view virtual returns (address) {
21
```



## SWC-110 | OUT OF BOUNDS ARRAY ACCESS

**LINE 387** 

#### **low SEVERITY**

The index access expression can cause an exception in case of use of invalid array index value.

#### Source File

- Undercity.sol

```
386  for (uint i = 0; i < _holders.length; i++) {
387    if (_holders[i] != address(0)) {
388        super._transfer(_msgSender(), _holders[i], _amounts[i]);
389    }
390  }
391</pre>
```



## SWC-110 | OUT OF BOUNDS ARRAY ACCESS

**LINE 388** 

#### **low SEVERITY**

The index access expression can cause an exception in case of use of invalid array index value.

#### Source File

- Undercity.sol

```
387  if (_holders[i] != address(0)) {
388    super._transfer(_msgSender(), _holders[i], _amounts[i]);
389  }
390  }
391  }
392
```



## SWC-110 | OUT OF BOUNDS ARRAY ACCESS

**LINE 388** 

#### **low SEVERITY**

The index access expression can cause an exception in case of use of invalid array index value.

#### Source File

- Undercity.sol

```
387  if (_holders[i] != address(0)) {
388    super._transfer(_msgSender(), _holders[i], _amounts[i]);
389  }
390  }
391  }
392
```



### **DISCLAIMER**

This report is subject to the terms and conditions (including without limitation, description of services, confidentiality, disclaimer and limitation of liability) set forth in the Services Agreement, or the scope of services, and terms and conditions provided to you ("Customer" or the "Company") in connection with the Agreement. This report provided in connection with the Services set forth in the Agreement shall be used by the Company only to the extent permitted under the terms and conditions set forth in the Agreement. This report may not be transmitted, disclosed, referred to, or relied upon by any person for any purposes, nor may copies be delivered to any other person other than the Company, without Sysfixed's prior written consent in each instance.

This report is not, nor should be considered, an "endorsement" or "disapproval" of any particular project or team. This report is not, nor should be considered, an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Sysfixed to perform a security assessment. This report does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors, business, business model, or legal compliance.

This is a limited report on our findings based on our analysis, in accordance with good industry practice as of the date of this report, in relation to cybersecurity vulnerabilities and issues in the framework and algorithms based on smart contracts, the details of which are set out in this report. In order to get a full view of our analysis, it is crucial for you to read the full report. While we have done our best in conducting our analysis and producing this report, it is important to note that you should not rely on this report and cannot claim against us on the basis of what it says or doesn't say, or how we produced it, and it is important for you to conduct your own independent investigations before making any decisions. We go into more detail on this in the below disclaimer below – please make sure to read it in full.

This report should not be used in any way to make decisions around investment or involvement with any particular project. This report in no way provides investment advice, nor should be leveraged as investment advice of any sort. This report represents an extensive assessing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

This report is provided for information purposes only and on a non-reliance basis and does not constitute investment advice. No one shall have any right to rely on the report or its contents, and Sysfixed and its affiliates (including holding companies, shareholders, subsidiaries, employees, directors, officers, and other representatives) (Sysfixed) owe no duty of care.



### **ABOUT US**

Sysfixed is a blockchain security certification organization established in 2021 with the objective to provide smart contract security services and verify their correctness in blockchain-based protocols. Sysfixed automatically scans for security vulnerabilities in Ethereum and other EVM-based blockchain smart contracts. Sysfixed a comprehensive range of analysis techniques—including static analysis, dynamic analysis, and symbolic execution—can accurately detect security vulnerabilities to provide an in-depth analysis report. With a vibrant ecosystem of world-class integration partners that amplify developer productivity, Sysfixed can be utilized in all phases of your project's lifecycle. Our team of security experts is dedicated to the research and improvement of our tools and techniques used to fortify your code.