

SuperBowl GG
Smart Contract
Audit Report





# **TABLE OF CONTENTS**

### | Audited Details

- Audited Project
- Blockchain
- Addresses
- Project Website
- Codebase

### Summary

- Contract Summary
- Audit Findings Summary
- Vulnerabilities Summary

### Conclusion

### | Audit Results

### Smart Contract Analysis

- Detected Vulnerabilities

### Disclaimer

### About Us



# **AUDITED DETAILS**

## Audited Project

Project name	Token ticker	Blockchain	
SuperBowl GG	SUPER	Binance Smart Chain	

# Addresses

Contract address	0xB67A4E3687536fD6CD9DCba897Db6AfC98204528	
Contract deployer address	0x41CdB931a0eD0D3B9276de1fCAacB16b1DFd7F90	

## Project Website

https://superbowl.gg/

## Codebase

https://bscscan.com/address/0xB67A4E3687536fD6CD9DCba897Db6AfC98204528#code



### **SUMMARY**

Missed your chance to be a part of the World Cup through crypto? Introducing Superbowl GG A Superbowl orientated token with 2 Staking pools with high APYs BUSD Reward Pool for the winning staking pool!

### Contract Summary

### **Documentation Quality**

SuperBowl GG provides a very good documentation with standard of solidity base code.

• The technical description is provided clearly and structured and also dont have any high risk issue.

#### **Code Quality**

The Overall quality of the basecode is standard.

 Standard solidity basecode and rules are already followed by SuperBowl GG with the discovery of several low issues.

#### **Test Coverage**

Test coverage of the project is 100% (Through Codebase)

### Audit Findings Summary

- SWC-100 SWC-108 | Explicitly define visibility for all state variables on lines 105, 170 and 182.
- SWC-101 | It is recommended to use vetted safe math libraries for arithmetic operations consistently on lines 119, 119, 177, 177, 178, 178, 306, 334, 374, 374, 396, 406, 406, 407, 419, 419, 419, 419, 420, 420, 424, 424, 424, 425, 425, 429, 429, 433, 433, 437, 437, 441, 441, 442, 442, 444, 444, 445, 446, 522, 536, 536, 572, 572, 573, 573, 574, 574, 609, 609, 610, 610, 627, 628, 628, 629, 629, 643, 645, 669, 669, 671 and 675.
- SWC-103 | Pragma statements can be allowed to float when a contract is intended on lines 6.
- SWC-110 SWC-123 | It is recommended to use of revert(), assert(), and require() in Solidity, and the new REVERT opcode in the EVM on lines 557, 558, 629 and 629.
- SWC-115 | tx.origin should not be used for authorization, use msg.sender instead on lines 483.
- SWC-120 | It is recommended to use external sources of randomness via oracles on lines 606.



# CONCLUSION

We have audited the SuperBowl GG project released on January 2023 to discover issues and identify potential security vulnerabilities in SuperBowl GG Project. This process is used to find technical issues and security loopholes which might be found in the smart contract.

The security audit report provides a satisfactory result with some low-risk issues.

The issues found in the SuperBowl GG smart contract code do not pose a considerable risk. The writing of the contract is close to the standard of writing contracts in general. The low-risk issues found are some arithmetic operation issues, a floating pragma is set, a state variable visibility is not set, weak sources of randomness, tx.origin as a part of authorization control and out of bounds array access which the index access expression can cause an exception in case of the use of an invalid array index value.



# **AUDIT RESULT**

Article	Category	Description	Result
Default Visibility	SWC-100 SWC-108	Functions and state variables visibility should be set explicitly. Visibility levels should be specified consciously.	ISSUE FOUND
Integer Overflow and Underflow	SWC-101	If unchecked math is used, all math operations should be safe from overflows and underflows.	ISSUE FOUND
Outdated Compiler Version	SWC-102	It is recommended to use a recent version of the Solidity compiler.	PASS
Floating Pragma	SWC-103	Contracts should be deployed with the same compiler version and flags that they have been tested thoroughly.	ISSUE FOUND
Unchecked Call Return Value	SWC-104		PASS
SELFDESTRUCT Instruction SWC-106		The contract should not be self-destructible while it has funds belonging to users.	PASS
Reentrancy	Assert Violation SWC-110 Properly functioning code should never reach a failing assert statement.		PASS
Assert Violation			ISSUE FOUND
Deprecated Solidity Functions			PASS
_			PASS
,			PASS
Race Conditions SWC-114 Race Conditions and Transactions Order Dependency should not be possible.		PASS	



Authorization through tx.origin	ugh tx.origin  k values as a oxy for time  SWC-115  tx.origin should not be used for authorization.  Block numbers should not be used for time calculations.  SWC-117		ISSUE FOUND
Block values as a proxy for time			PASS
Signature Unique ID			PASS
Shadowing State Variable	SWC-119	State variables should not be shadowed.	PASS
Weak Sources of Randomness	SWC-120	Random values should never be generated from Chain Attributes or be predictable.	ISSUE FOUND
Incorrect Inheritance Order	SWC-125	When inheriting multiple contracts, especially if they have identical functions, a developer should carefully specify inheritance in the correct order. The rule of thumb is to inherit contracts from more /general/ to more /specific/.	PASS



# **SMART CONTRACT ANALYSIS**

Started	Tuesday Jan 10 2023 09:10:50 GMT+0000 (Coordinated Universal Time)		
Finished	Wednesday Jan 11 2023 02:07:32 GMT+0000 (Coordinated Universal Time)		
Mode	Standard		
Main Source File	SuperBowlGG.sol		

# Detected Issues

ID	Title	Severity	Status
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "**" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged



SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "**" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "**" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged



SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "++" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged



SWC-101 ARITHMETIC OPERATION "**" DISCOVERED low acknowledge SWC-101 ARITHMETIC OPERATION "-=" DISCOVERED low acknowledge SWC-101 ARITHMETIC OPERATION "-=" DISCOVERED low acknowledge SWC-101 ARITHMETIC OPERATION "-=" DISCOVERED low acknowledge SWC-101 ARITHMETIC OPERATION "/-" DISCOVERED low acknowledge SWC-101 ARITHMETIC OPERATION "*-" DISCOVERED low acknowledge SWC-101 ARITHMETIC OPERATION "+=" DISCOVERED low acknowledge SWC-101 ARITHMETIC OPERATION "+=" DISCOVERED low acknowledge SWC-101 ARITHMETIC OPERATION "-=" DISCOVERED low acknowledge SWC-101 ARITHMETIC OPERATION "-=" DISCOVERED low acknowledge SWC-103 A FLOATING PRAGMA IS SET. low acknowledge SWC-108 STATE VARIABLE VISIBILITY IS NOT SET. low acknowledge SWC-108 STATE VARIABLE VISIBILITY IS NOT SET. low acknowledge SWC-108 STATE VARIABLE VISIBILITY IS NOT SET. low acknowledge SWC-115 USE OF "TX.ORIGIN" AS A PART OF AUTHORIZATION CONTROL. low acknowledge SWC-110 OUT OF BOUNDS ARRAY ACCESS low acknowledge				
SWC-101 ARITHMETIC OPERATION "**" DISCOVERED low acknowledg SWC-101 ARITHMETIC OPERATION "-=" DISCOVERED low acknowledg SWC-101 ARITHMETIC OPERATION "+=" DISCOVERED low acknowledg SWC-101 ARITHMETIC OPERATION "/" DISCOVERED low acknowledg SWC-101 ARITHMETIC OPERATION "*" DISCOVERED low acknowledg SWC-101 ARITHMETIC OPERATION "+=" DISCOVERED low acknowledg SWC-101 ARITHMETIC OPERATION "-" DISCOVERED low acknowledg SWC-101 ARITHMETIC OPERATION "-" DISCOVERED low acknowledg SWC-103 A FLOATING PRAGMA IS SET. low acknowledg SWC-108 STATE VARIABLE VISIBILITY IS NOT SET. low acknowledg SWC-108 STATE VARIABLE VISIBILITY IS NOT SET. low acknowledg SWC-108 STATE VARIABLE VISIBILITY IS NOT SET. low acknowledg SWC-110 USE OF "TX.ORIGIN" AS A PART OF AUTHORIZATION CONTROL. low acknowledg SWC-110 OUT OF BOUNDS ARRAY ACCESS low acknowledg	SWC-101	ARITHMETIC OPERATION "**" DISCOVERED	low	acknowledged
SWC-101 ARITHMETIC OPERATION "-=" DISCOVERED low acknowledg SWC-101 ARITHMETIC OPERATION "+=" DISCOVERED low acknowledg SWC-101 ARITHMETIC OPERATION "/" DISCOVERED low acknowledg SWC-101 ARITHMETIC OPERATION "*" DISCOVERED low acknowledg SWC-101 ARITHMETIC OPERATION "+=" DISCOVERED low acknowledg SWC-101 ARITHMETIC OPERATION "-" DISCOVERED low acknowledg SWC-101 ARITHMETIC OPERATION "-" DISCOVERED low acknowledg SWC-103 A FLOATING PRAGMA IS SET. low acknowledg SWC-108 STATE VARIABLE VISIBILITY IS NOT SET. low acknowledg SWC-108 STATE VARIABLE VISIBILITY IS NOT SET. low acknowledg SWC-108 STATE VARIABLE VISIBILITY IS NOT SET. low acknowledg SWC-105 USE OF "TX.ORIGIN" AS A PART OF AUTHORIZATION CONTROL. low acknowledg SWC-110 OUT OF BOUNDS ARRAY ACCESS low acknowledg	SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101 ARITHMETIC OPERATION "+=" DISCOVERED low acknowledged swc-101 ARITHMETIC OPERATION "/" DISCOVERED low acknowledged swc-101 ARITHMETIC OPERATION "*" DISCOVERED low acknowledged swc-101 ARITHMETIC OPERATION "+=" DISCOVERED low acknowledged swc-101 ARITHMETIC OPERATION "-" DISCOVERED low acknowledged swc-101 ARITHMETIC OPERATION "-" DISCOVERED low acknowledged swc-103 A FLOATING PRAGMA IS SET. low acknowledged swc-108 STATE VARIABLE VISIBILITY IS NOT SET. low acknowledged swc-108 STATE VARIABLE VISIBILITY IS NOT SET. low acknowledged swc-108 STATE VARIABLE VISIBILITY IS NOT SET. low acknowledged swc-115 USE OF "TX.ORIGIN" AS A PART OF AUTHORIZATION CONTROL. low acknowledged swc-110 OUT OF BOUNDS ARRAY ACCESS	SWC-101	ARITHMETIC OPERATION "**" DISCOVERED	low	acknowledged
SWC-101 ARITHMETIC OPERATION "/" DISCOVERED low acknowledge SWC-101 ARITHMETIC OPERATION "*" DISCOVERED low acknowledge SWC-101 ARITHMETIC OPERATION "*" DISCOVERED low acknowledge SWC-101 ARITHMETIC OPERATION "*" DISCOVERED low acknowledge SWC-103 A FLOATING PRAGMA IS SET. low acknowledge SWC-108 STATE VARIABLE VISIBILITY IS NOT SET. low acknowledge SWC-108 STATE VARIABLE VISIBILITY IS NOT SET. low acknowledge SWC-108 STATE VARIABLE VISIBILITY IS NOT SET. low acknowledge SWC-109 SWC-115 USE OF "TX.ORIGIN" AS A PART OF AUTHORIZATION CONTROL. low acknowledge SWC-110 OUT OF BOUNDS ARRAY ACCESS low acknowledge SWC-	SWC-101	ARITHMETIC OPERATION "-=" DISCOVERED	low	acknowledged
SWC-101 ARITHMETIC OPERATION "+" DISCOVERED Iow acknowledg SWC-101 ARITHMETIC OPERATION "+=" DISCOVERED Iow acknowledg SWC-101 ARITHMETIC OPERATION "-" DISCOVERED Iow acknowledg SWC-103 A FLOATING PRAGMA IS SET. Iow acknowledg SWC-108 STATE VARIABLE VISIBILITY IS NOT SET. Iow acknowledg SWC-108 STATE VARIABLE VISIBILITY IS NOT SET. Iow acknowledg SWC-108 STATE VARIABLE VISIBILITY IS NOT SET. Iow acknowledg SWC-109 SWC-110 USE OF "TX.ORIGIN" AS A PART OF AUTHORIZATION CONTROL. Iow acknowledg SWC-110 OUT OF BOUNDS ARRAY ACCESS Iow acknowledg	SWC-101	ARITHMETIC OPERATION "+=" DISCOVERED	low	acknowledged
SWC-101 ARITHMETIC OPERATION "+=" DISCOVERED low acknowledg SWC-101 ARITHMETIC OPERATION "-" DISCOVERED low acknowledg SWC-103 A FLOATING PRAGMA IS SET. low acknowledg SWC-108 STATE VARIABLE VISIBILITY IS NOT SET. low acknowledg SWC-108 STATE VARIABLE VISIBILITY IS NOT SET. low acknowledg SWC-108 STATE VARIABLE VISIBILITY IS NOT SET. low acknowledg SWC-108 STATE VARIABLE VISIBILITY IS NOT SET. low acknowledg SWC-115 USE OF "TX.ORIGIN" AS A PART OF AUTHORIZATION CONTROL. low acknowledg SWC-110 OUT OF BOUNDS ARRAY ACCESS low acknowledg	SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101 ARITHMETIC OPERATION "-" DISCOVERED Iow acknowledg SWC-103 A FLOATING PRAGMA IS SET. Iow acknowledg SWC-108 STATE VARIABLE VISIBILITY IS NOT SET. Iow acknowledg SWC-108 STATE VARIABLE VISIBILITY IS NOT SET. Iow acknowledg SWC-108 STATE VARIABLE VISIBILITY IS NOT SET. Iow acknowledg SWC-109 SWC-110 USE OF "TX.ORIGIN" AS A PART OF AUTHORIZATION CONTROL. Iow acknowledg SWC-110 OUT OF BOUNDS ARRAY ACCESS Iow acknowledg	SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-103 A FLOATING PRAGMA IS SET.  Iow acknowledg SWC-108 STATE VARIABLE VISIBILITY IS NOT SET.  Iow acknowledg SWC-108 STATE VARIABLE VISIBILITY IS NOT SET.  Iow acknowledg SWC-108 STATE VARIABLE VISIBILITY IS NOT SET.  Iow acknowledg SWC-108 STATE VARIABLE VISIBILITY IS NOT SET.  Iow acknowledg SWC-115 USE OF "TX.ORIGIN" AS A PART OF AUTHORIZATION CONTROL.  Iow acknowledg SWC-110 OUT OF BOUNDS ARRAY ACCESS  Iow acknowledg	SWC-101	ARITHMETIC OPERATION "+=" DISCOVERED	low	acknowledged
SWC-108 STATE VARIABLE VISIBILITY IS NOT SET.  Iow acknowledg  SWC-108 STATE VARIABLE VISIBILITY IS NOT SET.  Iow acknowledg  SWC-108 STATE VARIABLE VISIBILITY IS NOT SET.  Iow acknowledg  SWC-115 USE OF "TX.ORIGIN" AS A PART OF AUTHORIZATION CONTROL.  Iow acknowledg  SWC-110 OUT OF BOUNDS ARRAY ACCESS	SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-108 STATE VARIABLE VISIBILITY IS NOT SET.  IOW acknowledg  SWC-108 STATE VARIABLE VISIBILITY IS NOT SET.  IOW acknowledg  SWC-115 USE OF "TX.ORIGIN" AS A PART OF AUTHORIZATION CONTROL.  IOW acknowledg  SWC-110 OUT OF BOUNDS ARRAY ACCESS  IOW acknowledg	SWC-103	A FLOATING PRAGMA IS SET.	low	acknowledged
SWC-108 STATE VARIABLE VISIBILITY IS NOT SET.  Iow acknowledg  SWC-115 USE OF "TX.ORIGIN" AS A PART OF AUTHORIZATION CONTROL.  Iow acknowledg  SWC-110 OUT OF BOUNDS ARRAY ACCESS  Iow acknowledg	SWC-108	STATE VARIABLE VISIBILITY IS NOT SET.	low	acknowledged
SWC-115 USE OF "TX.ORIGIN" AS A PART OF AUTHORIZATION CONTROL. low acknowledg  SWC-110 OUT OF BOUNDS ARRAY ACCESS low acknowledg  POTENTIAL USE OF "BLOCK NUMBER" AS SOURCE OF	SWC-108	STATE VARIABLE VISIBILITY IS NOT SET.	low	acknowledged
SWC-110 OUT OF BOUNDS ARRAY ACCESS  SWC-110 OUT OF BOUNDS ARRAY ACCESS  Iow acknowledg  POTENTIAL USE OF "BLOCK NUMBER" AS SOURCE OF	SWC-108	STATE VARIABLE VISIBILITY IS NOT SET.	low	acknowledged
SWC-110 OUT OF BOUNDS ARRAY ACCESS  SWC-110 OUT OF BOUNDS ARRAY ACCESS  Iow acknowledg  SWC-110 OUT OF BOUNDS ARRAY ACCESS  Iow acknowledg  SWC-110 OUT OF BOUNDS ARRAY ACCESS  Iow acknowledg  POTENTIAL USE OF "BLOCK NUMBER" AS SOURCE OF	SWC-115	USE OF "TX.ORIGIN" AS A PART OF AUTHORIZATION CONTROL.	low	acknowledged
SWC-110 OUT OF BOUNDS ARRAY ACCESS  SWC-110 OUT OF BOUNDS ARRAY ACCESS  Iow acknowledg  SWC-110 OUT OF BOUNDS ARRAY ACCESS  Iow acknowledg  POTENTIAL USE OF "BLOCK NUMBER" AS SOURCE OF	SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110 OUT OF BOUNDS ARRAY ACCESS Iow acknowledg  SWC-110 OUT OF BOUNDS ARRAY ACCESS Iow acknowledg  POTENTIAL USE OF "BLOCK NUMBER" AS SOURCE OF	SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110 OUT OF BOUNDS ARRAY ACCESS Iow acknowledg  POTENTIAL USE OF "BLOCK NUMBER" AS SOURCE OF	SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
POTENTIAL USE OF "BLOCK NUMBER" AS SOURCE OF	SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-120 POTENTIAL USE OF "BLOCK.NUMBER" AS SOURCE OF	SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
RANDOMNESS.	SWC-120		low	acknowledged



**LINE** 119

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- SuperBowlGG.sol

```
uint8 constant private _decimals = 18;
uint256 constant private _tTotal = startingSupply * 10**_decimals;

struct Fees {
  uint16 buyFee;
  123
```



**LINE** 119

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- SuperBowlGG.sol

```
uint8 constant private _decimals = 18;
uint256 constant private _tTotal = startingSupply * 10**_decimals;

struct Fees {
  uint16 buyFee;
  123
```



**LINE 177** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- SuperBowlGG.sol

```
176
177 uint256 private _maxTxAmount = (_tTotal * 100) / 100;
178 uint256 private _maxWalletSize = (_tTotal * 100) / 100;
179
180 bool public tradingEnabled = false;
181
```



**LINE 177** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- SuperBowlGG.sol

```
176
177 uint256 private _maxTxAmount = (_tTotal * 100) / 100;
178 uint256 private _maxWalletSize = (_tTotal * 100) / 100;
179
180 bool public tradingEnabled = false;
181
```



**LINE 178** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- SuperBowlGG.sol

```
177  uint256 private _maxTxAmount = (_tTotal * 100) / 100;
178  uint256 private _maxWalletSize = (_tTotal * 100) / 100;
179
180  bool public tradingEnabled = false;
181  bool public _hasLiqBeenAdded = false;
182
```



**LINE 178** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- SuperBowlGG.sol

```
uint256 private _maxTxAmount = (_tTotal * 100) / 100;
uint256 private _maxWalletSize = (_tTotal * 100) / 100;

179
180 bool public tradingEnabled = false;
181 bool public _hasLiqBeenAdded = false;
182
```



**LINE 306** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- SuperBowlGG.sol



**LINE 334** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- SuperBowlGG.sol

```
if (timeSinceLastPair != 0) {
   require(block.timestamp - timeSinceLastPair > 3 days, "3 Day cooldown.");
}

require(!lpPairs[pair], "Pair already added to list.");

lpPairs[pair] = true;
}
```



**LINE 374** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- SuperBowlGG.sol

```
function getCirculatingSupply() public view returns (uint256) {
  return (_tTotal - (balanceOf(DEAD) + balanceOf(address(0))));
}

function removeSniper(address account) external onlyOwner {
}
```



**LINE 374** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- SuperBowlGG.sol

```
function getCirculatingSupply() public view returns (uint256) {
  return (_tTotal - (balanceOf(DEAD) + balanceOf(address(0))));
}

function removeSniper(address account) external onlyOwner {
}
```



**LINE 396** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- SuperBowlGG.sol

```
"Cannot exceed maximums.");
require(buyFee + sellFee <= maxRoundtripTax, "Cannot exceed roundtrip maximum.");

taxRates.buyFee = buyFee;

taxRates.sellFee = sellFee;

taxRates.transferFee = transferFee;

400</pre>
```



**LINE 406** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- SuperBowlGG.sol

```
405   _ratios.staking = staking;
406   _ratios.totalSwap = staking + marketing + staking;
407   uint256 total = _taxRates.buyFee + _taxRates.sellFee;
408   require(_ratios.totalSwap <= total, "Cannot exceed sum of buy and sell fees.");
409  }
410</pre>
```



**LINE 406** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- SuperBowlGG.sol

```
405   _ratios.staking = staking;
406   _ratios.totalSwap = staking + marketing + staking;
407   uint256 total = _taxRates.buyFee + _taxRates.sellFee;
408   require(_ratios.totalSwap <= total, "Cannot exceed sum of buy and sell fees.");
409  }
410</pre>
```



**LINE 407** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- SuperBowlGG.sol

```
406 _ratios.totalSwap = staking + marketing + staking;
407 uint256 total = _taxRates.buyFee + _taxRates.sellFee;
408 require(_ratios.totalSwap <= total, "Cannot exceed sum of buy and sell fees.");
409 }
410
411
```



**LINE 419** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- SuperBowlGG.sol



**LINE 419** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- SuperBowlGG.sol

```
function setMaxTxPercent(uint256 percent, uint256 divisor) external onlyOwner {
   require((_tTotal * percent) / divisor >= (_tTotal * 5 / 1000), "Max Transaction amt
   must be above 0.5% of total supply.");
   _maxTxAmount = (_tTotal * percent) / divisor;
}

421 }
422
423
```



**LINE 419** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- SuperBowlGG.sol



**LINE 419** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- SuperBowlGG.sol

```
function setMaxTxPercent(uint256 percent, uint256 divisor) external onlyOwner {
   require((_tTotal * percent) / divisor >= (_tTotal * 5 / 1000), "Max Transaction amt
   must be above 0.5% of total supply.");
   _maxTxAmount = (_tTotal * percent) / divisor;
}

421 }
422
423
```



**LINE 420** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- SuperBowlGG.sol

```
419 require((_tTotal * percent) / divisor >= (_tTotal * 5 / 1000), "Max Transaction amt
must be above 0.5% of total supply.");
420 __maxTxAmount = (_tTotal * percent) / divisor;
421 }
422
423 function setMaxWalletSize(uint256 percent, uint256 divisor) external onlyOwner {
424
```



**LINE 420** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- SuperBowlGG.sol

```
419 require((_tTotal * percent) / divisor >= (_tTotal * 5 / 1000), "Max Transaction amt
must be above 0.5% of total supply.");
420 __maxTxAmount = (_tTotal * percent) / divisor;
421 }
422
423 function setMaxWalletSize(uint256 percent, uint256 divisor) external onlyOwner {
424
```



**LINE 424** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- SuperBowlGG.sol

```
function setMaxWalletSize(uint256 percent, uint256 divisor) external onlyOwner {
   require((_tTotal * percent) / divisor >= (_tTotal / 100), "Max Wallet amt must be
   above 1% of total supply.");
   _maxWalletSize = (_tTotal * percent) / divisor;
}

426 }
427
428
```



**LINE 424** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- SuperBowlGG.sol

```
function setMaxWalletSize(uint256 percent, uint256 divisor) external onlyOwner {
   require((_tTotal * percent) / divisor >= (_tTotal / 100), "Max Wallet amt must be
   above 1% of total supply.");
   _maxWalletSize = (_tTotal * percent) / divisor;
}

426 }
427
428
```



**LINE 424** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- SuperBowlGG.sol

```
function setMaxWalletSize(uint256 percent, uint256 divisor) external onlyOwner {
   require((_tTotal * percent) / divisor >= (_tTotal / 100), "Max Wallet amt must be
   above 1% of total supply.");
   _maxWalletSize = (_tTotal * percent) / divisor;
}

426 }
427
428
```



**LINE 425** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- SuperBowlGG.sol

```
424 require((_tTotal * percent) / divisor >= (_tTotal / 100), "Max Wallet amt must be
above 1% of total supply.");
425 _maxWalletSize = (_tTotal * percent) / divisor;
426 }
427
428 function getMaxTX() external view returns (uint256) {
429
```



**LINE 425** 

### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- SuperBowlGG.sol

```
424 require((_tTotal * percent) / divisor >= (_tTotal / 100), "Max Wallet amt must be
above 1% of total supply.");
425 _maxWalletSize = (_tTotal * percent) / divisor;
426 }
427
428 function getMaxTX() external view returns (uint256) {
429
```



**LINE 429** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- SuperBowlGG.sol

```
function getMaxTX() external view returns (uint256) {
  return _maxTxAmount / (10**_decimals);
}

function getMaxWallet() external view returns (uint256) {
  function getMaxWallet() external view returns (uint256) {
}
```



**LINE 429** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- SuperBowlGG.sol



**LINE 433** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- SuperBowlGG.sol

```
function getMaxWallet() external view returns (uint256) {
function getMaxWalletSize / (10**_decimals);

434  }
435
436  function getTokenAmountAtPriceImpact(uint256 priceImpactInHundreds) external view returns (uint256) {
437
```



**LINE 433** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- SuperBowlGG.sol

```
432 function getMaxWallet() external view returns (uint256) {
433    return _maxWalletSize / (10**_decimals);
434  }
435
436    function getTokenAmountAtPriceImpact(uint256 priceImpactInHundreds) external view
returns (uint256) {
437
```



**LINE 437** 

#### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- SuperBowlGG.sol

```
436  function getTokenAmountAtPriceImpact(uint256 priceImpactInHundreds) external view
returns (uint256) {
437   return((balanceOf(lpPair) * priceImpactInHundreds) / masterTaxDivisor);
438  }
439
440  function setSwapSettings(uint256 thresholdPercent, uint256 thresholdDivisor,
uint256 amountPercent, uint256 amountDivisor) external onlyOwner {
441
```



**LINE 437** 

#### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- SuperBowlGG.sol

```
436  function getTokenAmountAtPriceImpact(uint256 priceImpactInHundreds) external view
returns (uint256) {
437   return((balanceOf(lpPair) * priceImpactInHundreds) / masterTaxDivisor);
438  }
439
440  function setSwapSettings(uint256 thresholdPercent, uint256 thresholdDivisor,
uint256 amountPercent, uint256 amountDivisor) external onlyOwner {
441
```



**LINE 441** 

#### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- SuperBowlGG.sol

```
function setSwapSettings(uint256 thresholdPercent, uint256 thresholdDivisor,
uint256 amountPercent, uint256 amountDivisor) external onlyOwner {
    swapThreshold = (_tTotal * thresholdPercent) / thresholdDivisor;
    swapAmount = (_tTotal * amountPercent) / amountDivisor;
    require(swapThreshold <= swapAmount, "Threshold cannot be above amount.");
    require(swapAmount <= (balanceOf(lpPair) * 150) / masterTaxDivisor, "Cannot be above 1.5% of current PI.");
}</pre>
```



**LINE 441** 

#### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- SuperBowlGG.sol

```
function setSwapSettings(uint256 thresholdPercent, uint256 thresholdDivisor,
uint256 amountPercent, uint256 amountDivisor) external onlyOwner {
    swapThreshold = (_tTotal * thresholdPercent) / thresholdDivisor;
    swapAmount = (_tTotal * amountPercent) / amountDivisor;
    require(swapThreshold <= swapAmount, "Threshold cannot be above amount.");
    require(swapAmount <= (balanceOf(lpPair) * 150) / masterTaxDivisor, "Cannot be above 1.5% of current PI.");
}</pre>
```



**LINE 442** 

#### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- SuperBowlGG.sol

```
441 swapThreshold = (_tTotal * thresholdPercent) / thresholdDivisor;

442 swapAmount = (_tTotal * amountPercent) / amountDivisor;

443 require(swapThreshold <= swapAmount, "Threshold cannot be above amount.");

444 require(swapAmount <= (balanceOf(lpPair) * 150) / masterTaxDivisor, "Cannot be above 1.5% of current PI.");

445 require(swapAmount >= _tTotal / 1_000_000, "Cannot be lower than 0.00001% of total supply.");

446
```



**LINE 442** 

#### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- SuperBowlGG.sol

```
441 swapThreshold = (_tTotal * thresholdPercent) / thresholdDivisor;
442 swapAmount = (_tTotal * amountPercent) / amountDivisor;
443 require(swapThreshold <= swapAmount, "Threshold cannot be above amount.");
444 require(swapAmount <= (balanceOf(lpPair) * 150) / masterTaxDivisor, "Cannot be above 1.5% of current PI.");
445 require(swapAmount >= _tTotal / 1_000_000, "Cannot be lower than 0.00001% of total supply.");
446
```



**LINE 444** 

#### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- SuperBowlGG.sol

```
require(swapThreshold <= swapAmount, "Threshold cannot be above amount.");

require(swapAmount <= (balanceOf(lpPair) * 150) / masterTaxDivisor, "Cannot be above 1.5% of current PI.");

require(swapAmount >= _tTotal / 1_000_000, "Cannot be lower than 0.00001% of total supply.");

require(swapThreshold >= _tTotal / 1_000_000, "Cannot be lower than 0.00001% of total supply.");

require(swapThreshold >= _tTotal / 1_000_000, "Cannot be lower than 0.00001% of total supply.");

require(swapThreshold >= _tTotal / 1_000_000, "Cannot be lower than 0.00001% of total supply.");
```



**LINE 444** 

#### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- SuperBowlGG.sol

```
require(swapThreshold <= swapAmount, "Threshold cannot be above amount.");

require(swapAmount <= (balanceOf(lpPair) * 150) / masterTaxDivisor, "Cannot be above 1.5% of current PI.");

require(swapAmount >= _tTotal / 1_000_000, "Cannot be lower than 0.00001% of total supply.");

require(swapThreshold >= _tTotal / 1_000_000, "Cannot be lower than 0.00001% of total supply.");

require(swapThreshold >= _tTotal / 1_000_000, "Cannot be lower than 0.00001% of total supply.");

require(swapThreshold >= _tTotal / 1_000_000, "Cannot be lower than 0.00001% of total supply.");
```



**LINE 445** 

#### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- SuperBowlGG.sol

```
444    require(swapAmount <= (balanceOf(lpPair) * 150) / masterTaxDivisor, "Cannot be
above 1.5% of current PI.");
445    require(swapAmount >= _tTotal / 1_000_000, "Cannot be lower than 0.00001% of total
supply.");
446    require(swapThreshold >= _tTotal / 1_000_000, "Cannot be lower than 0.00001% of
total supply.");
447  }
448
449
```



**LINE 446** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- SuperBowlGG.sol

```
445    require(swapAmount >= _tTotal / 1_000_000, "Cannot be lower than 0.00001% of total
supply.");
446    require(swapThreshold >= _tTotal / 1_000_000, "Cannot be lower than 0.00001% of
total supply.");
447    }
448
449    function setPriceImpactSwapAmount(uint256 priceImpactSwapPercent) external
onlyOwner {
450
```



**LINE 522** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- SuperBowlGG.sol

```
521 if (!_isExcludedFromLimits[to]) {
522  require(balanceOf(to) + amount <= _maxWalletSize, "Transfer amount exceeds the
maxWalletSize.");
523  }
524  }
525  }
526</pre>
```



**LINE 536** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- SuperBowlGG.sol

```
535    uint256    swapAmt = swapAmount;
536    if (piContractSwapsEnabled) {        swapAmt = (balanceOf(lpPair) * piSwapPercent) /
        masterTaxDivisor; }
537    if (contractTokenBalance >= swapAmt) {        contractTokenBalance = swapAmt; }
538        contractSwap(contractTokenBalance);
539    }
540
```



**LINE 536** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- SuperBowlGG.sol

```
535    uint256    swapAmt = swapAmount;
536    if (piContractSwapsEnabled) {        swapAmt = (balanceOf(lpPair) * piSwapPercent) /
        masterTaxDivisor; }
537    if (contractTokenBalance >= swapAmt) {        contractTokenBalance = swapAmt; }
538        contractSwap(contractTokenBalance);
539    }
540
```



**LINE 572** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- SuperBowlGG.sol

```
571 bool success;
572 uint256 stakingBalance = (amtBalance * ratios.staking) / ratios.totalSwap;
573 uint256 teamBalance = (amtBalance * ratios.team) / ratios.totalSwap;
574 uint256 marketingBalance = amtBalance - (stakingBalance + teamBalance);
575 if (ratios.marketing > 0) {
576
```



**LINE 572** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- SuperBowlGG.sol

```
571 bool success;
572 uint256 stakingBalance = (amtBalance * ratios.staking) / ratios.totalSwap;
573 uint256 teamBalance = (amtBalance * ratios.team) / ratios.totalSwap;
574 uint256 marketingBalance = amtBalance - (stakingBalance + teamBalance);
575 if (ratios.marketing > 0) {
576
```



**LINE 573** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- SuperBowlGG.sol

```
uint256 stakingBalance = (amtBalance * ratios.staking) / ratios.totalSwap;
uint256 teamBalance = (amtBalance * ratios.team) / ratios.totalSwap;
uint256 marketingBalance = amtBalance - (stakingBalance + teamBalance);
if (ratios.marketing > 0) {
  (success,) = _taxWallets.marketing.call{value: marketingBalance, gas: 55000}("");
}
```



**LINE 573** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- SuperBowlGG.sol

```
uint256 stakingBalance = (amtBalance * ratios.staking) / ratios.totalSwap;
uint256 teamBalance = (amtBalance * ratios.team) / ratios.totalSwap;
uint256 marketingBalance = amtBalance - (stakingBalance + teamBalance);
if (ratios.marketing > 0) {
  (success,) = _taxWallets.marketing.call{value: marketingBalance, gas: 55000}("");
}
```



**LINE 574** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- SuperBowlGG.sol

```
uint256 teamBalance = (amtBalance * ratios.team) / ratios.totalSwap;
uint256 marketingBalance = amtBalance - (stakingBalance + teamBalance);
if (ratios.marketing > 0) {
  (success,) = _taxWallets.marketing.call{value: marketingBalance, gas: 55000}("");
}
```



**LINE 574** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- SuperBowlGG.sol

```
uint256 teamBalance = (amtBalance * ratios.team) / ratios.totalSwap;
uint256 marketingBalance = amtBalance - (stakingBalance + teamBalance);
if (ratios.marketing > 0) {
  (success,) = _taxWallets.marketing.call{value: marketingBalance, gas: 55000}("");
}
```



**LINE** 609

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- SuperBowlGG.sol

```
allowedPresaleExclusion = false;
swapThreshold = (balanceOf(lpPair) * 10) / 10000;
swapAmount = (balanceOf(lpPair) * 30) / 10000;
launchStamp = block.timestamp;
612 }
613
```



**LINE** 609

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- SuperBowlGG.sol

```
allowedPresaleExclusion = false;
swapThreshold = (balanceOf(lpPair) * 10) / 10000;
swapAmount = (balanceOf(lpPair) * 30) / 10000;
launchStamp = block.timestamp;
612 }
613
```



**LINE 610** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- SuperBowlGG.sol



**LINE 610** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- SuperBowlGG.sol



**LINE 627** 

#### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- SuperBowlGG.sol

```
626  require(accounts.length == amounts.length, "Lengths do not match.");
627  for (uint16 i = 0; i < accounts.length; i++) {
628  require(balanceOf(msg.sender) >= amounts[i]*10**_decimals, "Not enough tokens.");
629  finalizeTransfer(msg.sender, accounts[i], amounts[i]*10**_decimals, false, false,
true);
630  }
631
```



**LINE 628** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- SuperBowlGG.sol

```
627 for (uint16 i = 0; i < accounts.length; i++) {
628    require(balanceOf(msg.sender) >= amounts[i]*10**_decimals, "Not enough tokens.");
629    finalizeTransfer(msg.sender, accounts[i], amounts[i]*10**_decimals, false, false,
true);
630    }
631 }
632
```



**LINE 628** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- SuperBowlGG.sol

```
for (uint16 i = 0; i < accounts.length; i++) {
    require(balanceOf(msg.sender) >= amounts[i]*10**_decimals, "Not enough tokens.");
    finalizeTransfer(msg.sender, accounts[i], amounts[i]*10**_decimals, false, false,
    true);
    false    }
    false    }
    false    i
```



**LINE 629** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- SuperBowlGG.sol

```
628 require(balanceOf(msg.sender) >= amounts[i]*10**_decimals, "Not enough tokens.");
629 finalizeTransfer(msg.sender, accounts[i], amounts[i]*10**_decimals, false, false,
true);
630 }
631 }
632
633
```



**LINE 629** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- SuperBowlGG.sol

```
628 require(balanceOf(msg.sender) >= amounts[i]*10**_decimals, "Not enough tokens.");
629 finalizeTransfer(msg.sender, accounts[i], amounts[i]*10**_decimals, false, false,
true);
630 }
631 }
632
633
```



**LINE 643** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- SuperBowlGG.sol

```
642 }
643 _tOwned[from] -= amount;
644 uint256 amountReceived = (takeFee) ? takeTaxes(from, buy, sell, amount) : amount;
645 _tOwned[to] += amountReceived;
646 emit Transfer(from, to, amountReceived);
647
```



**LINE 645** 

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- SuperBowlGG.sol

```
644  uint256 amountReceived = (takeFee) ? takeTaxes(from, buy, sell, amount) : amount;
645  _tOwned[to] += amountReceived;
646  emit Transfer(from, to, amountReceived);
647  if (!_hasLiqBeenAdded) {
648  _checkLiquidityAdd(from, to);
649
```



**LINE** 669

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- SuperBowlGG.sol

```
668  || block.chainid == 56)) { currentFee = 4500; }
669  uint256 feeAmount = amount * currentFee / masterTaxDivisor;
670  if (feeAmount > 0) {
671   _tOwned[address(this)] += feeAmount;
672  emit Transfer(from, address(this), feeAmount);
673
```



**LINE** 669

# **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

# Source File

- SuperBowlGG.sol

```
668  || block.chainid == 56)) { currentFee = 4500; }
669  uint256 feeAmount = amount * currentFee / masterTaxDivisor;
670  if (feeAmount > 0) {
671   _tOwned[address(this)] += feeAmount;
672  emit Transfer(from, address(this), feeAmount);
673
```



## SWC-101 | ARITHMETIC OPERATION "+=" DISCOVERED

**LINE 671** 

#### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

#### Source File

- SuperBowlGG.sol

```
670 if (feeAmount > 0) {
671   _tOwned[address(this)] += feeAmount;
672   emit Transfer(from, address(this), feeAmount);
673  }
674
675
```



## SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

**LINE 675** 

#### **low SEVERITY**

This plugin produces issues to support false positive discovery within mythril.

### Source File

- SuperBowlGG.sol

```
674
675 return amount - feeAmount;
676 }
677 }
678
```



## SWC-103 | A FLOATING PRAGMA IS SET.

LINE 6

#### **low SEVERITY**

The current pragma Solidity directive is "">=0.6.0<0.9.0"". It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

#### Source File

- SuperBowlGG.sol

```
5  // SPDX-License-Identifier: MIT
6  pragma solidity >=0.6.0 <0.9.0;
7
8  interface IERC20 {
9  function totalSupply() external view returns (uint256);
10</pre>
```



## SWC-108 | STATE VARIABLE VISIBILITY IS NOT SET.

**LINE 105** 

#### **low SEVERITY**

It is best practice to set the visibility of state variables explicitly. The default visibility for "IpPairs" is internal. Other possible visibility settings are public and private.

#### Source File

- SuperBowlGG.sol

```
mapping (address => uint256) private _tOwned;
mapping (address => bool) lpPairs;
uint256 private timeSinceLastPair = 0;
mapping (address => mapping (address => uint256)) private _allowances;
mapping (address => bool) private _liquidityHolders;
```



## SWC-108 | STATE VARIABLE VISIBILITY IS NOT SET.

**LINE 170** 

#### **low SEVERITY**

It is best practice to set the visibility of state variables explicitly. The default visibility for "inSwap" is internal. Other possible visibility settings are public and private.

#### Source File

- SuperBowlGG.sol

```
169
170 bool inSwap;
171 bool public contractSwapEnabled = false;
172 uint256 public swapThreshold;
173 uint256 public swapAmount;
174
```



## SWC-108 | STATE VARIABLE VISIBILITY IS NOT SET.

**LINE 182** 

#### **low SEVERITY**

It is best practice to set the visibility of state variables explicitly. The default visibility for "protections" is internal. Other possible visibility settings are public and private.

#### Source File

- SuperBowlGG.sol

```
bool public _hasLiqBeenAdded = false;
Protections protections;
uint256 public launchStamp;

184

185 event ContractSwapEnabledUpdated(bool enabled);
186
```



# SWC-115 | USE OF "TX.ORIGIN" AS A PART OF AUTHORIZATION CONTROL.

**LINE 483** 

#### **low SEVERITY**

The tx.origin environment variable has been found to influence a control flow decision. Note that using "tx.origin" as a security control might cause a situation where a user inadvertently authorizes a smart contract to perform an action on their behalf. It is recommended to use "msg.sender" instead.

#### Source File

- SuperBowlGG.sol

```
482 && to != _owner

483 && tx.origin != _owner

484 && !_liquidityHolders[to]

485 && !_liquidityHolders[from]

486 && to != DEAD

487
```



**LINE 557** 

#### **low SEVERITY**

The index access expression can cause an exception in case of use of invalid array index value.

#### Source File

- SuperBowlGG.sol

```
556  address[] memory path = new address[](2);
557  path[0] = address(this);
558  path[1] = dexRouter.WETH();
559
560  try dexRouter.swapExactTokensForETHSupportingFeeOnTransferTokens(
561
```



**LINE 558** 

#### **low SEVERITY**

The index access expression can cause an exception in case of use of invalid array index value.

#### Source File

- SuperBowlGG.sol

```
557 path[0] = address(this);
558 path[1] = dexRouter.WETH();
559
560 try dexRouter.swapExactTokensForETHSupportingFeeOnTransferTokens(
561 contractTokenBalance,
562
```



**LINE 628** 

#### **low SEVERITY**

The index access expression can cause an exception in case of use of invalid array index value.

#### Source File

- SuperBowlGG.sol

```
627 for (uint16 i = 0; i < accounts.length; i++) {
628    require(balanceOf(msg.sender) >= amounts[i]*10**_decimals, "Not enough tokens.");
629    finalizeTransfer(msg.sender, accounts[i], amounts[i]*10**_decimals, false, false,
true);
630    }
631  }
632
```



**LINE 629** 

#### **low SEVERITY**

The index access expression can cause an exception in case of use of invalid array index value.

#### Source File

- SuperBowlGG.sol

```
628 require(balanceOf(msg.sender) >= amounts[i]*10**_decimals, "Not enough tokens.");
629 finalizeTransfer(msg.sender, accounts[i], amounts[i]*10**_decimals, false, false,
true);
630 }
631 }
632
633
```



**LINE 629** 

#### **low SEVERITY**

The index access expression can cause an exception in case of use of invalid array index value.

#### Source File

- SuperBowlGG.sol

```
628 require(balanceOf(msg.sender) >= amounts[i]*10**_decimals, "Not enough tokens.");
629 finalizeTransfer(msg.sender, accounts[i], amounts[i]*10**_decimals, false, false,
true);
630 }
631 }
632
633
```



# SWC-120 | POTENTIAL USE OF "BLOCK.NUMBER" AS SOURCE OF RANDOMNESS.

**LINE 606** 

#### **low SEVERITY**

The environment variable "block.number" looks like it might be used as a source of randomness. Note that the values of variables like coinbase, gaslimit, block number and timestamp are predictable and can be manipulated by a malicious miner. Also keep in mind that attackers know hashes of earlier blocks. Don't use any of those environment variables as sources of randomness and be aware that use of these variables introduces a certain level of trust into miners.

#### Source File

- SuperBowlGG.sol

```
605  }
606  try protections.setLaunch(lpPair, uint32(block.number), uint64(block.timestamp),
   _decimals) {} catch {}
607   tradingEnabled = true;
608   allowedPresaleExclusion = false;
609   swapThreshold = (balanceOf(lpPair) * 10) / 10000;
610
```



## **DISCLAIMER**

This report is subject to the terms and conditions (including without limitation, description of services, confidentiality, disclaimer and limitation of liability) set forth in the Services Agreement, or the scope of services, and terms and conditions provided to you ("Customer" or the "Company") in connection with the Agreement. This report provided in connection with the Services set forth in the Agreement shall be used by the Company only to the extent permitted under the terms and conditions set forth in the Agreement. This report may not be transmitted, disclosed, referred to, or relied upon by any person for any purposes, nor may copies be delivered to any other person other than the Company, without Sysfixed's prior written consent in each instance.

This report is not, nor should be considered, an "endorsement" or "disapproval" of any particular project or team. This report is not, nor should be considered, an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Sysfixed to perform a security assessment. This report does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors, business, business model, or legal compliance.

This is a limited report on our findings based on our analysis, in accordance with good industry practice as of the date of this report, in relation to cybersecurity vulnerabilities and issues in the framework and algorithms based on smart contracts, the details of which are set out in this report. In order to get a full view of our analysis, it is crucial for you to read the full report. While we have done our best in conducting our analysis and producing this report, it is important to note that you should not rely on this report and cannot claim against us on the basis of what it says or doesn't say, or how we produced it, and it is important for you to conduct your own independent investigations before making any decisions. We go into more detail on this in the below disclaimer below – please make sure to read it in full.

This report should not be used in any way to make decisions around investment or involvement with any particular project. This report in no way provides investment advice, nor should be leveraged as investment advice of any sort. This report represents an extensive assessing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

This report is provided for information purposes only and on a non-reliance basis and does not constitute investment advice. No one shall have any right to rely on the report or its contents, and Sysfixed and its affiliates (including holding companies, shareholders, subsidiaries, employees, directors, officers, and other representatives) (Sysfixed) owe no duty of care.



## **ABOUT US**

Sysfixed is a blockchain security certification organization established in 2021 with the objective to provide smart contract security services and verify their correctness in blockchain-based protocols. Sysfixed automatically scans for security vulnerabilities in Ethereum and other EVM-based blockchain smart contracts. Sysfixed a comprehensive range of analysis techniques—including static analysis, dynamic analysis, and symbolic execution—can accurately detect security vulnerabilities to provide an in-depth analysis report. With a vibrant ecosystem of world-class integration partners that amplify developer productivity, Sysfixed can be utilized in all phases of your project's lifecycle. Our team of security experts is dedicated to the research and improvement of our tools and techniques used to fortify your code.