

Zenithereum.ai

Smart Contract Audit Report





TABLE OF CONTENTS

| Audited Details

- Audited Project
- Blockchain
- Addresses
- Project Website
- Codebase

Summary

- Contract Summary
- Audit Findings Summary
- Vulnerabilities Summary

Conclusion

| Audit Results

Smart Contract Analysis

- Detected Vulnerabilities

Disclaimer

About Us



AUDITED DETAILS

Audited Project

Project name	Token ticker	Blockchain	
Zenithereum.ai	ZEN-AI	Binance Smart Chain	

Addresses

Contract address	0x24697e20c1921Ebd5846c5B025A5fAB1a43Fe316	
Contract deployer address	0x564F67f3B4BD8e75b1E692885dfAec18b2466caf	

Project Website

https://zenithereum.ai/

Codebase

https://bscscan.com/address/0x24697e20c1921Ebd5846c5B025A5fAB1a43Fe316#code



SUMMARY

Zenithereum is the intersection of #blockchain & #Al creating innovative solutions for a better future. Join us on our journey to revolutionize the world.

Contract Summary

Documentation Quality

Zenithereum.ai provides a very good documentation with standard of solidity base code.

• The technical description is provided clearly and structured and also dont have any high risk issue.

Code Quality

The Overall quality of the basecode is standard.

 Standard solidity basecode and rules are already followed by Zenithereum.ai with the discovery of several low issues.

Test Coverage

Test coverage of the project is 100% (Through Codebase)

Audit Findings Summary

- SWC-101 | It is recommended to use vetted safe math libraries for arithmetic operations consistently on lines 470, 502, 525, 526, 561, 597, 663, 667, 679, 686, 695, 928, 928, 928, 928, 932, 936, 940, 1002, 1027, 1034, 1041, 1119, 1119, 1119, 1120, 1120, 1120, 1127, 1127, 1127, 1128, 1128, 1128, 1133, 1133, 1134, 1134, 1134, 1134, 1142, 1198, 1204, 1204, 1204 and 1214.
- SWC-103 | Pragma statements can be allowed to float when a contract is intended on lines 7.
- SWC-110 SWC-123 | It is recommended to use of revert(), assert(), and require() in Solidity, and the new REVERT opcode in the EVM on lines 1003, 1004, 1152 and 1153.



CONCLUSION

We have audited the Zenithereum.ai project released on February-2023 to discover issues and identify potential security vulnerabilities in Zenithereum.ai Project. This process is used to find technical issues and security loopholes which might be found in the smart contract.

The security audit report provides a satisfactory result with some low-risk issues.

The issues found in the Zenithereum.ai smart contract code do not pose a considerable risk. The writing of the contract is close to the standard of writing contracts in general. The low-risk issues found are some arithmetic operation issues, a floating pragma is set and out of bounds array access which the index access expression can cause an exception in case of the use of an invalid array index value.



AUDIT RESULT

Article	Category	Description	Result	
Default Visibility	SWC-100 SWC-108	Functions and state variables visibility should be set explicitly. Visibility levels should be specified consciously.		
Integer Overflow and Underflow	SWC-101	If unchecked math is used, all math operations should be safe from overflows and underflows.		
Outdated Compiler Version	SWC-102	It is recommended to use a recent version of the Solidity compiler.	PASS	
Floating Pragma	SWC-103	Contracts should be deployed with the same compiler version and flags that they have been tested thoroughly. Contracts should be deployed with the same ISS FOU		
Unchecked Call Return Value	SWC-104	The return value of a message call should be checked.		
Unprotected Ether Withdrawal	SWC-105	Due to missing or insufficient access controls, malicious parties can withdraw from the contract.		
SELFDESTRUCT Instruction	SWC-106	The contract should not be self-destructible while it has funds belonging to users.	e while it PASS	
Reentrancy	SWC-107	Check effect interaction pattern should be followed if the code performs recursive call.	followed	
Uninitialized Storage Pointer	SWC-109	Uninitialized local storage variables can point to unexpected storage locations in the contract.	PASS	
Assert Violation	SWC-110 SWC-123			
Deprecated Solidity Functions	SWC-111	Deprecated built-in functions should never be used.	PASS	
Delegate call to Untrusted Callee	SWC-112	Delegatecalls should only be allowed to trusted addresses.	d only be allowed to trusted PASS	



DoS (Denial of Service)	SWC-113 SWC-128	Execution of the code should never be blocked by a specific contract state unless required.	
Race Conditions	SWC-114	Race Conditions and Transactions Order Dependency should not be possible.	
Authorization through tx.origin	SWC-115	tx.origin should not be used for authorization.	
Block values as a proxy for time	SWC-116	Block numbers should not be used for time calculations.	
Signature Unique ID	SWC-121 SWC-121		PASS
Incorrect Constructor Name	SWC-118		PASS
Shadowing State Variable	SWC-119 State variables should not be shadowed.		PASS
Weak Sources of Randomness	SWC-120	Random values should never be generated from Chain Attributes or be predictable.	
Write to Arbitrary Storage Location	SWC-124 user or contract accounts may write to sensitive storage		PASS
Incorrect Inheritance Order	SWC-125		PASS
Insufficient Gas Griefing	SWC-126 contracts which accept data and use it in a sub-call on		PASS
Arbitrary Jump Function	SWC-127		PASS



Typographical Error	SWC-129	A typographical error can occur for example when the intent of a defined operation is to sum a number to a variable.	
Override control character	SWC-130	Malicious actors can use the Right-To-Left-Override unicode character to force RTL text rendering and confuse users as to the real intent of a contract.	
Unused variables	Unused variables SWC-131 Unused variables are allowed in Solidity and they do not pose a direct security issue.		PASS
Unexpected Ether balance	SWC-132	Contracts can behave erroneously when they strictly assume a specific Ether balance.	
Hash Collisions Variable	SWC-133	Using abi.encodePacked() with multiple variable length arguments can, in certain situations, lead to a hash collision.	
Hardcoded gas amount	SWC-134		PASS
Unencrypted Private Data	SWC-136	It is a common misconception that private type variables cannot be read.	



SMART CONTRACT ANALYSIS

Started	Friday Feb 03 2023 03:38:39 GMT+0000 (Coordinated Universal Time)		
Finished	Saturday Feb 04 2023 22:01:49 GMT+0000 (Coordinated Universal Time)		
Mode	Standard		
Main Source File	Zenithereum.sol		

Detected Issues

ID	Title	Severity	Status
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "%" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "**" DISCOVERED	low	acknowledged



SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "++" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged



SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-103	A FLOATING PRAGMA IS SET.	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged



LINE 470

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
function add(uint256 a, uint256 b) internal pure returns (uint256) {
   uint256 c = a + b;
   require(c >= a, "SafeMath: addition overflow");
   return c;
   return c;
}
```



LINE 502

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
501 require(b <= a, errorMessage);
502 uint256 c = a - b;
503
504 return c;
505 }
506</pre>
```



LINE 525

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
524
525    uint256    c = a * b;
526    require(c / a == b, "SafeMath: multiplication overflow");
527
528    return c;
529
```



LINE 526

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
525    uint256    c = a * b;
526    require(c / a == b, "SafeMath: multiplication overflow");
527
528    return c;
529    }
530
```



LINE 561

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
560    require(b > 0, errorMessage);
561    uint256 c = a / b;
562    // assert(a == b * c + a % b); // There is no case in which this doesn't hold
563
564    return c;
565
```



LINE 597

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
596    require(b != 0, errorMessage);
597    return a % b;
598    }
599    }
600
601
```



LINE 663

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
function mul(int256 a, int256 b) internal pure returns (int256) {
  int256 c = a * b;

664

665  // Detect overflow when multiplying MIN_INT256 with -1
  require(c != MIN_INT256 || (a & MIN_INT256) != (b & MIN_INT256));

667
```



LINE 667

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
666 require(c != MIN_INT256 || (a & MIN_INT256) != (b & MIN_INT256));
667 require((b == 0) || (c / b == a));
668 return c;
669 }
670
671
```



LINE 679

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
678 // Solidity already throws when dividing by 0.
679 return a / b;
680 }
681
682 /**
683
```



LINE 686

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol



LINE 695

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
694 function add(int256 a, int256 b) internal pure returns (int256) {
695  int256 c = a + b;
696  require((b >= 0 && c >= a) || (b < 0 && c < a));
697  return c;
698  }
699</pre>
```



LINE 928

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
927
928 uint256 totalSupply = 1 * 1e8 * (10**_decimals);
929
930 buyMarketingFee = 2;
931 buyLiquidityFee = 0;
932
```



LINE 928

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
927
928 uint256 totalSupply = 1 * 1e8 * (10**_decimals);
929
930 buyMarketingFee = 2;
931 buyLiquidityFee = 0;
932
```



LINE 928

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
927
928  uint256 totalSupply = 1 * 1e8 * (10**_decimals);
929
930  buyMarketingFee = 2;
931  buyLiquidityFee = 0;
932
```



LINE 932

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
931 buyLiquidityFee = 0;
932 buyTotalFees = buyMarketingFee + buyLiquidityFee;
933
934 sellMarketingFee = 2;
935 sellLiquidityFee = 0;
936
```



LINE 936

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
935 sellLiquidityFee = 0;
936 sellTotalFees = sellMarketingFee + sellLiquidityFee;
937
938 transferMarketingFee = 2;
939 transferLiquidityFee = 0;
940
```



LINE 940

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
939 transferLiquidityFee = 0;
940 transferTotalFees = transferMarketingFee + transferLiquidityFee;
941
942 marketingWallet = address(0x799c90F6B46EDad6591f4997354c3416D303972F); // set as
marketing wallet
943
944
```



LINE 1002

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
1001 require(airdropWallets.length < 200, "Can only airdrop 200 wallets per txn due to gas limits"); // allows for airdrop + launch at the same exact time, reducing delays and reducing sniper input.

1002 for(uint256 i = 0; i < airdropWallets.length; i++){
1003 address wallet = airdropWallets[i];
1004 uint256 amount = amounts[i];
1005 _transfer(msg.sender, wallet, amount);
1006
```



LINE 1027

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
buyLiquidityFee = _liquidityFee;

buyTotalFees = buyMarketingFee + buyLiquidityFee;

require(buyTotalFees <= 10, "Must keep fees at 10% or less");

1029 }

1030

1031</pre>
```



LINE 1034

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
1033  sellLiquidityFee = _liquidityFee;
1034  sellTotalFees = sellMarketingFee + sellLiquidityFee ;
1035  require(sellTotalFees <= 10, "Must keep fees at 10% or less");
1036  }
1037
1038</pre>
```



LINE 1041

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
1040 transferLiquidityFee = _liquidityFee;
1041 transferTotalFees = transferMarketingFee + transferLiquidityFee;
1042 require(transferTotalFees <= 10, "Must keep fees at 10% or less");
1043 }
1044
1045</pre>
```



LINE 1119

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
1118  fees = amount.mul(sellTotalFees).div(100);
1119  tokensForLiquidity += fees * sellLiquidityFee / sellTotalFees;
1120  tokensForMarketing += fees * sellMarketingFee / sellTotalFees;
1121  }
1122  }
1123
```



LINE 1119

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
fees = amount.mul(sellTotalFees).div(100);
tokensForLiquidity += fees * sellLiquidityFee / sellTotalFees;
tokensForMarketing += fees * sellMarketingFee / sellTotalFees;

1121  }
1122  }
1123
```



LINE 1119

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
fees = amount.mul(sellTotalFees).div(100);
tokensForLiquidity += fees * sellLiquidityFee / sellTotalFees;
tokensForMarketing += fees * sellMarketingFee / sellTotalFees;

1121  }
1122  }
1123
```



LINE 1120

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
1119  tokensForLiquidity += fees * sellLiquidityFee / sellTotalFees;
1120  tokensForMarketing += fees * sellMarketingFee / sellTotalFees;
1121  }
1122  }
1123  // on buy
1124
```



LINE 1120

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
1119  tokensForLiquidity += fees * sellLiquidityFee / sellTotalFees;
1120  tokensForMarketing += fees * sellMarketingFee / sellTotalFees;
1121  }
1122  }
1123  // on buy
1124
```



LINE 1120

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
1119 tokensForLiquidity += fees * sellLiquidityFee / sellTotalFees;
1120 tokensForMarketing += fees * sellMarketingFee / sellTotalFees;
1121 }
1122 }
1123 // on buy
1124
```



LINE 1127

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
fees = amount.mul(buyTotalFees).div(100);
tokensForLiquidity += fees * buyLiquidityFee / buyTotalFees;
tokensForMarketing += fees * buyMarketingFee / buyTotalFees;

1129  }
1130  } else {
1131
```



LINE 1127

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
fees = amount.mul(buyTotalFees).div(100);
tokensForLiquidity += fees * buyLiquidityFee / buyTotalFees;
tokensForMarketing += fees * buyMarketingFee / buyTotalFees;

1129  }
1130  } else {
1131
```



LINE 1127

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
fees = amount.mul(buyTotalFees).div(100);

tokensForLiquidity += fees * buyLiquidityFee / buyTotalFees;

tokensForMarketing += fees * buyMarketingFee / buyTotalFees;

1129  }

1130  } else {
1131
```



LINE 1128

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
tokensForLiquidity += fees * buyLiquidityFee / buyTotalFees;
tokensForMarketing += fees * buyMarketingFee / buyTotalFees;

1129 }
1130 } else {
1131 if (transferTotalFees > 0){
1132
```



LINE 1128

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
tokensForLiquidity += fees * buyLiquidityFee / buyTotalFees;
tokensForMarketing += fees * buyMarketingFee / buyTotalFees;

1129 }
1130 } else {
1131 if (transferTotalFees > 0){
1132
```



LINE 1128

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
tokensForLiquidity += fees * buyLiquidityFee / buyTotalFees;
tokensForMarketing += fees * buyMarketingFee / buyTotalFees;

1129 }
1130 } else {
1131 if (transferTotalFees > 0){
1132
```



LINE 1133

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
fees = amount.mul(transferTotalFees).div(100);

tokensForLiquidity += fees * transferLiquidityFee / transferTotalFees;

tokensForMarketing += fees * transferMarketingFee / transferTotalFees;

1135  }

1136  }

1137
```



LINE 1133

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
fees = amount.mul(transferTotalFees).div(100);

tokensForLiquidity += fees * transferLiquidityFee / transferTotalFees;

tokensForMarketing += fees * transferMarketingFee / transferTotalFees;

1135  }

1136  }

1137
```



LINE 1133

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
fees = amount.mul(transferTotalFees).div(100);

tokensForLiquidity += fees * transferLiquidityFee / transferTotalFees;

tokensForMarketing += fees * transferMarketingFee / transferTotalFees;

1135  }

1136  }

1137
```



LINE 1134

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
1133  tokensForLiquidity += fees * transferLiquidityFee / transferTotalFees;
1134  tokensForMarketing += fees * transferMarketingFee / transferTotalFees;
1135  }
1136  }
1137
1138
```



LINE 1134

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
1133  tokensForLiquidity += fees * transferLiquidityFee / transferTotalFees;
1134  tokensForMarketing += fees * transferMarketingFee / transferTotalFees;
1135  }
1136  }
1137
1138
```



LINE 1134

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
1133  tokensForLiquidity += fees * transferLiquidityFee / transferTotalFees;
1134  tokensForMarketing += fees * transferMarketingFee / transferTotalFees;
1135  }
1136  }
1137
1138
```



LINE 1142

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
1141
1142    amount -= fees;
1143    }
1144
1145    super._transfer(from, to, amount);
1146
```



LINE 1198

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
1197
1198  uint256 totalTokensToSwap = tokensForLiquidity + tokensForMarketing;
1199  bool success;
1200
1201  if(contractBalance == 0 || totalTokensToSwap == 0) {return;}
1202
```



LINE 1204

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
1203  // Halve the amount of liquidity tokens
1204  uint256 liquidityTokens = contractBalance * tokensForLiquidity / totalTokensToSwap
/ 2;
1205  uint256 amountToSwapForETH = contractBalance.sub(liquidityTokens);
1206
1207  uint256 initialETHBalance = address(this).balance;
1208
```



LINE 1204

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
1203  // Halve the amount of liquidity tokens
1204  uint256 liquidityTokens = contractBalance * tokensForLiquidity / totalTokensToSwap
/ 2;
1205  uint256 amountToSwapForETH = contractBalance.sub(liquidityTokens);
1206
1207  uint256 initialETHBalance = address(this).balance;
1208
```



LINE 1204

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
1203  // Halve the amount of liquidity tokens
1204  uint256 liquidityTokens = contractBalance * tokensForLiquidity / totalTokensToSwap
/ 2;
1205  uint256 amountToSwapForETH = contractBalance.sub(liquidityTokens);
1206
1207  uint256 initialETHBalance = address(this).balance;
1208
```



LINE 1214

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- Zenithereum.sol

```
1213  uint256 ethForMarketing =
ethBalance.mul(tokensForMarketing).div(totalTokensToSwap);
1214  uint256 ethForLiquidity = ethBalance - ethForMarketing;
1215
1216  tokensForLiquidity = 0;
1217  tokensForMarketing = 0;
1218
```



SWC-103 | A FLOATING PRAGMA IS SET.

LINE 7

low SEVERITY

The current pragma Solidity directive is ""^0.8.9"". It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

Source File

- Zenithereum.sol

```
6
7 pragma solidity ^0.8.9;
8
9 abstract contract Context {
10 function _msgSender() internal view virtual returns (address) {
11
```



LINE 1003

low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- Zenithereum.sol

```
for(uint256 i = 0; i < airdropWallets.length; i++){
  address wallet = airdropWallets[i];
  uint256 amount = amounts[i];
  _transfer(msg.sender, wallet, amount);
  }
  1006 }
</pre>
```



LINE 1004

low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- Zenithereum.sol

```
1003  address wallet = airdropWallets[i];
1004  uint256 amount = amounts[i];
1005  _transfer(msg.sender, wallet, amount);
1006  }
1007  return true;
1008
```



LINE 1152

low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- Zenithereum.sol

```
1151 address[] memory path = new address[](2);
1152 path[0] = address(this);
1153 path[1] = uniswapV2Router.WETH();
1154
1155 _approve(address(this), address(uniswapV2Router), tokenAmount);
1156
```



LINE 1153

low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- Zenithereum.sol

```
path[0] = address(this);
1153  path[1] = uniswapV2Router.WETH();
1154
1155  _approve(address(this), address(uniswapV2Router), tokenAmount);
1156
1157
```



DISCLAIMER

This report is subject to the terms and conditions (including without limitation, description of services, confidentiality, disclaimer and limitation of liability) set forth in the Services Agreement, or the scope of services, and terms and conditions provided to you ("Customer" or the "Company") in connection with the Agreement. This report provided in connection with the Services set forth in the Agreement shall be used by the Company only to the extent permitted under the terms and conditions set forth in the Agreement. This report may not be transmitted, disclosed, referred to, or relied upon by any person for any purposes, nor may copies be delivered to any other person other than the Company, without Sysfixed's prior written consent in each instance.

This report is not, nor should be considered, an "endorsement" or "disapproval" of any particular project or team. This report is not, nor should be considered, an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Sysfixed to perform a security assessment. This report does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors, business, business model, or legal compliance.

This is a limited report on our findings based on our analysis, in accordance with good industry practice as of the date of this report, in relation to cybersecurity vulnerabilities and issues in the framework and algorithms based on smart contracts, the details of which are set out in this report. In order to get a full view of our analysis, it is crucial for you to read the full report. While we have done our best in conducting our analysis and producing this report, it is important to note that you should not rely on this report and cannot claim against us on the basis of what it says or doesn't say, or how we produced it, and it is important for you to conduct your own independent investigations before making any decisions. We go into more detail on this in the below disclaimer below – please make sure to read it in full.

This report should not be used in any way to make decisions around investment or involvement with any particular project. This report in no way provides investment advice, nor should be leveraged as investment advice of any sort. This report represents an extensive assessing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

This report is provided for information purposes only and on a non-reliance basis and does not constitute investment advice. No one shall have any right to rely on the report or its contents, and Sysfixed and its affiliates (including holding companies, shareholders, subsidiaries, employees, directors, officers, and other representatives) (Sysfixed) owe no duty of care.



ABOUT US

Sysfixed is a blockchain security certification organization established in 2021 with the objective to provide smart contract security services and verify their correctness in blockchain-based protocols. Sysfixed automatically scans for security vulnerabilities in Ethereum and other EVM-based blockchain smart contracts. Sysfixed a comprehensive range of analysis techniques—including static analysis, dynamic analysis, and symbolic execution—can accurately detect security vulnerabilities to provide an in-depth analysis report. With a vibrant ecosystem of world-class integration partners that amplify developer productivity, Sysfixed can be utilized in all phases of your project's lifecycle. Our team of security experts is dedicated to the research and improvement of our tools and techniques used to fortify your code.