

Bnb Tiger Inu Smart Contract Audit Report



04 Jan 2022



TABLE OF CONTENTS

Audited Details

- Audited Project
- Blockchain
- Addresses
- Project Website
- Codebase

Summary

- Contract Summary
- Audit Findings Summary
- Vulnerabilities Summary

Conclusion

Audit Results

Smart Contract Analysis

- Detected Vulnerabilities

Disclaimer

About Us



AUDITED DETAILS

Audited Project

Project name	Token ticker	Blockchain	
Bnb Tiger Inu	BNBTiger	Binance Smart Chain	

Addresses

Contract address 0xac68931b666e086e9de380cfdb0fb5704a35dc2d	
Contract deployer address	0x7444dED2a38eEb7bAA40B2e5c0D94072d841513f

Project Website

https://bnbtiger.top/

Codebase

https://bscscan.com/address/0xac68931b666e086e9de380cfdb0fb5704a35dc2d#code



SUMMARY

BNBTiger is the king of beasts. They are the symbol of victory and strength. Powerful and tough.and our \$BNBTIGER community is the same. \$BNBTIGER is a decentralized experiment, launched on the January 3, 2022, by the founder, BNBTiger9527, as a fresh opportunity for those who were struggling in the midst of the biggest bear market since. Born out of trials and tribulation, the \$BNBTIGER community is the strongest community you'll find, supportive of one another, and pushing each other towards success. We are fed up with the fraud projects in the market! These projects have lowered people's trust, led to suspicion and panic, and finally led to the death of one project after another. No more great projects like Shib can be born! The goal of the birth of BNBTiger is to rebuild the security and trust of the market. Like Shib, Let's complete another 260000 X the task. So we launched a huge number of 10.000.000.000.000.000.000.000 tokens, destroyed 50%, and launched fairly! Let's start from zero. This is a new social experiment. We want to see how many zeros can be killed by real trust! Our ultimate goal is to eliminate all zeros and surpass the historical record of shib!

Contract Summary

Documentation Quality

Bnb Tiger Inu provides a very good documentation with standard of solidity base code.

• The technical description is provided clearly and structured and also dont have any high risk issue.

Code Quality

The Overall quality of the basecode is standard.

• Standard solidity basecode and rules are already followed by Bnb Tiger Inu with the discovery of several low issues.

Test Coverage

Test coverage of the project is 100% (Through Codebase)

Audit Findings Summary

- SWC-100 SWC-108 | Explicitly define visibility for all state variables on lines 412 and 444.
- SWC-101 | It is recommended to use vetted safe math libraries for arithmetic operations consistently on lines 35, 47, 57, 58, 69, 81, 187, 436, 436, 436, 436, 436, 436, 437, 437, 437, 437, 437, 437, 438, 438, 438, 438, 438, 439, 439, 439 and 439.
- SWC-103 | Pragma statements can be allowed to float when a contract is intended on lines 6.

• SWC-110 SWC-123 | It is recommended to use of revert(), assert(), and require() in Solidity, and the new REVERT opcode in the EVM on lines 741 and 742.





CONCLUSION

We have audited the Bnb Tiger Inu project released on January 2022 to discover issues and identify potential security vulnerabilities in Bnb Tiger Inu Project. This process is used to find technical issues and security loopholes which might be found in the smart contract.

The security audit report provides satisfactory results with low-risk issues.

The issues found in the Bnb Tiger Inu smart contract code do not pose a considerable risk. The writing of the contract is close to the standard of writing contracts in general. The low-risk issues found are some arithmetic operation issues, a floating pragma is set, a state variable visibility is not set, and out-of-bounds array access which the index access expression can cause an exception in case of the use of an invalid array index value.



AUDIT RESULT

Article	Category	Description	Result	
Default Visibility	SWC-100 SWC-108	Functions and state variables visibility should be set explicitly. Visibility levels should be specified consciously.	ISSUE FOUND	
Integer Overflow and Underflow	SWC-101	If unchecked math is used, all math operationsISSLshould be safe from overflows and underflows.FOUR		
Outdated Compiler Version	SWC-102	It is recommended to use a recent version of the Solidity compiler.	PASS	
Floating Pragma	SWC-103	WC-103Contracts should be deployed with the same compiler version and flags that they have been tested thoroughly.ISSUE FOUND		
Unchecked Call Return Value	SWC-104	The return value of a message call should be checked.		
Unprotected Ether Withdrawal	SWC-105	Due to missing or insufficient access controls, malicious parties can withdraw from the contract.		
SELFDESTRUCT Instruction	SWC-106	The contract should not be self-destructible while it has funds belonging to users.		
Reentrancy	SWC-107	Check effect interaction pattern should be followed if the code performs recursive call.		
Uninitialized Storage Pointer	SWC-109	Uninitialized local storage variables can point to unexpected storage locations in the contract.		
Assert Violation	SWC-110 SWC-123	Properly functioning code should never reach aISSfailing assert statement.FOL		
Deprecated Solidity Functions	SWC-111	Deprecated built-in functions should never be used. PAS		
Delegate call to Untrusted Callee	SWC-112	Delegatecalls should only be allowed to trusted addresses.		



DoS (Denial of Service)	SWC-113 SWC-128	Execution of the code should never be blocked by a specific contract state unless required.	
Race Conditions	SWC-114	Race Conditions and Transactions Order Dependency should not be possible.	
Authorization through tx.origin	SWC-115	tx.origin should not be used for authorization.	
Block values as a proxy for time	SWC-116	Block numbers should not be used for time calculations.	
Signature Unique ID	SWC-117 SWC-121 SWC-122	Signed messages should always have a unique id. A transaction hash should not be used as a unique id.	PASS
Incorrect Constructor Name	SWC-118	8 Constructors are special functions that are called only once during the contract creation.	
Shadowing State Variable	SWC-119	9 State variables should not be shadowed.	
Weak Sources of Randomness	SWC-120	Random values should never be generated from Chain Attributes or be predictable.	
Write to Arbitrary Storage Location	SWC-124	The contract is responsible for ensuring that only authorized user or contract accounts may write to sensitive storage locations.	
Incorrect Inheritance Order	SWC-125		PASS
Insufficient Gas Griefing	SWC-126	Insufficient gas griefing attacks can be performed on contracts which accept data and use it in a sub-call on another contract.	
Arbitrary Jump Function	SWC-127	As Solidity doesnt support pointer arithmetics, it is impossible to change such variable to an arbitrary value.	PASS



Typographical Error	SWC-129	A typographical error can occur for example when the intent of a defined operation is to sum a number to a variable.	
Override control character	SWC-130	Malicious actors can use the Right-To-Left-Override unicode character to force RTL text rendering and confuse users as to the real intent of a contract.	
Unused variables	SWC-131Unused variables are allowed in Solidity and they do not pose a direct security issue.		PASS
Unexpected Ether balance	SWC-132	2 Contracts can behave erroneously when they strictly assume a specific Ether balance.	
Hash Collisions Variable	SWC-133		PASS
Hardcoded gas amount	SWC-134	4 The transfer() and send() functions forward a fixed amount of 2300 gas.	
Unencrypted Private Data	SWC-136	It is a common misconception that private type variables cannot be read.	PASS



SMART CONTRACT ANALYSIS

Started	Monday Jan 03 2022 17:56:37 GMT+0000 (Coordinated Universal Time)		
Finished	Tuesday Jan 04 2022 14:35:34 GMT+0000 (Coordinated Universal Time)		
Mode	Standard		
Main Source File	BNBTiger.sol		

Detected Issues

ID	Title	Severity	Status
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "%" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "**" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "**" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "**" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged



SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "**" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "**" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "**" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "**" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "**" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "**" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "**" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "**" DISCOVERED	low	acknowledged
SWC-103	A FLOATING PRAGMA IS SET.	low	acknowledged
SWC-108	STATE VARIABLE VISIBILITY IS NOT SET.	low	acknowledged
SWC-108	STATE VARIABLE VISIBILITY IS NOT SET.	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged





LINE 35

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BNBTiger.sol

```
34 function add(uint256 a, uint256 b) internal pure returns (uint256) {
35 uint256 c = a + b;
36 require(c >= a, "SafeMath: addition overflow");
37
38 return c;
39
```



LINE 47

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BNBTiger.sol

```
46 require(b <= a, errorMessage);
47 uint256 c = a - b;
48
49 return c;
50 }
51</pre>
```



LINE 57

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BNBTiger.sol

```
56
57 uint256 c = a * b;
58 require(c / a == b, "SafeMath: multiplication overflow");
59
60 return c;
61
```



LINE 58

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BNBTiger.sol

```
57 uint256 c = a * b;
58 require(c / a == b, "SafeMath: multiplication overflow");
59
60 return c;
61 }
62
```



LINE 69

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BNBTiger.sol

```
68 require(b > 0, errorMessage);
69 uint256 c = a / b;
70 // assert(a == b * c + a % b); // There is no case in which this doesn't hold
71
72 return c;
73
```



LINE 81

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BNBTiger.sol

```
80 require(b != 0, errorMessage);
81 return a % b;
82 }
83 }
84
85
```



LINE 187

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BNBTiger.sol

```
186 __owner = address(0);
187 __lockTime = block.timestamp + time;
188 emit OwnershipTransferred(_owner, address(0));
189 }
190
191
```



LINE 436

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BNBTiger.sol

Locations



LINE 436

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BNBTiger.sol

Locations



LINE 436

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BNBTiger.sol

Locations



LINE 436

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BNBTiger.sol

Locations



LINE 436

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BNBTiger.sol

Locations



LINE 436

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BNBTiger.sol

Locations



LINE 437

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BNBTiger.sol

```
436 uint256 private _totalSupply = 100000000000 * 10**6* 10**6 * 10**_decimals;
437 uint256 public _maxTxAmount = 1000000000000 * 10**6 * 10**6* 10**_decimals;
438 uint256 public _walletMax = 1000000000000 * 10**6 * 10**6* 10**_decimals;
439 uint256 private minimumTokensBeforeSwap = 100000000000 * 10**6* 10**_decimals;
440
441
```



LINE 437

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BNBTiger.sol

```
436 uint256 private _totalSupply = 100000000000 * 10**6* 10**6 * 10**_decimals;
437 uint256 public _maxTxAmount = 1000000000000 * 10**6 * 10**6* 10**_decimals;
438 uint256 public _walletMax = 1000000000000 * 10**6 * 10**6* 10**_decimals;
439 uint256 private minimumTokensBeforeSwap = 100000000000 * 10**6* 10**_decimals;
440
441
```



LINE 437

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BNBTiger.sol

```
436 uint256 private _totalSupply = 100000000000 * 10**6* 10**6 * 10**_decimals;
437 uint256 public _maxTxAmount = 1000000000000 * 10**6 * 10**6* 10**_decimals;
438 uint256 public _walletMax = 1000000000000 * 10**6 * 10**6* 10**_decimals;
439 uint256 private minimumTokensBeforeSwap = 100000000000 * 10**6* 10**_decimals;
440
441
```



LINE 437

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BNBTiger.sol

```
436 uint256 private _totalSupply = 100000000000 * 10**6* 10**6 * 10**_decimals;
437 uint256 public _maxTxAmount = 1000000000000 * 10**6 * 10**6* 10**_decimals;
438 uint256 public _walletMax = 1000000000000 * 10**6 * 10**6* 10**_decimals;
439 uint256 private minimumTokensBeforeSwap = 100000000000 * 10**6* 10**_decimals;
440
441
```



LINE 437

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BNBTiger.sol

```
436 uint256 private _totalSupply = 100000000000 * 10**6* 10**6 * 10**_decimals;
437 uint256 public _maxTxAmount = 1000000000000 * 10**6 * 10**6* 10**_decimals;
438 uint256 public _walletMax = 1000000000000 * 10**6 * 10**6* 10**_decimals;
439 uint256 private minimumTokensBeforeSwap = 100000000000 * 10**6* 10**_decimals;
440
441
```



LINE 437

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BNBTiger.sol

```
436 uint256 private _totalSupply = 100000000000 * 10**6* 10**6 * 10**_decimals;
437 uint256 public _maxTxAmount = 1000000000000 * 10**6 * 10**6* 10**_decimals;
438 uint256 public _walletMax = 1000000000000 * 10**6 * 10**6* 10**_decimals;
439 uint256 private minimumTokensBeforeSwap = 100000000000 * 10**6* 10**_decimals;
440
441
```



LINE 438

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BNBTiger.sol

```
437 uint256 public _maxTxAmount = 100000000000 * 10**6 * 10**6* 10**_decimals;
438 uint256 public _walletMax = 100000000000 * 10**6 * 10**6* 10**_decimals;
439 uint256 private minimumTokensBeforeSwap = 100000000000 * 10**6* 10**_decimals;
440
441 IUniswapV2Router02 public uniswapV2Router;
442
```



LINE 438

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BNBTiger.sol

```
437 uint256 public _maxTxAmount = 100000000000 * 10**6 * 10**6* 10**_decimals;
438 uint256 public _walletMax = 100000000000 * 10**6 * 10**6* 10**_decimals;
439 uint256 private minimumTokensBeforeSwap = 100000000000 * 10**6* 10**_decimals;
440
441 IUniswapV2Router02 public uniswapV2Router;
442
```



LINE 438

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BNBTiger.sol

```
437 uint256 public _maxTxAmount = 100000000000 * 10**6 * 10**6* 10**_decimals;
438 uint256 public _walletMax = 100000000000 * 10**6 * 10**6* 10**_decimals;
439 uint256 private minimumTokensBeforeSwap = 100000000000 * 10**6* 10**_decimals;
440
441 IUniswapV2Router02 public uniswapV2Router;
442
```



LINE 438

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BNBTiger.sol

```
437 uint256 public _maxTxAmount = 100000000000 * 10**6 * 10**6* 10**_decimals;
438 uint256 public _walletMax = 100000000000 * 10**6 * 10**6* 10**_decimals;
439 uint256 private minimumTokensBeforeSwap = 100000000000 * 10**6* 10**_decimals;
440
441 IUniswapV2Router02 public uniswapV2Router;
442
```



LINE 438

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BNBTiger.sol

```
437 uint256 public _maxTxAmount = 100000000000 * 10**6 * 10**6* 10**_decimals;
438 uint256 public _walletMax = 100000000000 * 10**6 * 10**6* 10**_decimals;
439 uint256 private minimumTokensBeforeSwap = 100000000000 * 10**6* 10**_decimals;
440
441 IUniswapV2Router02 public uniswapV2Router;
442
```



LINE 438

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BNBTiger.sol

```
437 uint256 public _maxTxAmount = 100000000000 * 10**6 * 10**6* 10**_decimals;
438 uint256 public _walletMax = 100000000000 * 10**6 * 10**6* 10**_decimals;
439 uint256 private minimumTokensBeforeSwap = 100000000000 * 10**6* 10**_decimals;
440
441 IUniswapV2Router02 public uniswapV2Router;
442
```



LINE 439

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BNBTiger.sol

```
438 uint256 public _walletMax = 100000000000 * 10**6 * 10**6* 10**_decimals;
439 uint256 private minimumTokensBeforeSwap = 100000000000 * 10**6* 10**_decimals;
440
441 IUniswapV2Router02 public uniswapV2Router;
442 address public uniswapPair;
443
```



LINE 439

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BNBTiger.sol

```
438 uint256 public _walletMax = 100000000000 * 10**6 * 10**6* 10**_decimals;
439 uint256 private minimumTokensBeforeSwap = 100000000000 * 10**6* 10**_decimals;
440
441 IUniswapV2Router02 public uniswapV2Router;
442 address public uniswapPair;
443
```



LINE 439

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BNBTiger.sol

```
438 uint256 public _walletMax = 100000000000 * 10**6 * 10**6* 10**_decimals;
439 uint256 private minimumTokensBeforeSwap = 100000000000 * 10**6* 10**_decimals;
440
441 IUniswapV2Router02 public uniswapV2Router;
442 address public uniswapPair;
443
```



LINE 439

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- BNBTiger.sol

```
438 uint256 public _walletMax = 100000000000 * 10**6 * 10**6* 10**_decimals;
439 uint256 private minimumTokensBeforeSwap = 100000000000 * 10**6* 10**_decimals;
440
441 IUniswapV2Router02 public uniswapV2Router;
442 address public uniswapPair;
443
```



SWC-103 | A FLOATING PRAGMA IS SET.

LINE 6

Iow SEVERITY

The current pragma Solidity directive is ""^0.8.4"". It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

Source File

- BNBTiger.sol

```
5 // SPDX-License-Identifier: Unlicensed
6 pragma solidity ^0.8.4;
7
8 abstract contract Context {
9
10
```



C

SWC-108 | STATE VARIABLE VISIBILITY IS NOT SET.

LINE 412

Iow SEVERITY

It is best practice to set the visibility of state variables explicitly. The default visibility for "_balances" is internal. Other possible visibility settings are public and private.

Source File

- BNBTiger.sol

```
411
412 mapping (address => uint256) _balances;
413 mapping (address => mapping (address => uint256)) private _allowances;
414
415 mapping (address => bool) public isExcludedFromFee;
416
```



SWC-108 | STATE VARIABLE VISIBILITY IS NOT SET.

LINE 444

Iow SEVERITY

It is best practice to set the visibility of state variables explicitly. The default visibility for "inSwapAndLiquify" is internal. Other possible visibility settings are public and private.

Source File

- BNBTiger.sol

Locations

443
444 bool inSwapAndLiquify;
445 bool public swapAndLiquifyEnabled = true;
446 bool public swapAndLiquifyByLimitOnly = false;
447 bool public checkWalletLimit = true;
448



SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 741

Iow SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- BNBTiger.sol

```
740 address[] memory path = new address[](2);
741 path[0] = address(this);
742 path[1] = uniswapV2Router.WETH();
743
744 _approve(address(this), address(uniswapV2Router), tokenAmount);
745
```



SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 742

Iow SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- BNBTiger.sol

```
741 path[0] = address(this);
742 path[1] = uniswapV2Router.WETH();
743
744 _approve(address(this), address(uniswapV2Router), tokenAmount);
745
746
```



DISCLAIMER

This report is subject to the terms and conditions (including without limitation, description of services, confidentiality, disclaimer and limitation of liability) set forth in the Services Agreement, or the scope of services, and terms and conditions provided to you ("Customer" or the "Company") in connection with the Agreement. This report provided in connection with the Services set forth in the Agreement shall be used by the Company only to the extent permitted under the terms and conditions set forth in the Agreement. This report may not be transmitted, disclosed, referred to, or relied upon by any person for any purposes, nor may copies be delivered to any other person other than the Company, without Sysfixed's prior written consent in each instance.

This report is not, nor should be considered, an "endorsement" or "disapproval" of any particular project or team. This report is not, nor should be considered, an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Sysfixed to perform a security assessment. This report does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors, business, business model, or legal compliance.

This is a limited report on our findings based on our analysis, in accordance with good industry practice as of the date of this report, in relation to cybersecurity vulnerabilities and issues in the framework and algorithms based on smart contracts, the details of which are set out in this report. In order to get a full view of our analysis, it is crucial for you to read the full report. While we have done our best in conducting our analysis and producing this report, it is important to note that you should not rely on this report and cannot claim against us on the basis of what it says or doesn't say, or how we produced it, and it is important for you to conduct your own independent investigations before making any decisions. We go into more detail on this in the below disclaimer below – please make sure to read it in full.

This report should not be used in any way to make decisions around investment or involvement with any particular project. This report in no way provides investment advice, nor should be leveraged as investment advice of any sort. This report represents an extensive assessing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

This report is provided for information purposes only and on a non-reliance basis and does not constitute investment advice. No one shall have any right to rely on the report or its contents, and Sysfixed and its affiliates (including holding companies, shareholders, subsidiaries, employees, directors, officers, and other representatives) (Sysfixed) owe no duty of care.





ABOUT US

Sysfixed is a blockchain security certification organization established in 2021 with the objective to provide smart contract security services and verify their correctness in blockchain-based protocols. Sysfixed automatically scans for security vulnerabilities in Ethereum and other EVM-based blockchain smart contracts. Sysfixed a comprehensive range of analysis techniques—including static analysis, dynamic analysis, and symbolic execution—can accurately detect security vulnerabilities to provide an in-depth analysis report. With a vibrant ecosystem of world-class integration partners that amplify developer productivity, Sysfixed can be utilized in all phases of your project's lifecycle. Our team of security experts is dedicated to the research and improvement of our tools and techniques used to fortify your code.