



Meta Bank

# Smart Contract Audit Report

# TABLE OF CONTENTS

## [Audited Details](#)

- Audited Project
- Blockchain
- Addresses
- Project Website
- Codebase

## [Summary](#)

- Contract Summary
- Audit Findings Summary
- Vulnerabilities Summary

## [Conclusion](#)

## [Audit Results](#)

## [Smart Contract Analysis](#)

- Detected Vulnerabilities

## [Disclaimer](#)

## [About Us](#)

# AUDITED DETAILS

## Audited Project

| Project name | Token ticker | Blockchain          |
|--------------|--------------|---------------------|
| Meta Bank    | MetaBank     | Binance Smart Chain |

## Addresses

|                           |  |
|---------------------------|--|
| Contract address          | 0xBc533395231a53D21b350e405a77e589bC9Eba8E |
| Contract deployer address | 0xFEdAaDC3b1b23858b27Dbb457Fa446Ed040F489a |

## Project Website

<https://meta-bank.net/>

## Codebase

<https://bscscan.com/address/0xBc533395231a53D21b350e405a77e589bC9Eba8E#code>

# SUMMARY

The first bank in Metaverse which gives high rewards for any transaction. 7% USDT rewards, Low MC (less than 10k), No team tokens, KYC'd team, Safe and Audited contract, Meta bank NFT and wallet APP, CMC & CG after launch, Aggressive marketing strategy, LP Locked for 1 year. Join our social media accounts for more information.

## Contract Summary

### Documentation Quality

Meta Bank provides a very good documentation with standard of solidity base code.

- The technical description is provided clearly and structured and also don't have any high risk issue.

### Code Quality

The Overall quality of the basecode is standard.

- Standard solidity basecode and rules are already followed by Meta Bank with the discovery of several low issues.

### Test Coverage

Test coverage of the project is 100% ( Through Codebase )

## Audit Findings Summary

- SWC-101 | It is recommended to use vetted safe math libraries for arithmetic operations consistently on lines 305, 324, 346, 379, 381, 402, 403, 428, 430, 601, 615, 630, 631, 644, 656, 671, 685, 699, 713, 729, 752, 775, 801, 1720, 1739, 1761, 1794, 1796, 1817, 1818, 1843, 1845, 2072, 2076, 2088, 2095, 2104, 2205, 2309, 2344, 2431, 2716, 2726, 2730, 2937, 2937, 2957 and 2205.
- SWC-110 SWC-123 | It is recommended to use of revert(), assert(), and require() in Solidity, and the new REVERT opcode in the EVM on lines 2174, 2206, 2211, 2722, 2875, 2876, 2886, 2887, 2888, 2897, 2904, 2958, 3267, 3268, 3284, 3285 and 3286.
- SWC-115 | tx.origin should not be used for authorization, use msg.sender instead on lines 3123 and 3223.

## CONCLUSION

We have audited the Meta Bank project released on January 2023 to discover issues and identify potential security vulnerabilities in Meta Bank Project. This process is used to find technical issues and security loopholes which might be found in the smart contract.

The security audit report provides a satisfactory result with some low-risk issues.

The issues found in the Meta Bank smart contract code do not pose a considerable risk. The writing of the contract is close to the standard of writing contracts in general. The low-risk issues found are some arithmetic operation issues, tx.origin as a part of authorization control, and out of bounds array access which the index access expression can cause an exception in case of the use of an invalid array index value. We recommend avoiding "tx.origin" using "tx.origin" as a security control can lead to authorization bypass vulnerabilities. Consider using "msg.sender" unless you really know what you are doing.

# AUDIT RESULT

| Article                           | Category           | Description   | Result      |
|-----------------------------------|--------------------|---|-------------|
| Default Visibility                | SWC-100<br>SWC-108 | Functions and state variables visibility should be set explicitly. Visibility levels should be specified consciously. | PASS        |
| Integer Overflow and Underflow    | SWC-101            | If unchecked math is used, all math operations should be safe from overflows and underflows.                          | ISSUE FOUND |
| Outdated Compiler Version         | SWC-102            | It is recommended to use a recent version of the Solidity compiler.   | PASS        |
| Floating Pragma                   | SWC-103            | Contracts should be deployed with the same compiler version and flags that they have been tested thoroughly.          | PASS        |
| Unchecked Call Return Value       | SWC-104            | The return value of a message call should be checked.   | PASS        |
| Unprotected Ether Withdrawal      | SWC-105            | Due to missing or insufficient access controls, malicious parties can withdraw from the contract.                     | PASS        |
| SELFDESTRUCT Instruction          | SWC-106            | The contract should not be self-destructible while it has funds belonging to users.                                   | PASS        |
| Reentrancy                        | SWC-107            | Check effect interaction pattern should be followed if the code performs recursive call.                              | PASS        |
| Uninitialized Storage Pointer     | SWC-109            | Uninitialized local storage variables can point to unexpected storage locations in the contract.                      | PASS        |
| Assert Violation                  | SWC-110<br>SWC-123 | Properly functioning code should never reach a failing assert statement.  | ISSUE FOUND |
| Deprecated Solidity Functions     | SWC-111            | Deprecated built-in functions should never be used.   | PASS        |
| Delegate call to Untrusted Callee | SWC-112            | Delegatecalls should only be allowed to trusted addresses.  | PASS        |

|                                     |                               |   |             |
|-------------------------------------|-------------------------------|---|-------------|
| DoS (Denial of Service)             | SWC-113<br>SWC-128            | Execution of the code should never be blocked by a specific contract state unless required.   | PASS        |
| Race Conditions                     | SWC-114                       | Race Conditions and Transactions Order Dependency should not be possible.   | PASS        |
| Authorization through tx.origin     | SWC-115                       | tx.origin should not be used for authorization.   | ISSUE FOUND |
| Block values as a proxy for time    | SWC-116                       | Block numbers should not be used for time calculations.   | PASS        |
| Signature Unique ID                 | SWC-117<br>SWC-121<br>SWC-122 | Signed messages should always have a unique id. A transaction hash should not be used as a unique id.   | PASS        |
| Incorrect Constructor Name          | SWC-118                       | Constructors are special functions that are called only once during the contract creation.  | PASS        |
| Shadowing State Variable            | SWC-119                       | State variables should not be shadowed.   | PASS        |
| Weak Sources of Randomness          | SWC-120                       | Random values should never be generated from Chain Attributes or be predictable.  | PASS        |
| Write to Arbitrary Storage Location | SWC-124                       | The contract is responsible for ensuring that only authorized user or contract accounts may write to sensitive storage locations.   | PASS        |
| Incorrect Inheritance Order         | SWC-125                       | When inheriting multiple contracts, especially if they have identical functions, a developer should carefully specify inheritance in the correct order. The rule of thumb is to inherit contracts from more /general/ to more /specific/. | PASS        |
| Insufficient Gas Griefing           | SWC-126                       | Insufficient gas grieving attacks can be performed on contracts which accept data and use it in a sub-call on another contract.   | PASS        |
| Arbitrary Jump Function             | SWC-127                       | As Solidity doesnt support pointer arithmetics, it is impossible to change such variable to an arbitrary value.   | PASS        |

|                            |                    |  |      |
|----------------------------|--------------------|--|------|
| Typographical Error        | SWC-129            | A typographical error can occur for example when the intent of a defined operation is to sum a number to a variable.                                     | PASS |
| Override control character | SWC-130            | Malicious actors can use the Right-To-Left-Override unicode character to force RTL text rendering and confuse users as to the real intent of a contract. | PASS |
| Unused variables           | SWC-131<br>SWC-135 | Unused variables are allowed in Solidity and they do not pose a direct security issue.   | PASS |
| Unexpected Ether balance   | SWC-132            | Contracts can behave erroneously when they strictly assume a specific Ether balance.   | PASS |
| Hash Collisions Variable   | SWC-133            | Using abi.encodePacked() with multiple variable length arguments can, in certain situations, lead to a hash collision.                                   | PASS |
| Hardcoded gas amount       | SWC-134            | The transfer() and send() functions forward a fixed amount of 2300 gas.  | PASS |
| Unencrypted Private Data   | SWC-136            | It is a common misconception that private type variables cannot be read.   | PASS |



# SMART CONTRACT ANALYSIS

|                  |  |
|------------------|--|
| Started          | Tuesday Jan 24 2023 20:16:49 GMT+0000 (Coordinated Universal Time)   |
| Finished         | Wednesday Jan 25 2023 07:58:55 GMT+0000 (Coordinated Universal Time) |
| Mode             | Standard   |
| Main Source File | BABYTOKEN.sol  |

## Detected Issues

| ID      | Title                                | Severity | Status       |
|---------|--------------------------------------|----------|--------------|
| SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED  | low      | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED  | low      | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED  | low      | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED  | low      | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "+=" DISCOVERED | low      | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "+=" DISCOVERED | low      | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "+=" DISCOVERED | low      | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "+=" DISCOVERED | low      | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED  | low      | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "-=" DISCOVERED | low      | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED  | low      | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED  | low      | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED  | low      | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED  | low      | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED  | low      | acknowledged |

|         |                                      |     |              |
|---------|--------------------------------------|-----|--------------|
| SWC-101 | ARITHMETIC OPERATION "%" DISCOVERED  | low | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED  | low | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED  | low | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED  | low | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED  | low | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "%" DISCOVERED  | low | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED  | low | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED  | low | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "%" DISCOVERED  | low | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED  | low | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED  | low | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED  | low | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED  | low | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "+=" DISCOVERED | low | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "+=" DISCOVERED | low | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "+=" DISCOVERED | low | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED  | low | acknowledged |
| SWC-101 | ARITHMETIC OPERATION "-=" DISCOVERED | low | acknowledged |

|                |  |            |              |
|----------------|--|------------|--------------|
| <b>SWC-101</b> | ARITHMETIC OPERATION "*" DISCOVERED                    | <b>low</b> | acknowledged |
| <b>SWC-101</b> | ARITHMETIC OPERATION "/" DISCOVERED                    | <b>low</b> | acknowledged |
| <b>SWC-101</b> | ARITHMETIC OPERATION "/" DISCOVERED                    | <b>low</b> | acknowledged |
| <b>SWC-101</b> | ARITHMETIC OPERATION "-" DISCOVERED                    | <b>low</b> | acknowledged |
| <b>SWC-101</b> | ARITHMETIC OPERATION "+" DISCOVERED                    | <b>low</b> | acknowledged |
| <b>SWC-101</b> | ARITHMETIC OPERATION "-" DISCOVERED                    | <b>low</b> | acknowledged |
| <b>SWC-101</b> | ARITHMETIC OPERATION "**" DISCOVERED                   | <b>low</b> | acknowledged |
| <b>SWC-101</b> | ARITHMETIC OPERATION "/" DISCOVERED                    | <b>low</b> | acknowledged |
| <b>SWC-101</b> | ARITHMETIC OPERATION "/" DISCOVERED                    | <b>low</b> | acknowledged |
| <b>SWC-101</b> | ARITHMETIC OPERATION "++" DISCOVERED                   | <b>low</b> | acknowledged |
| <b>SWC-101</b> | ARITHMETIC OPERATION "++" DISCOVERED                   | <b>low</b> | acknowledged |
| <b>SWC-101</b> | ARITHMETIC OPERATION "++" DISCOVERED                   | <b>low</b> | acknowledged |
| <b>SWC-101</b> | ARITHMETIC OPERATION "/" DISCOVERED                    | <b>low</b> | acknowledged |
| <b>SWC-101</b> | ARITHMETIC OPERATION "**" DISCOVERED                   | <b>low</b> | acknowledged |
| <b>SWC-101</b> | ARITHMETIC OPERATION "++" DISCOVERED                   | <b>low</b> | acknowledged |
| <b>SWC-101</b> | COMPILER-REWRITABLE "<UINT> - 1" DISCOVERED            | <b>low</b> | acknowledged |
| <b>SWC-115</b> | USE OF "TX.ORIGIN" AS A PART OF AUTHORIZATION CONTROL. | <b>low</b> | acknowledged |
| <b>SWC-115</b> | USE OF "TX.ORIGIN" AS A PART OF AUTHORIZATION CONTROL. | <b>low</b> | acknowledged |



# SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 305

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
304     unchecked {  
305         _approve(sender, _msgSender(), currentAllowance - amount);  
306     }  
307  
308     return true;  
309
```

# SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 324

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
323     function increaseAllowance(address spender, uint256 addedValue) public virtual
returns (bool) {
324     _approve(_msgSender(), spender, _allowances[_msgSender()][spender] + addedValue);
325     return true;
326 }
327
328
```

# SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 346

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
345     unchecked {  
346         _approve(_msgSender(), spender, currentAllowance - subtractedValue);  
347     }  
348  
349     return true;  
350
```

# SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 379

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
378     unchecked {  
379         _balances[sender] = senderBalance - amount;  
380     }  
381     _balances[recipient] += amount;  
382  
383
```



## SWC-101 | ARITHMETIC OPERATION "+=" DISCOVERED

LINE 381

### low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

### Source File

- BABYTOKEN.sol

### Locations

```
380     }  
381     _balances[recipient] += amount;  
382  
383     emit Transfer(sender, recipient, amount);  
384  
385
```

# SWC-101 | ARITHMETIC OPERATION "+=" DISCOVERED

LINE 402

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
401
402   _totalSupply += amount;
403   _balances[account] += amount;
404   emit Transfer(address(0), account, amount);
405
406
```

# SWC-101 | ARITHMETIC OPERATION "+=" DISCOVERED

LINE 403

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
402     _totalSupply += amount;  
403     _balances[account] += amount;  
404     emit Transfer(address(0), account, amount);  
405  
406     _afterTokenTransfer(address(0), account, amount);  
407
```

# SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 428

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
427     unchecked {  
428         _balances[account] = accountBalance - amount;  
429     }  
430     _totalSupply -= amount;  
431  
432
```

# SWC-101 | ARITHMETIC OPERATION "-=" DISCOVERED

LINE 430

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
429     }  
430     _totalSupply -= amount;  
431  
432     emit Transfer(account, address(0), amount);  
433  
434
```

# SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 601

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
600     unchecked {  
601         uint256 c = a + b;  
602         if (c < a) return (false, 0);  
603         return (true, c);  
604     }  
605
```

# SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 615

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
614     if (b > a) return (false, 0);
615     return (true, a - b);
616   }
617 }
618
619
```

# SWC-101 | ARITHMETIC OPERATION "\*" DISCOVERED

LINE 630

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
629   if (a == 0) return (true, 0);
630   uint256 c = a * b;
631   if (c / a != b) return (false, 0);
632   return (true, c);
633   }
634
```



# SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

LINE 631

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
630  uint256 c = a * b;  
631  if (c / a != b) return (false, 0);  
632  return (true, c);  
633  }  
634  }  
635
```

# SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

LINE 644

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
643     if (b == 0) return (false, 0);
644     return (true, a / b);
645   }
646 }
647
648
```

# SWC-101 | ARITHMETIC OPERATION "%" DISCOVERED

LINE 656

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
655     if (b == 0) return (false, 0);
656     return (true, a % b);
657   }
658 }
659
660
```

# SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 671

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
670     function add(uint256 a, uint256 b) internal pure returns (uint256) {  
671         return a + b;  
672     }  
673  
674     /**  
675
```

# SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 685

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
684     function sub(uint256 a, uint256 b) internal pure returns (uint256) {  
685         return a - b;  
686     }  
687  
688     /**  
689
```

# SWC-101 | ARITHMETIC OPERATION "\*" DISCOVERED

LINE 699

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
698     function mul(uint256 a, uint256 b) internal pure returns (uint256) {  
699         return a * b;  
700     }  
701  
702     /**  
703
```

# SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

LINE 713

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
712     function div(uint256 a, uint256 b) internal pure returns (uint256) {  
713         return a / b;  
714     }  
715  
716     /**  
717
```

# SWC-101 | ARITHMETIC OPERATION "%" DISCOVERED

LINE 729

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
728     function mod(uint256 a, uint256 b) internal pure returns (uint256) {  
729         return a % b;  
730     }  
731  
732     /**  
733
```



# SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 752

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
751     require(b <= a, errorMessage);  
752     return a - b;  
753 }  
754 }  
755  
756
```

# SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

LINE 775

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
774     require(b > 0, errorMessage);  
775     return a / b;  
776   }  
777   }  
778  
779
```

# SWC-101 | ARITHMETIC OPERATION "%" DISCOVERED

LINE 801

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
800     require(b > 0, errorMessage);  
801     return a % b;  
802 }  
803 }  
804 }  
805
```

# SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 1720

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
1719     unchecked {  
1720         _approve(sender, _msgSender(), currentAllowance - amount);  
1721     }  
1722  
1723     return true;  
1724
```

# SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 1739

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
1738     function increaseAllowance(address spender, uint256 addedValue) public virtual
returns (bool) {
1739     _approve(_msgSender(), spender, _allowances[_msgSender()][spender] + addedValue);
1740     return true;
1741 }
1742
1743
```

# SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 1761

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
1760     unchecked {  
1761         _approve(_msgSender(), spender, currentAllowance - subtractedValue);  
1762     }  
1763  
1764     return true;  
1765
```

# SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 1794

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
1793     unchecked {  
1794         _balances[sender] = senderBalance - amount;  
1795     }  
1796     _balances[recipient] += amount;  
1797  
1798
```

# SWC-101 | ARITHMETIC OPERATION "+=" DISCOVERED

LINE 1796

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
1795     }  
1796     _balances[recipient] += amount;  
1797  
1798     emit Transfer(sender, recipient, amount);  
1799  
1800
```



# SWC-101 | ARITHMETIC OPERATION "+=" DISCOVERED

LINE 1817

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
1816
1817     _totalSupply += amount;
1818     _balances[account] += amount;
1819     emit Transfer(address(0), account, amount);
1820
1821
```

# SWC-101 | ARITHMETIC OPERATION "+=" DISCOVERED

LINE 1818

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
1817     _totalSupply += amount;  
1818     _balances[account] += amount;  
1819     emit Transfer(address(0), account, amount);  
1820  
1821     _afterTokenTransfer(address(0), account, amount);  
1822
```

# SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 1843

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
1842     unchecked {  
1843         _balances[account] = accountBalance - amount;  
1844     }  
1845     _totalSupply -= amount;  
1846  
1847
```

# SWC-101 | ARITHMETIC OPERATION "-=" DISCOVERED

LINE 1845

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
1844     }  
1845     _totalSupply -= amount;  
1846  
1847     emit Transfer(account, address(0), amount);  
1848  
1849
```

# SWC-101 | ARITHMETIC OPERATION "\*" DISCOVERED

LINE 2072

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
2071     function mul(int256 a, int256 b) internal pure returns (int256) {
2072         int256 c = a * b;
2073
2074         // Detect overflow when multiplying MIN_INT256 with -1
2075         require(c != MIN_INT256 || (a & MIN_INT256) != (b & MIN_INT256));
2076     }
```

# SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

LINE 2076

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
2075     require(c != MIN_INT256 || (a & MIN_INT256) != (b & MIN_INT256));
2076     require((b == 0) || (c / b == a));
2077     return c;
2078 }
2079
2080
```

# SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

LINE 2088

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
2087 // Solidity already throws when dividing by 0.  
2088 return a / b;  
2089 }  
2090  
2091 /**  
2092
```

# SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 2095

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
2094     function sub(int256 a, int256 b) internal pure returns (int256) {  
2095         int256 c = a - b;  
2096         require((b >= 0 && c <= a) || (b < 0 && c > a));  
2097         return c;  
2098     }  
2099
```



# SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 2104

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
2103     function add(int256 a, int256 b) internal pure returns (int256) {  
2104         int256 c = a + b;  
2105         require((b >= 0 && c >= a) || (b < 0 && c < a));  
2106         return c;  
2107     }  
2108
```

# SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 2205

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
2204     uint256 index = map.indexOf[key];
2205     uint256 lastIndex = map.keys.length - 1;
2206     address lastKey = map.keys[lastIndex];
2207
2208     map.indexOf[lastKey] = index;
2209
```

# SWC-101 | ARITHMETIC OPERATION "\*\*" DISCOVERED

LINE 2309

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
2308 // see https://github.com/ethereum/EIPs/issues/1726#issuecomment-472352728
2309 uint256 internal constant magnitude = 2**128;
2310
2311 uint256 internal magnifiedDividendPerShare;
2312
2313
```

# SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

LINE 2344

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
2343     magnifiedDividendPerShare = magnifiedDividendPerShare.add(  
2344         (amount).mul(magnitude) / totalSupply()  
2345     );  
2346     emit DividendsDistributed(msg.sender, amount);  
2347  
2348
```

# SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

LINE 2431

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
2430     return
2431     magnifiedDividendPerShare
2432     .mul(balanceOf(_owner))
2433     .toInt256Safe()
2434     .add(magnifiedDividendCorrections[_owner])
2435
```

# SWC-101 | ARITHMETIC OPERATION "++" DISCOVERED

LINE 2716

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
2715 while (gasUsed < gas && iterations < numberOfTokenHolders) {  
2716   _lastProcessedIndex++;  
2717  
2718   if (_lastProcessedIndex >= tokenHoldersMap.keys.length) {  
2719     _lastProcessedIndex = 0;  
2720
```

# SWC-101 | ARITHMETIC OPERATION "++" DISCOVERED

LINE 2726

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
2725     if (processAccount(payable(account), true)) {  
2726         claims++;  
2727     }  
2728 }  
2729  
2730
```

# SWC-101 | ARITHMETIC OPERATION "++" DISCOVERED

LINE 2730

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
2729
2730     iterations++;
2731
2732     uint256 newGasLeft = gasleft();
2733
2734
```



# SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

LINE 2937

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
2936     require(  
2937         amount > totalSupply() / 10**5,  
2938         "BABYTOKEN: Amount must be greater than 0.001% of total supply"  
2939     );  
2940     swapTokensAtAmount = amount;  
2941
```

# SWC-101 | ARITHMETIC OPERATION "\*\*" DISCOVERED

LINE 2937

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
2936     require(  
2937         amount > totalSupply() / 10**5,  
2938         "BABYTOKEN: Amount must be greater than 0.001% of total supply"  
2939     );  
2940     swapTokensAtAmount = amount;  
2941
```

# SWC-101 | ARITHMETIC OPERATION "++" DISCOVERED

LINE 2957

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
2956     {  
2957     for (uint256 i = 0; i < accounts.length; i++) {  
2958         _isExcludedFromFees[accounts[i]] = true;  
2959     }  
2960  
2961
```

# SWC-101 | COMPILER-REWRITABLE "<UINT> - 1" DISCOVERED

LINE 2205

## low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

## Source File

- BABYTOKEN.sol

## Locations

```
2204     uint256 index = map.indexOf[key];  
2205     uint256 lastIndex = map.keys.length - 1;  
2206     address lastKey = map.keys[lastIndex];  
2207  
2208     map.indexOf[lastKey] = index;  
2209
```

# SWC-115 | USE OF "TX.ORIGIN" AS A PART OF AUTHORIZATION CONTROL.

LINE 3123

## low SEVERITY

Using "tx.origin" as a security control can lead to authorization bypass vulnerabilities. Consider using "msg.sender" unless you really know what you are doing.

## Source File

- BABYTOKEN.sol

## Locations

```
3122     gas,  
3123     tx.origin  
3124   );  
3125   }  
3126  
3127
```

# SWC-115 | USE OF "TX.ORIGIN" AS A PART OF AUTHORIZATION CONTROL.

LINE 3223

## low SEVERITY

Using "tx.origin" as a security control can lead to authorization bypass vulnerabilities. Consider using "msg.sender" unless you really know what you are doing.

## Source File

- BABYTOKEN.sol

## Locations

```
3222     gas,  
3223     tx.origin  
3224   );  
3225   } catch {}  
3226   }  
3227
```

## SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 2174

### low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

### Source File

- BABYTOKEN.sol

### Locations

```
2173     {  
2174     return map.keys[index];  
2175     }  
2176  
2177     function size(Map storage map) public view returns (uint256) {  
2178
```

## SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 2206

### low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

### Source File

- BABYTOKEN.sol

### Locations

```
2205     uint256 lastIndex = map.keys.length - 1;
2206     address lastKey = map.keys[lastIndex];
2207
2208     map.indexOf[lastKey] = index;
2209     delete map.indexOf[key];
2210
```



## SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 2211

### low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

### Source File

- BABYTOKEN.sol

### Locations

```
2210
2211     map.keys[index] = lastKey;
2212     map.keys.pop();
2213 }
2214 }
2215
```

## SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 2722

### low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

### Source File

- BABYTOKEN.sol

### Locations

```
2721
2722     address account = tokenHoldersMap.keys[_lastProcessedIndex];
2723
2724     if (canAutoClaim(lastClaimTimes[account])) {
2725         if (processAccount payable(account), true) {
2726
```

## SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 2875

### low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

### Source File

- BABYTOKEN.sol

### Locations

```
2874     ) payable ERC20(name_, symbol_) {  
2875         rewardToken = addr[0];  
2876         _marketingWalletAddress = addr[2];  
2877         require(  
2878             msg.sender != _marketingWalletAddress,  
2879             "Marketing wallet address is not the sender"
```

## SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 2876

### low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

### Source File

- BABYTOKEN.sol

### Locations

```
2875     rewardToken = addr[0];  
2876     _marketingWalletAddress = addr[2];  
2877     require(  
2878         msg.sender != _marketingWalletAddress,  
2879         "Owner and marketing wallet cannot be the same"  
2880     )
```

## SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 2886

### low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

### Source File

- BABYTOKEN.sol

### Locations

```
2885
2886     tokenRewardsFee = feeSettings[0];
2887     liquidityFee = feeSettings[1];
2888     marketingFee = feeSettings[2];
2889     totalFees = tokenRewardsFee.add(liquidityFee).add(marketingFee);
2890
```

# SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 2887

## low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

## Source File

- BABYTOKEN.sol

## Locations

```
2886 tokenRewardsFee = feeSettings[0];
2887 liquidityFee = feeSettings[1];
2888 marketingFee = feeSettings[2];
2889 totalFees = tokenRewardsFee.add(liquidityFee).add(marketingFee);
2890 require(totalFees <= 25, "Total fee is over 25%");
2891
```

## SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 2888

### low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

### Source File

- BABYTOKEN.sol

### Locations

```
2887 liquidityFee = feeSettings[1];
2888 marketingFee = feeSettings[2];
2889 totalFees = tokenRewardsFee.add(liquidityFee).add(marketingFee);
2890 require(totalFees <= 25, "Total fee is over 25%");
2891 swapTokensAtAmount = totalSupply_.div(1000); // 0.1%
2892
```

## SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 2897

### low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

### Source File

- BABYTOKEN.sol

### Locations

```
2896 dividendTracker = BABYTOKENDividendTracker(  
2897 payable(Clones.clone(addr[3]))  
2898 );  
2899 dividendTracker.initialize(  
2900 rewardToken,  
2901
```



## SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 2904

### low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

### Source File

- BABYTOKEN.sol

### Locations

```
2903
2904     IUniswapV2Router02 _uniswapV2Router = IUniswapV2Router02(addr[1]);
2905     // Create a uniswap pair for this new token
2906     address _uniswapV2Pair = IUniswapV2Factory(_uniswapV2Router.factory())
2907         .createPair(address(this), _uniswapV2Router.WETH());
2908
```

## SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 2958

### low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

### Source File

- BABYTOKEN.sol

### Locations

```
2957     for (uint256 i = 0; i < accounts.length; i++) {  
2958         _isExcludedFromFees[accounts[i]] = true;  
2959     }  
2960  
2961     emit ExcludeMultipleAccountsFromFees(accounts);  
2962
```

## SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 3267

### low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

### Source File

- BABYTOKEN.sol

### Locations

```
3266     address[] memory path = new address[](2);
3267     path[0] = address(this);
3268     path[1] = uniswapV2Router.WETH();
3269
3270     _approve(address(this), address(uniswapV2Router), tokenAmount);
3271
```

## SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 3268

### low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

### Source File

- BABYTOKEN.sol

### Locations

```
3267     path[0] = address(this);
3268     path[1] = uniswapV2Router.WETH();
3269
3270     _approve(address(this), address(uniswapV2Router), tokenAmount);
3271
3272
```

## SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 3284

### low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

### Source File

- BABYTOKEN.sol

### Locations

```
3283     address[] memory path = new address[](3);
3284     path[0] = address(this);
3285     path[1] = uniswapV2Router.WETH();
3286     path[2] = rewardToken;
3287
3288
```

## SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 3285

### low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

### Source File

- BABYTOKEN.sol

### Locations

```
3284 path[0] = address(this);
3285 path[1] = uniswapV2Router.WETH();
3286 path[2] = rewardToken;
3287
3288 _approve(address(this), address(uniswapV2Router), tokenAmount);
3289
```

## SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 3286

### low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

### Source File

- BABYTOKEN.sol

### Locations

```
3285     path[1] = uniswapV2Router.WETH();
3286     path[2] = rewardToken;
3287
3288     _approve(address(this), address(uniswapV2Router), tokenAmount);
3289
3290
```

# DISCLAIMER

This report is subject to the terms and conditions (including without limitation, description of services, confidentiality, disclaimer and limitation of liability) set forth in the Services Agreement, or the scope of services, and terms and conditions provided to you ("Customer" or the "Company") in connection with the Agreement. This report provided in connection with the Services set forth in the Agreement shall be used by the Company only to the extent permitted under the terms and conditions set forth in the Agreement. This report may not be transmitted, disclosed, referred to, or relied upon by any person for any purposes, nor may copies be delivered to any other person other than the Company, without Sysfixed's prior written consent in each instance.

This report is not, nor should be considered, an "endorsement" or "disapproval" of any particular project or team. This report is not, nor should be considered, an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Sysfixed to perform a security assessment. This report does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors, business, business model, or legal compliance.

This is a limited report on our findings based on our analysis, in accordance with good industry practice as of the date of this report, in relation to cybersecurity vulnerabilities and issues in the framework and algorithms based on smart contracts, the details of which are set out in this report. In order to get a full view of our analysis, it is crucial for you to read the full report. While we have done our best in conducting our analysis and producing this report, it is important to note that you should not rely on this report and cannot claim against us on the basis of what it says or doesn't say, or how we produced it, and it is important for you to conduct your own independent investigations before making any decisions. We go into more detail on this in the below disclaimer below – please make sure to read it in full.

This report should not be used in any way to make decisions around investment or involvement with any particular project. This report in no way provides investment advice, nor should be leveraged as investment advice of any sort. This report represents an extensive assessing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

This report is provided for information purposes only and on a non-reliance basis and does not constitute investment advice. No one shall have any right to rely on the report or its contents, and Sysfixed and its affiliates (including holding companies, shareholders, subsidiaries, employees, directors, officers, and other representatives) (Sysfixed) owe no duty of care.



## ABOUT US

Sysfixed is a blockchain security certification organization established in 2021 with the objective to provide smart contract security services and verify their correctness in blockchain-based protocols. Sysfixed automatically scans for security vulnerabilities in Ethereum and other EVM-based blockchain smart contracts. Sysfixed a comprehensive range of analysis techniques—including static analysis, dynamic analysis, and symbolic execution—can accurately detect security vulnerabilities to provide an in-depth analysis report. With a vibrant ecosystem of world-class integration partners that amplify developer productivity, Sysfixed can be utilized in all phases of your project's lifecycle. Our team of security experts is dedicated to the research and improvement of our tools and techniques used to fortify your code.