

YuanXiaoTu Smart Contract Audit Report



12 Jan 2023



TABLE OF CONTENTS

Audited Details

- Audited Project
- Blockchain
- Addresses
- Project Website
- Codebase

Summary

- Contract Summary
- Audit Findings Summary
- Vulnerabilities Summary

Conclusion

Audit Results

Smart Contract Analysis

- Detected Vulnerabilities

Disclaimer

About Us



AUDITED DETAILS

Audited Project

Project name	Token ticker	Blockchain	
YuanXiaoTu	ҮХТ	Binance Smart Chain	

Addresses

Contract address	0xaCDAc7BAbfABF21E9D0854d858824F98d352C7Ca
Contract deployer address	0x3e4Eef90fC1e1F050b6e03d4D6a6bc22EA10e4A8

Project Website

https://t.me/YSBP888

Codebase

https://bscscan.com/address/0xaCDAc7BAbfABF21E9D0854d858824F98d352C7Ca#code



SUMMARY

Pre-sale guaranteed compensation for the first project in the community, all projects in the community, white list pre-sale secured payment, do what you say!

Contract Summary

Documentation Quality

YuanXiaoTu provides a very good documentation with standard of solidity base code.

• The technical description is provided clearly and structured and also dont have any high risk issue.

Code Quality

The Overall quality of the basecode is standard.

• Standard solidity basecode and rules are already followed by YuanXiaoTu with the discovery of several low issues.

Test Coverage

Test coverage of the project is 100% (Through Codebase)

Audit Findings Summary

- SWC-101 | It is recommended to use vetted safe math libraries for arithmetic operations consistently on lines 572, 582, 590, 609, 611, 623, 624, 638, 640, 793, 809, 810, 877, 934, 941, 946, 951, 956, 983, 984, 994, 1001, 1002, 1019, 1050 and 1072.
- SWC-110 | It is recommended to use of revert(), assert(), and require() in Solidity, and the new REVERT opcode in the EVM on lines 1007, 1008, 1039, 1040, 1041, 1061, 1062 and 1063.
- SWC-120 | It is recommended to use external sources of randomness via oracles on lines 902, 967 and 973.



CONCLUSION

We have audited the YuanXiaoTu project released on January 2023 to discover issues and identify potential security vulnerabilities in YuanXiaoTu Project. This process is used to find technical issues and security loopholes which might be found in the smart contract.

The security audit report provides a satisfactory result with some low-risk issues.

The issues found in the code on YuanXiaoTu smart contract do not pose a considerable risk. The writing of the contract is close to the standard of writing contracts in general. The low-risk issues found are some arithmetic operation issues, weak sources of randomness and out of bounds array access which the index access expression can cause an exception in case of the use of an invalid array index value.



AUDIT RESULT

Article	Category	Description	Result
Default Visibility	SWC-100 SWC-108	Functions and state variables visibility should be set explicitly. Visibility levels should be specified consciously.	PASS
Integer Overflow and Underflow	SWC-101	If unchecked math is used, all math operations should be safe from overflows and underflows.	ISSUE FOUND
Outdated Compiler Version	SWC-102	It is recommended to use a recent version of the Solidity compiler.	PASS
Floating Pragma	SWC-103	Contracts should be deployed with the same compiler version and flags that they have been tested thoroughly.	PASS
Unchecked Call Return Value	SWC-104	The return value of a message call should be checked.	PASS
SELFDESTRUCT Instruction	SWC-106	The contract should not be self-destructible while it has funds belonging to users.	PASS
Reentrancy	SWC-107	Check effect interaction pattern should be followed if the code performs recursive call.	PASS
Assert Violation	SWC-110	Properly functioning code should never reach a failing assert statement.	ISSUE FOUND
Deprecated Solidity Functions	SWC-111	Deprecated built-in functions should never be used.	PASS
Delegate call to Untrusted Callee	SWC-112	Delegate calls should only be allowed to trusted addresses.	PASS
DoS (Denial of Service)	SWC-113 SWC-128	Execution of the code should never be blocked by a specific contract state unless required.	PASS
Race Conditions	SWC-114	Race Conditions and Transactions Order Dependency should not be possible.	PASS



Authorization through tx.origin	SWC-115	tx.origin should not be used for authorization.	PASS
Block values as a proxy for time	SWC-116	Block numbers should not be used for time calculations.	PASS
Signature Unique ID	SWC-117 SWC-121 SWC-122	Signed messages should always have a unique id. A transaction hash should not be used as a unique id.	PASS
Shadowing State Variable	SWC-119	State variables should not be shadowed.	PASS
Weak Sources of Randomness	SWC-120	Random values should never be generated from Chain Attributes or be predictable.	ISSUE Found
Incorrect Inheritance Order	SWC-125	When inheriting multiple contracts, especially if they have identical functions, a developer should carefully specify inheritance in the correct order. The rule of thumb is to inherit contracts from more /general/ to more /specific/.	PASS





SMART CONTRACT ANALYSIS

Started	Wednesday Jan 11 2023 14:57:00 GMT+0000 (Coordinated Universal Time)		
Finished	Thursday Jan 12 2023 16:04:13 GMT+0000 (Coordinated Universal Time)		
Mode	Standard		
Main Source File	SAFU.sol		

Detected Issues

ID	Title	Severity	Status
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged



SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged

🗟 SYSFIXED

SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-120	POTENTIAL USE OF "BLOCK.NUMBER" AS SOURCE OF RANDOMNESS.	low	acknowledged
SWC-120	POTENTIAL USE OF "BLOCK.NUMBER" AS SOURCE OF RANDOMNESS.	low	acknowledged
SWC-120	POTENTIAL USE OF "BLOCK.NUMBER" AS SOURCE OF RANDOMNESS.	low	acknowledged





LINE 572

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- SAFU.sol

```
571 unchecked {
572 _approve(sender, _msgSender(), currentAllowance - amount);
573 }
574 }
575 
576
```



LINE 582

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- SAFU.sol

```
581 function increaseAllowance(address spender, uint256 addedValue) public virtual
returns (bool) {
582 _approve(_msgSender(), spender, _allowances[_msgSender()][spender] + addedValue);
583 return true;
584 }
585
586
```



SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 590

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- SAFU.sol

```
589 unchecked {
590 _approve(_msgSender(), spender, currentAllowance - subtractedValue);
591 }
592
593 return true;
594
```



LINE 609

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- SAFU.sol

```
608 unchecked {
609 _balances[sender] = senderBalance - amount;
610 }
611 _balances[recipient] += amount;
612
613
```



LINE 611

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- SAFU.sol

Locations

610 }
611 _balances[recipient] += amount;
612
613 emit Transfer(sender, recipient, amount);
614
615



LINE 623

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- SAFU.sol

Locations

622 623 _totalSupply += amount; 624 _balances[account] += amount; 625 emit Transfer(address(0), account, amount); 626 627



LINE 624

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- SAFU.sol

Locations

623 __totalSupply += amount; 624 __balances[account] += amount; 625 emit Transfer(address(0), account, amount); 626 627 __afterTokenTransfer(address(0), account, amount); 628



SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 638

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- SAFU.sol

```
637 unchecked {
638 _balances[account] = accountBalance - amount;
639 }
640 _totalSupply -= amount;
641
642
```



LINE 640

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- SAFU.sol

```
639 }
640 _totalSupply -= amount;
641
642 emit Transfer(account, address(0), amount);
643
644
```



LINE 793

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- SAFU.sol

```
792
793 totalFeesOnBuySell = liquidityFeeOnBuySell + marketingFeeOnBuySell +
communityFeeOnBuySell + burnFeeOnBuySell;
794
795 walletToWalletTransferFee = walletToWalletTransferFee_;
796
797
```



LINE 809

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- SAFU.sol

```
808
809 __mint(owner(), totalSupply_ * (10 ** decimals()));
810 swapTokensAtAmount = totalSupply() / 5_000;
811 }
812
813
```



LINE 810

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- SAFU.sol

```
809 _mint(owner(), totalSupply_ * (10 ** decimals()));
810 swapTokensAtAmount = totalSupply() / 5_000;
811 }
812
813 receive() external payable {
814
```



LINE 877

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- SAFU.sol

```
876
877 totalFeesOnBuySell = liquidityFeeOnBuySell + marketingFeeOnBuySell +
communityFeeOnBuySell + burnFeeOnBuySell;
878
879 if (walletToWallet) {
880 require(walletToWalletTransferFee != 0, "walletToWalletTransferFee is zero");
881
```



LINE 934

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- SAFU.sol

```
933 totalFeesOnBuySell > 0 &&
934 totalFeesOnBuySell == (liquidityFeeOnBuySell + marketingFeeOnBuySell +
communityFeeOnBuySell + burnFeeOnBuySell)
935 ) {
936 swapping = true;
937
938
```



LINE 941

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- SAFU.sol

```
940 if (liquidityFeeOnBuySell > 0) {
941 uint256 liquidityTokens = contractTokenBalance * liquidityFeeOnBuySell /
totalFeesOnBuySell;
942 swapAndLiquify(liquidityTokens);
943 }
944
945
```



LINE 946

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- SAFU.sol

```
945 if (marketingFeeOnBuySell > 0) {
946 uint256 marketingTokens = contractTokenBalance * marketingFeeOnBuySell /
totalFeesOnBuySell;
947 swapAndSendMarketing(marketingTokens);
948 }
949
950
```



LINE 951

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- SAFU.sol

```
950 if (communityFeeOnBuySell > 0) {
951 uint256 communityTokens = contractTokenBalance * communityFeeOnBuySell /
totalFeesOnBuySell;
952 swapAndSendCommunity(communityTokens);
953 }
954
955
```



LINE 956

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- SAFU.sol

```
955 if (burnFeeOnBuySell > 0) {
956 uint256 burnTokens = contractTokenBalance * burnFeeOnBuySell / totalFeesOnBuySell;
957 super._transfer(address(this), address(0xdead), burnTokens);
958 }
959
960
```



LINE 983

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- SAFU.sol

```
982 if (_totalFees > 0) {
983 uint256 fees = (amount * _totalFees) / 100;
984 amount = amount - fees;
985 super._transfer(from, address(this), fees);
986 }
987
```



LINE 984

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- SAFU.sol

```
983 uint256 fees = (amount * _totalFees) / 100;
984 amount = amount - fees;
985 super._transfer(from, address(this), fees);
986 }
987
988
```



LINE 994

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- SAFU.sol

```
993 function setSwapTokensAtAmount(uint256 newAmount) external onlyOwner{
994 require(newAmount > totalSupply() / 1_000_000, "SwapTokensAtAmount must be greater
than 0.0001% of total supply");
995 swapTokensAtAmount = newAmount;
996
997 emit SwapTokensAtAmountUpdated(swapTokensAtAmount);
998
```



LINE 1001

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- SAFU.sol

```
1000 function swapAndLiquify(uint256 tokens) private {
1001 uint256 half = tokens / 2;
1002 uint256 otherHalf = tokens - half;
1003
1004 uint256 initialBalance = erc20UsdtToken.balanceOf(address(this));
1005
```



LINE 1002

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- SAFU.sol

```
1001 uint256 half = tokens / 2;
1002 uint256 otherHalf = tokens - half;
1003
1004 uint256 initialBalance = erc20UsdtToken.balanceOf(address(this));
1005
1006
```



LINE 1019

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- SAFU.sol

Locations

1018 tRecv.getToken(erc20UsdtToken); 1019 uint256 newBalance = erc20UsdtToken.balanceOf(address(this)) - initialBalance; 1020 1021 uniswapV2Router.addLiquidity(1022 address(this), 1023



LINE 1050

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- SAFU.sol

Locations

1049
1050 uint256 newBalance = address(this).balance - initialBalance;
1051
1052 payable(marketingWallet).sendValue(newBalance);
1053
1054



LINE 1072

Iow SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- SAFU.sol

Locations

1071
1072 uint256 newBalance = address(this).balance - initialBalance;
1073
1074 payable(communityWallet).sendValue(newBalance);
1075
1076



LINE 1007

Iow SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- SAFU.sol

```
1006 address[] memory path = new address[](2);
1007 path[0] = address(this);
1008 path[1] = address(erc20UsdtToken);
1009
1010 uniswapV2Router.swapExactTokensForTokensSupportingFeeOnTransferTokens(
1011
```



LINE 1008

Iow SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- SAFU.sol

```
1007 path[0] = address(this);
1008 path[1] = address(erc20UsdtToken);
1009
1010 uniswapV2Router.swapExactTokensForTokensSupportingFeeOnTransferTokens(
1011 half,
1012
```



LINE 1039

Iow SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- SAFU.sol

```
1038 address[] memory path = new address[](3);
1039 path[0] = address(this);
1040 path[1] = address(erc20UsdtToken);
1041 path[2] = uniswapV2Router.WETH();
1042
1043
```



LINE 1040

Iow SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- SAFU.sol

```
1039 path[0] = address(this);
1040 path[1] = address(erc20UsdtToken);
1041 path[2] = uniswapV2Router.WETH();
1042
1043 uniswapV2Router.swapExactTokensForETHSupportingFeeOnTransferTokens(
1044
```



LINE 1041

Iow SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- SAFU.sol

Locations

1040 path[1] = address(erc20UsdtToken); 1041 path[2] = uniswapV2Router.WETH(); 1042 1043 uniswapV2Router.swapExactTokensForETHSupportingFeeOnTransferTokens(1044 tokenAmount, 1045



LINE 1061

Iow SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- SAFU.sol

```
1060 address[] memory path = new address[](3);
1061 path[0] = address(this);
1062 path[1] = address(erc20UsdtToken);
1063 path[2] = uniswapV2Router.WETH();
1064
1065
```



LINE 1062

Iow SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- SAFU.sol

```
1061 path[0] = address(this);
1062 path[1] = address(erc20UsdtToken);
1063 path[2] = uniswapV2Router.WETH();
1064
1065 uniswapV2Router.swapExactTokensForETHSupportingFeeOnTransferTokens(
1066
```



LINE 1063

Iow SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- SAFU.sol

Locations

1062 path[1] = address(erc20UsdtToken); 1063 path[2] = uniswapV2Router.WETH(); 1064 1065 uniswapV2Router.swapExactTokensForETHSupportingFeeOnTransferTokens(1066 tokenAmount, 1067



SWC-120 | POTENTIAL USE OF "BLOCK.NUMBER" AS SOURCE OF RANDOMNESS.

LINE 902

Iow SEVERITY

The environment variable "block.number" looks like it might be used as a source of randomness. Note that the values of variables like coinbase, gaslimit, block number and timestamp are predictable and can be manipulated by a malicious miner. Also keep in mind that attackers know hashes of earlier blocks. Don't use any of those environment variables as sources of randomness and be aware that use of these variables introduces a certain level of trust into miners.

Source File

- SAFU.sol

```
901 require(makeOfferBlock == 0, "Have started trading");
902 makeOfferBlock = block.number;
903
904 emit MakeOffer(makeOfferBlock);
905 }
906
```





SWC-120 | POTENTIAL USE OF "BLOCK.NUMBER" AS SOURCE OF RANDOMNESS.

LINE 967

Iow SEVERITY

The environment variable "block.number" looks like it might be used as a source of randomness. Note that the values of variables like coinbase, gaslimit, block number and timestamp are predictable and can be manipulated by a malicious miner. Also keep in mind that attackers know hashes of earlier blocks. Don't use any of those environment variables as sources of randomness and be aware that use of these variables introduces a certain level of trust into miners.

Source File

- SAFU.sol

```
966 } else if (from == uniswapV2Pair) {
967 if (makeOfferBlock == 0 || block.number < makeOfferBlock) {
968 _totalFees = 89;
969 } else {
970 _totalFees = totalFeesOnBuySell;
971</pre>
```





SWC-120 | POTENTIAL USE OF "BLOCK.NUMBER" AS SOURCE OF RANDOMNESS.

LINE 973

Iow SEVERITY

The environment variable "block.number" looks like it might be used as a source of randomness. Note that the values of variables like coinbase, gaslimit, block number and timestamp are predictable and can be manipulated by a malicious miner. Also keep in mind that attackers know hashes of earlier blocks. Don't use any of those environment variables as sources of randomness and be aware that use of these variables introduces a certain level of trust into miners.

Source File

- SAFU.sol

```
972 } else if (to == uniswapV2Pair) {
973 if (makeOfferBlock == 0 || block.number < makeOfferBlock) {
974 _totalFees = 89;
975 } else {
976 _totalFees = totalFeesOnBuySell;
977</pre>
```





DISCLAIMER

This report is subject to the terms and conditions (including without limitation, description of services, confidentiality, disclaimer and limitation of liability) set forth in the Services Agreement, or the scope of services, and terms and conditions provided to you ("Customer" or the "Company") in connection with the Agreement. This report provided in connection with the Services set forth in the Agreement shall be used by the Company only to the extent permitted under the terms and conditions set forth in the Agreement. This report may not be transmitted, disclosed, referred to, or relied upon by any person for any purposes, nor may copies be delivered to any other person other than the Company, without Sysfixed's prior written consent in each instance.

This report is not, nor should be considered, an "endorsement" or "disapproval" of any particular project or team. This report is not, nor should be considered, an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Sysfixed to perform a security assessment. This report does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors, business, business model, or legal compliance.

This is a limited report on our findings based on our analysis, in accordance with good industry practice as of the date of this report, in relation to cybersecurity vulnerabilities and issues in the framework and algorithms based on smart contracts, the details of which are set out in this report. In order to get a full view of our analysis, it is crucial for you to read the full report. While we have done our best in conducting our analysis and producing this report, it is important to note that you should not rely on this report and cannot claim against us on the basis of what it says or doesn't say, or how we produced it, and it is important for you to conduct your own independent investigations before making any decisions. We go into more detail on this in the below disclaimer below – please make sure to read it in full.

This report should not be used in any way to make decisions around investment or involvement with any particular project. This report in no way provides investment advice, nor should be leveraged as investment advice of any sort. This report represents an extensive assessing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

This report is provided for information purposes only and on a non-reliance basis and does not constitute investment advice. No one shall have any right to rely on the report or its contents, and Sysfixed and its affiliates (including holding companies, shareholders, subsidiaries, employees, directors, officers, and other representatives) (Sysfixed) owe no duty of care.



ABOUT US

Sysfixed is a blockchain security certification organization established in 2021 with the objective to provide smart contract security services and verify their correctness in blockchain-based protocols. Sysfixed automatically scans for security vulnerabilities in Ethereum and other EVM-based blockchain smart contracts. Sysfixed a comprehensive range of analysis techniques—including static analysis, dynamic analysis, and symbolic execution—can accurately detect security vulnerabilities to provide an in-depth analysis report. With a vibrant ecosystem of world-class integration partners that amplify developer productivity, Sysfixed can be utilized in all phases of your project's lifecycle. Our team of security experts is dedicated to the research and improvement of our tools and techniques used to fortify your code.