



FPX Mobile

Smart Contract Audit Report

TABLE OF CONTENTS

Audited Details

- Audited Project
- Blockchain
- Addresses
- Project Website
- Codebase

Summary

- Contract Summary
- Audit Findings Summary
- Vulnerabilities Summary

Conclusion

Audit Results

Smart Contract Analysis

- Detected Vulnerabilities

Disclaimer

About Us

AUDITED DETAILS

Audited Project

Project name	Token ticker	Blockchain
FPX Mobile	FPX	Binance Smart Chain

Addresses

Contract address	0x556ab849f6d805020bb0df72f5f92e001522cc07
Contract deployer address	0x9F81a977FF761AAC965f0E234F223ce53d9547f1

Project Website

<https://www.fpxtoken.com/>

Codebase

<https://bscscan.com/address/0x556ab849f6d805020bb0df72f5f92e001522cc07#code>

SUMMARY

Fpx designs virtual and real products using Blockchain and Web 3.0 technology in order to bring a unique innovation to online pay systems made worldwide. The aim of our project is to enable the crypto assets in the existing exchange accounts of the users to be converted into coins that can be used in daily life in seconds with the high security Fpx Mobile App. With the infrastructure it is developing, FPX Token is a technology that contributes to the formation of a structure that can be easily used by everyone and is valid in all parts of the world and in all areas of other elite crypto currencies under its own leadership.

Contract Summary

Documentation Quality

FPX Mobile provides a very good documentation with standard of solidity base code.

- The technical description is provided clearly and structured and also dont have any high risk issue.

Code Quality

The Overall quality of the basecode is standard.

- Standard solidity basecode and rules are already followed by FPX Mobile with the discovery of several low issues.

Test Coverage

Test coverage of the project is 100% (Through Codebase)

Audit Findings Summary

- SWC-101 | It is recommended to use vetted safe math libraries for arithmetic operations consistently on lines 702, 702, 710, 710, 710, 712, 712, 853, 866, 879, 938, 941, 953, 953, 955, 955, 958, 958, 960, 960, 1018, 1018, 1018, 1019, 1019, 1019, 1020, 1020, 1020, 1021, 1021, 1021, 1036, 1038, 1049, 1049, 1050, 1055, 1082, 1104, 1104 and 1104.
- SWC-110 SWC-123 | It is recommended to use of revert(), assert(), and require() in Solidity, and the new REVERT opcode in the EVM on lines 975 and 976.

CONCLUSION

We have audited the FPX Mobile project released on March 2023 to discover issues and identify potential security vulnerabilities in FPX Mobile Project. This process is used to find technical issues and security loopholes which might be found in the smart contract.

The security audit report provides satisfactory results with low-risk issues.

The issues found in the FPX Mobile smart contract code do not pose a considerable risk. The writing of the contract is close to the standard of writing contracts in general. The low-risk issues found are some arithmetic operation issues and out-of-bounds array access. The index access expression can cause an exception in case of an invalid array index value.

AUDIT RESULT

Article	Category	Description	Result
Default Visibility	SWC-100 SWC-108	Functions and state variables visibility should be set explicitly. Visibility levels should be specified consciously.	PASS
Integer Overflow and Underflow	SWC-101	If unchecked math is used, all math operations should be safe from overflows and underflows.	ISSUE FOUND
Outdated Compiler Version	SWC-102	It is recommended to use a recent version of the Solidity compiler.	PASS
Floating Pragma	SWC-103	Contracts should be deployed with the same compiler version and flags that they have been tested thoroughly.	PASS
Unchecked Call Return Value	SWC-104	The return value of a message call should be checked.	PASS
Unprotected Ether Withdrawal	SWC-105	Due to missing or insufficient access controls, malicious parties can withdraw from the contract.	PASS
SELFDESTRUCT Instruction	SWC-106	The contract should not be self-destructible while it has funds belonging to users.	PASS
Reentrancy	SWC-107	Check effect interaction pattern should be followed if the code performs recursive call.	PASS
Uninitialized Storage Pointer	SWC-109	Uninitialized local storage variables can point to unexpected storage locations in the contract.	PASS
Assert Violation	SWC-110 SWC-123	Properly functioning code should never reach a failing assert statement.	ISSUE FOUND
Deprecated Solidity Functions	SWC-111	Deprecated built-in functions should never be used.	PASS
Delegate call to Untrusted Callee	SWC-112	Delegatecalls should only be allowed to trusted addresses.	PASS

DoS (Denial of Service)	SWC-113 SWC-128	Execution of the code should never be blocked by a specific contract state unless required.	PASS
Race Conditions	SWC-114	Race Conditions and Transactions Order Dependency should not be possible.	PASS
Authorization through tx.origin	SWC-115	tx.origin should not be used for authorization.	PASS
Block values as a proxy for time	SWC-116	Block numbers should not be used for time calculations.	PASS
Signature Unique ID	SWC-117 SWC-121 SWC-122	Signed messages should always have a unique id. A transaction hash should not be used as a unique id.	PASS
Incorrect Constructor Name	SWC-118	Constructors are special functions that are called only once during the contract creation.	PASS
Shadowing State Variable	SWC-119	State variables should not be shadowed.	PASS
Weak Sources of Randomness	SWC-120	Random values should never be generated from Chain Attributes or be predictable.	PASS
Write to Arbitrary Storage Location	SWC-124	The contract is responsible for ensuring that only authorized user or contract accounts may write to sensitive storage locations.	PASS
Incorrect Inheritance Order	SWC-125	When inheriting multiple contracts, especially if they have identical functions, a developer should carefully specify inheritance in the correct order. The rule of thumb is to inherit contracts from more /general/ to more /specific/.	PASS
Insufficient Gas Griefing	SWC-126	Insufficient gas griefing attacks can be performed on contracts which accept data and use it in a sub-call on another contract.	PASS
Arbitrary Jump Function	SWC-127	As Solidity doesnt support pointer arithmetics, it is impossible to change such variable to an arbitrary value.	PASS

Typographical Error	SWC-129	A typographical error can occur for example when the intent of a defined operation is to sum a number to a variable.	PASS
Override control character	SWC-130	Malicious actors can use the Right-To-Left-Override unicode character to force RTL text rendering and confuse users as to the real intent of a contract.	PASS
Unused variables	SWC-131 SWC-135	Unused variables are allowed in Solidity and they do not pose a direct security issue.	PASS
Unexpected Ether balance	SWC-132	Contracts can behave erroneously when they strictly assume a specific Ether balance.	PASS
Hash Collisions Variable	SWC-133	Using <code>abi.encodePacked()</code> with multiple variable length arguments can, in certain situations, lead to a hash collision.	PASS
Hardcoded gas amount	SWC-134	The <code>transfer()</code> and <code>send()</code> functions forward a fixed amount of 2300 gas.	PASS
Unencrypted Private Data	SWC-136	It is a common misconception that private type variables cannot be read.	PASS

SMART CONTRACT ANALYSIS

Started	Wednesday Mar 08 2023 12:06:48 GMT+0000 (Coordinated Universal Time)
Finished	Thursday Mar 09 2023 22:20:39 GMT+0000 (Coordinated Universal Time)
Mode	Standard
Main Source File	FpxMobile.sol

Detected Issues

ID	Title	Severity	Status
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "**" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "**" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged

SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged

SWC-101	ARITHMETIC OPERATION "+=" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged

SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED

LINE 702

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
701 uint256 private constant MAX = ~uint256(0);
702 uint256 private _tTotal = 1_000_000_000 * 10**_decimals;
703
704
705 //Tax Definition for Contraact
706
```

SWC-101 | ARITHMETIC OPERATION "**" DISCOVERED

LINE 702

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
701 uint256 private constant MAX = ~uint256(0);
702 uint256 private _tTotal = 1_000_000_000 * 10**_decimals;
703
704
705 //Tax Definition for Contraact
706
```

SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 710

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
709  uint256 public _reserveFee = 1;
710  uint256 public totalSwapableFee = _treasureFee + _liquidityFee + _marketingFee +
_reserveFee;
711  //Definition for the swapAndLiquify Trigger.
712  uint256 private minimumTokensBeforeSwap = 1_000_000 * 10**_decimals;
713  //Swap Controls
714
```

SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 710

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
709  uint256 public _reserveFee = 1;
710  uint256 public totalSwapableFee = _treasureFee + _liquidityFee + _marketingFee +
_reserveFee;
711  //Definition for the swapAndLiquify Trigger.
712  uint256 private minimumTokensBeforeSwap = 1_000_000 * 10**_decimals;
713  //Swap Controls
714
```

SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 710

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
709  uint256 public _reserveFee = 1;
710  uint256 public totalSwapableFee = _treasureFee + _liquidityFee + _marketingFee +
    _reserveFee;
711  //Definition for the swapAndLiquify Trigger.
712  uint256 private minimumTokensBeforeSwap = 1_000_000 * 10**_decimals;
713  //Swap Controls
714
```


SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED

LINE 712

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
711 //Definition for the swapAndLiquify Trigger.  
712 uint256 private minimumTokensBeforeSwap = 1_000_000 * 10**_decimals;  
713 //Swap Controls  
714 uint256 public constant swapOutput = 0;  
715 //Trading Controls added for SAFU Requirements  
716
```

SWC-101 | ARITHMETIC OPERATION "**" DISCOVERED

LINE 712

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
711 //Definition for the swapAndLiquify Trigger.  
712 uint256 private minimumTokensBeforeSwap = 1_000_000 * 10**_decimals;  
713 //Swap Controls  
714 uint256 public constant swapOutput = 0;  
715 //Trading Controls added for SAFU Requirements  
716
```

SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 853

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
852  _msgSender(),
853  _allowances[sender][_msgSender()] - amount
854  );
855  return true;
856  }
857
```

SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 866

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
865     spender,  
866     _allowances[_msgSender()][spender] + addedValue  
867     );  
868     return true;  
869 }  
870
```

SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 879

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
878     spender,  
879     _allowances[_msgSender()][spender] - subtractedValue  
880     );  
881     return true;  
882     }  
883
```

SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

LINE 938

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
937 uint256 initialBalance = address(this).balance;
938 uint256 halfLiquidityTokens = liquidityTokensCollected / 2;
939 swapTokensForEth(halfLiquidityTokens);
940
941 uint256 newBalance = address(this).balance - initialBalance;
942
```

SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 941

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
940
941  uint256 newBalance = address(this).balance - initialBalance;
942  addLiquidity(halfLiquidityTokens, newBalance);
943  emit SwapAndLiquify(
944    halfLiquidityTokens,
945
```

SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 953

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
952
953  uint256 walletsTotal = treasureTokensCollected + marketingTokensCollected +
reserveTokensCollected;
954
955  uint256 ethForTreasure = (newBalance * treasureTokensCollected) /
956  walletsTotal;
957
```


SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 953

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
952
953  uint256 walletsTotal = treasureTokensCollected + marketingTokensCollected +
reserveTokensCollected;
954
955  uint256 ethForTreasure = (newBalance * treasureTokensCollected) /
956  walletsTotal;
957
```

SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

LINE 955

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
954
955  uint256 ethForTreasure = (newBalance * treasureTokensCollected) /
956  walletsTotal;
957
958  uint256 ethForMarketing = (newBalance * marketingTokensCollected) / walletsTotal;
959
```

SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED

LINE 955

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
954
955  uint256 ethForTreasure = (newBalance * treasureTokensCollected) /
956  walletsTotal;
957
958  uint256 ethForMarketing = (newBalance * marketingTokensCollected) / walletsTotal;
959
```

SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

LINE 958

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
957
958  uint256 ethForMarketing = (newBalance * marketingTokensCollected) / walletsTotal;
959
960  uint256 ethForReserve = (newBalance * reserveTokensCollected) / walletsTotal;
961
962
```

SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED

LINE 958

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
957
958  uint256 ethForMarketing = (newBalance * marketingTokensCollected) / walletsTotal;
959
960  uint256 ethForReserve = (newBalance * reserveTokensCollected) / walletsTotal;
961
962
```

SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

LINE 960

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
959
960  uint256 ethForReserve = (newBalance * reserveTokensCollected) / walletsTotal;
961
962  transferToAddressETH(treasureWalletAddress, ethForTreasure);
963  transferToAddressETH(marketingWalletAddress, ethForMarketing);
964
```

SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED

LINE 960

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
959
960  uint256 ethForReserve = (newBalance * reserveTokensCollected) / walletsTotal;
961
962  transferToAddressETH(treasureWalletAddress, ethForTreasure);
963  transferToAddressETH(marketingWalletAddress, ethForMarketing);
964
```

SWC-101 | ARITHMETIC OPERATION "+=" DISCOVERED

LINE 1018

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
1017 function countUpFeeShare(uint256 amount) private {
1018     liquidityTokensCollected += (amount * _liquidityFee) / 100;
1019     treasureTokensCollected += (amount * _treasureFee) / 100;
1020     marketingTokensCollected += (amount * _marketingFee) / 100;
1021     reserveTokensCollected += (amount * _reserveFee) / 100;
1022 }
```


SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

LINE 1018

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
1017 function countUpFeeShare(uint256 amount) private {
1018     liquidityTokensCollected += (amount * _liquidityFee) / 100;
1019     treasureTokensCollected += (amount * _treasureFee) / 100;
1020     marketingTokensCollected += (amount * _marketingFee) / 100;
1021     reserveTokensCollected += (amount * _reserveFee) / 100;
1022 }
```

SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED

LINE 1018

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
1017 function countUpFeeShare(uint256 amount) private {
1018     liquidityTokensCollected += (amount * _liquidityFee) / 100;
1019     treasureTokensCollected += (amount * _treasureFee) / 100;
1020     marketingTokensCollected += (amount * _marketingFee) / 100;
1021     reserveTokensCollected += (amount * _reserveFee) / 100;
1022 }
```

SWC-101 | ARITHMETIC OPERATION "+=" DISCOVERED

LINE 1019

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
1018 liquidityTokensCollected += (amount * _liquidityFee) / 100;  
1019 treasureTokensCollected += (amount * _treasureFee) / 100;  
1020 marketingTokensCollected += (amount * _marketingFee) / 100;  
1021 reserveTokensCollected += (amount * _reserveFee) / 100;  
1022 }  
1023
```

SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

LINE 1019

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
1018 liquidityTokensCollected += (amount * _liquidityFee) / 100;  
1019 treasureTokensCollected += (amount * _treasureFee) / 100;  
1020 marketingTokensCollected += (amount * _marketingFee) / 100;  
1021 reserveTokensCollected += (amount * _reserveFee) / 100;  
1022 }  
1023
```

SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED

LINE 1019

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
1018 liquidityTokensCollected += (amount * _liquidityFee) / 100;  
1019 treasureTokensCollected += (amount * _treasureFee) / 100;  
1020 marketingTokensCollected += (amount * _marketingFee) / 100;  
1021 reserveTokensCollected += (amount * _reserveFee) / 100;  
1022 }  
1023
```

SWC-101 | ARITHMETIC OPERATION "+=" DISCOVERED

LINE 1020

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
1019     treasureTokensCollected += (amount * _treasureFee) / 100;
1020     marketingTokensCollected += (amount * _marketingFee) / 100;
1021     reserveTokensCollected += (amount * _reserveFee) / 100;
1022 }
1023
1024
```

SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

LINE 1020

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
1019     treasureTokensCollected += (amount * _treasureFee) / 100;
1020     marketingTokensCollected += (amount * _marketingFee) / 100;
1021     reserveTokensCollected += (amount * _reserveFee) / 100;
1022 }
1023
1024
```

SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED

LINE 1020

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
1019     treasureTokensCollected += (amount * _treasureFee) / 100;
1020     marketingTokensCollected += (amount * _marketingFee) / 100;
1021     reserveTokensCollected += (amount * _reserveFee) / 100;
1022 }
1023
1024
```


SWC-101 | ARITHMETIC OPERATION "+=" DISCOVERED

LINE 1021

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
1020 marketingTokensCollected += (amount * _marketingFee) / 100;  
1021 reserveTokensCollected += (amount * _reserveFee) / 100;  
1022 }  
1023  
1024 function _transferBothExcluded(  
1025
```

SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

LINE 1021

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
1020 marketingTokensCollected += (amount * _marketingFee) / 100;  
1021 reserveTokensCollected += (amount * _reserveFee) / 100;  
1022 }  
1023  
1024 function _transferBothExcluded(  
1025
```

SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED

LINE 1021

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
1020 marketingTokensCollected += (amount * _marketingFee) / 100;  
1021 reserveTokensCollected += (amount * _reserveFee) / 100;  
1022 }  
1023  
1024 function _transferBothExcluded(  
1025
```

SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 1036

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
1035     }  
1036     _tOwned[sender] = _tOwned[sender] - tAmount;  
1037  
1038     _tOwned[recipient] = _tOwned[recipient] + tTransferAmount;  
1039  
1040
```

SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 1038

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
1037
1038   _tOwned[recipient] = _tOwned[recipient] + tTransferAmount;
1039
1040   emit Transfer(sender, recipient, tTransferAmount);
1041   }
1042
```

SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

LINE 1049

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
1048 //uint256 tFee = calculateTaxFee(tAmount);
1049 uint256 tLiquidity = (tAmount * totalSwapableFee) / 100;
1050 uint256 tTransferAmount = (tAmount) - tLiquidity;
1051 return (tTransferAmount, tLiquidity);
1052 }
1053
```

SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED

LINE 1049

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
1048 //uint256 tFee = calculateTaxFee(tAmount);
1049 uint256 tLiquidity = (tAmount * totalSwapableFee) / 100;
1050 uint256 tTransferAmount = (tAmount) - tLiquidity;
1051 return (tTransferAmount, tLiquidity);
1052 }
1053
```

SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 1050

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
1049 uint256 tLiquidity = (tAmount * totalSwapableFee) / 100;
1050 uint256 tTransferAmount = (tAmount) - tLiquidity;
1051 return (tTransferAmount, tLiquidity);
1052 }
1053
1054
```


SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 1055

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
1054 function _takeLiquidity(uint256 tLiquidity) private {
1055     _tOwned[address(this)] = _tOwned[address(this)] + tLiquidity;
1056     //emit Transfer(address(0), address(this), tLiquidity);
1057 }
1058 //Include, Exclude from Fees and a view to confirm.
1059
```

SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

LINE 1082

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
1081  {
1082  require(_minimumTokensBeforeSwap >_tTotal / 1_000_000,
"setNumTokensSellToAddToLiquidity must be greater than 0.0001% of total supply");
1083  minimumTokensBeforeSwap = _minimumTokensBeforeSwap;
1084  emit Log("We have updated minimumTokensBeforeSwap to:",minimumTokensBeforeSwap);
1085  }
1086
```

SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 1104

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
1103  _reserveFee = _newReserveFee;  
1104  totalSwapableFee = _treasureFee + _liquidityFee + _marketingFee + _reserveFee;  
1105  emit Log("We have updated the total taxes to",totalSwapableFee);  
1106  
1107  }  
1108
```

SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 1104

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
1103  _reserveFee = _newReserveFee;  
1104  totalSwapableFee = _treasureFee + _liquidityFee + _marketingFee + _reserveFee;  
1105  emit Log("We have updated the total taxes to",totalSwapableFee);  
1106  
1107  }  
1108
```

SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 1104

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- FpxMobile.sol

Locations

```
1103  _reserveFee = _newReserveFee;  
1104  totalSwapableFee = _treasureFee + _liquidityFee + _marketingFee + _reserveFee;  
1105  emit Log("We have updated the total taxes to",totalSwapableFee);  
1106  
1107  }  
1108
```

SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 975

low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- FpxMobile.sol

Locations

```
974 address[] memory path = new address[](2);
975 path[0] = address(this);
976 path[1] = uniswapV2Router.WETH();
977 _approve(address(this), address(uniswapV2Router), tokenAmount);
978
979
```

SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 976

low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- FpxMobile.sol

Locations

```
975 path[0] = address(this);
976 path[1] = uniswapV2Router.WETH();
977 _approve(address(this), address(uniswapV2Router), tokenAmount);
978
979 // make the swap
980
```

DISCLAIMER

This report is subject to the terms and conditions (including without limitation, description of services, confidentiality, disclaimer and limitation of liability) set forth in the Services Agreement, or the scope of services, and terms and conditions provided to you (“Customer” or the “Company”) in connection with the Agreement. This report provided in connection with the Services set forth in the Agreement shall be used by the Company only to the extent permitted under the terms and conditions set forth in the Agreement. This report may not be transmitted, disclosed, referred to, or relied upon by any person for any purposes, nor may copies be delivered to any other person other than the Company, without Sysfixed’s prior written consent in each instance.

This report is not, nor should be considered, an “endorsement” or “disapproval” of any particular project or team. This report is not, nor should be considered, an indication of the economics or value of any “product” or “asset” created by any team or project that contracts Sysfixed to perform a security assessment. This report does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors, business, business model, or legal compliance.

This is a limited report on our findings based on our analysis, in accordance with good industry practice as of the date of this report, in relation to cybersecurity vulnerabilities and issues in the framework and algorithms based on smart contracts, the details of which are set out in this report. In order to get a full view of our analysis, it is crucial for you to read the full report. While we have done our best in conducting our analysis and producing this report, it is important to note that you should not rely on this report and cannot claim against us on the basis of what it says or doesn’t say, or how we produced it, and it is important for you to conduct your own independent investigations before making any decisions. We go into more detail on this in the below disclaimer below – please make sure to read it in full.

This report should not be used in any way to make decisions around investment or involvement with any particular project. This report in no way provides investment advice, nor should be leveraged as investment advice of any sort. This report represents an extensive assessing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

This report is provided for information purposes only and on a non-reliance basis and does not constitute investment advice. No one shall have any right to rely on the report or its contents, and Sysfixed and its affiliates (including holding companies, shareholders, subsidiaries, employees, directors, officers, and other representatives) (Sysfixed) owe no duty of care.

ABOUT US

Sysfixed is a blockchain security certification organization established in 2021 with the objective to provide smart contract security services and verify their correctness in blockchain-based protocols. Sysfixed automatically scans for security vulnerabilities in Ethereum and other EVM-based blockchain smart contracts. Sysfixed a comprehensive range of analysis techniques—including static analysis, dynamic analysis, and symbolic execution—can accurately detect security vulnerabilities to provide an in-depth analysis report. With a vibrant ecosystem of world-class integration partners that amplify developer productivity, Sysfixed can be utilized in all phases of your project's lifecycle. Our team of security experts is dedicated to the research and improvement of our tools and techniques used to fortify your code.