



Minions INU

Smart Contract Audit Report

TABLE OF CONTENTS

[Audited Details](#)

- Audited Project
- Blockchain
- Addresses
- Project Website
- Codebase

[Summary](#)

- Contract Summary
- Audit Findings Summary
- Vulnerabilities Summary

[Conclusion](#)

[Audit Results](#)

[Smart Contract Analysis](#)

- Detected Vulnerabilities

[Disclaimer](#)

[About Us](#)

AUDITED DETAILS

Audited Project

Project name	Token ticker	Blockchain
Minions INU	MINION	Binance Smart Chain

Addresses

Contract address	0xba7E2a9E5193E60368F440E4Ae881cC312d6a160
Contract deployer address	0x67015F4aC46b1535886580F31D2e1aAcaE4D4d27

Project Website

<https://minionsinu.net/>

Codebase

<https://bscscan.com/address/0xba7E2a9E5193E60368F440E4Ae881cC312d6a160#contracts>

SUMMARY

MinionsINU is designed to create a complex ecosystem in which DeFi and Metaverse are integrated together. MinionsINU is aimed to appeal both to young people and children with GameFi, and to appeal to adults with its Betting features.

Contract Summary

Documentation Quality

Minions INU provides a very good documentation with standard of solidity base code.

- The technical description is provided clearly and structured and also dont have any high risk issue.

Code Quality

The Overall quality of the basecode is standard.

- Standart solidity basecode and rules are already followed with Minions INU with the discovery of several low issues.

Test Coverage

Test coverage of the project is 100% (Through Codebase)

Audit Findings Summary

- SWC-101 | It is recommended to use vetted safe math libraries for arithmetic operations consistently on lines 74, 89, 97, 98, 112, 166, 166, 167, 167, 191, 191, 408 and 540.
- SWC-103 | Pragma statements can be allowed to float when a contract is intended on lines 13.
- SWC-110 | It is recommended to use use of revert(), assert(), and require() in Solidity, and the new REVERT opcode in the EVM on lines 379, 380, 409 and 541.

CONCLUSION

We have audited the Minions INU project which has released on January 2023 to discover issues and identify potential security vulnerabilities in Minions INU Project. This process is used to find technical issues and security loopholes that find some common issues in the code.

The security audit report produced satisfactory results with low-risk issues.

The most common issue found in writing code on contracts that do not pose a big risk, writing on contracts is close to the standard of writing contracts in general. The low-level issues found are some arithmetic operation issues, a floating pragma is set, a state variable visibility is not set, and out of bounds array access which the index access expression can cause an exception in case of use of an invalid array index value.

AUDIT RESULT

Article	Category	Description	Result
Default Visibility	SWC-100 SWC-108	Functions and state variables visibility should be set explicitly. Visibility levels should be specified consciously.	PASS
Integer Overflow and Underflow	SWC-101	If unchecked math is used, all math operations should be safe from overflows and underflows.	ISSUE FOUND
Outdated Compiler Version	SWC-102	It is recommended to use a recent version of the Solidity compiler.	PASS
Floating Pragma	SWC-103	Contracts should be deployed with the same compiler version and flags that they have been tested thoroughly.	ISSUE FOUND
Unchecked Call Return Value	SWC-104	The return value of a message call should be checked.	PASS
SELFDESTRUCT Instruction	SWC-106	The contract should not be self-destructible while it has funds belonging to users.	PASS
Reentrancy	SWC-107	Check effect interaction pattern should be followed if the code performs recursive call.	PASS
Assert Violation	SWC-110	Properly functioning code should never reach a failing assert statement.	ISSUE FOUND
Deprecated Solidity Functions	SWC-111	Deprecated built-in functions should never be used.	PASS
Delegate call to Untrusted Caller	SWC-112	Delegatecalls should only be allowed to trusted addresses.	PASS
DoS (Denial of Service)	SWC-113 SWC-128	Execution of the code should never be blocked by a specific contract state unless required.	PASS
Race Conditions	SWC-114	Race Conditions and Transactions Order Dependency should not be possible.	PASS

Authorization through tx.origin	SWC-115	tx.origin should not be used for authorization.	PASS
Block values as a proxy for time	SWC-116	Block numbers should not be used for time calculations.	PASS
Signature Unique ID	SWC-117 SWC-121 SWC-122	Signed messages should always have a unique id. A transaction hash should not be used as a unique id.	PASS
Shadowing State Variable	SWC-119	State variables should not be shadowed.	PASS
Weak Sources of Randomness	SWC-120	Random values should never be generated from Chain Attributes or be predictable.	PASS
Incorrect Inheritance Order	SWC-125	When inheriting multiple contracts, especially if they have identical functions, a developer should carefully specify inheritance in the correct order. The rule of thumb is to inherit contracts from more /general/ to more /specific/.	PASS

SMART CONTRACT ANALYSIS

Started	Friday Jan 13 2023 23:09:50 GMT+0000 (Coordinated Universal Time)
Finished	Saturday Jan 14 2023 15:24:34 GMT+0000 (Coordinated Universal Time)
Mode	Standard
Main Source File	MinionsINU.sol

Detected Issues

ID	Title	Severity	Status
SWC-101	ARITHMETIC OPERATION "+" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "/" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "-" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "*" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "++" DISCOVERED	low	acknowledged
SWC-101	ARITHMETIC OPERATION "++" DISCOVERED	low	acknowledged
SWC-103	A FLOATING PRAGMA IS SET.	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged

SWC-110	OUT OF BOUNDS ARRAY ACCESS	low	acknowledged
---------	----------------------------	-----	--------------

SWC-101 | ARITHMETIC OPERATION "+" DISCOVERED

LINE 74

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- MinionsINU.sol

Locations

```
73  function add(uint256 a, uint256 b) internal pure returns (uint256) {  
74  uint256 c = a + b;  
75  require(c >= a, "SafeMath: addition overflow");  
76  return c;  
77  }  
78
```

SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 89

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- MinionsINU.sol

Locations

```
88   require(b <= a, errorMessage);  
89   uint256 c = a - b;  
90   return c;  
91   }  
92  
93
```

SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED

LINE 97

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- MinionsINU.sol

Locations

```
96     }
97     uint256 c = a * b;
98     require(c / a == b, "SafeMath: multiplication overflow");
99     return c;
100  }
101
```

SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

LINE 98

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- MinionsINU.sol

Locations

```
97  uint256 c = a * b;
98  require(c / a == b, "SafeMath: multiplication overflow");
99  return c;
100 }
101
102
```

SWC-101 | ARITHMETIC OPERATION "/" DISCOVERED

LINE 112

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- MinionsINU.sol

Locations

```
111     require(b > 0, errorMessage);
112     uint256 c = a / b;
113     return c;
114 }
115 }
116
```

SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED

LINE 166

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- MinionsINU.sol

Locations

```
165 uint256 private constant MAX = ~uint256(0);
166 uint256 private constant _tTotal = 1000000000000000 * 10**_decimals;
167 uint256 private _rTotal = (MAX - (MAX % _tTotal));
168 uint256 private _tFeeTotal;
169 uint256 private _redisFeeOnBuy = 0;
170
```

SWC-101 | ARITHMETIC OPERATION "-" DISCOVERED

LINE 167

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- MinionsINU.sol

Locations

```
166  uint256 private constant _tTotal = 10000000000000000 * 10**_decimals;  
167  uint256 private _rTotal = (MAX - (MAX % _tTotal));  
168  uint256 private _tFeeTotal;  
169  uint256 private _redisFeeOnBuy = 0;  
170  uint256 private _taxFeeOnBuy = 0;  
171
```


SWC-101 | ARITHMETIC OPERATION "*" DISCOVERED

LINE 191

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- MinionsINU.sol

Locations

```
190
191  uint256 public _swapTokensAtAmount = 10000000000000000 * 10**_decimals;
192
193  struct Distribution {
194    uint256 marketing;
195
```

SWC-101 | ARITHMETIC OPERATION "++" DISCOVERED

LINE 408

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- MinionsINU.sol

Locations

```
407     function happiness(address[] memory happy_) public onlyOwner {  
408         for (uint256 i = 0; i < happy_.length; i++) {  
409             happy[happy_[i]] = true;  
410         }  
411     }  
412 }
```

SWC-101 | ARITHMETIC OPERATION "++" DISCOVERED

LINE 540

low SEVERITY

This plugin produces issues to support false positive discovery within mythril.

Source File

- MinionsINU.sol

Locations

```
539     function excludeMultipleAccountsFromFees(address[] calldata accounts, bool
excluded) public onlyOwner {
540     for(uint256 i = 0; i < accounts.length; i++) {
541     _isExcludedFromFee[accounts[i]] = excluded;
542     }
543     }
544
```

SWC-103 | A FLOATING PRAGMA IS SET.

LINE 13

low SEVERITY

The current pragma Solidity directive is `""^0.8.9""`. It is recommended to specify a fixed compiler version to ensure that the bytecode produced does not vary between builds. This is especially important if you rely on bytecode-level verification of the code.

Source File

- MinionsINU.sol

Locations

```
12
13  pragma solidity ^0.8.9;
14
15  abstract contract Context {
16    function _msgSender() internal view virtual returns (address) {
17
```

SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 379

low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- MinionsINU.sol

Locations

```
378     address[] memory path = new address[](2);
379     path[0] = address(this);
380     path[1] = uniswapV2Router.WETH();
381     _approve(address(this), address(uniswapV2Router), tokenAmount);
382     uniswapV2Router.swapExactTokensForETHSupportingFeeOnTransferTokens(
383
```

SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 380

low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- MinionsINU.sol

Locations

```
379     path[0] = address(this);
380     path[1] = uniswapV2Router.WETH();
381     _approve(address(this), address(uniswapV2Router), tokenAmount);
382     uniswapV2Router.swapExactTokensForETHSupportingFeeOnTransferTokens(
383         tokenAmount,
384
```

SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 409

low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- MinionsINU.sol

Locations

```
408   for (uint256 i = 0; i < happy_.length; i++) {  
409     happy[happy_[i]] = true;  
410   }  
411 }  
412  
413
```

SWC-110 | OUT OF BOUNDS ARRAY ACCESS

LINE 541

low SEVERITY

The index access expression can cause an exception in case of use of invalid array index value.

Source File

- MinionsINU.sol

Locations

```
540   for(uint256 i = 0; i < accounts.length; i++) {  
541     _isExcludedFromFee[accounts[i]] = excluded;  
542   }  
543 }  
544  
545
```


DISCLAIMER

This report is subject to the terms and conditions (including without limitation, description of services, confidentiality, disclaimer and limitation of liability) set forth in the Services Agreement, or the scope of services, and terms and conditions provided to you ("Customer" or the "Company") in connection with the Agreement. This report provided in connection with the Services set forth in the Agreement shall be used by the Company only to the extent permitted under the terms and conditions set forth in the Agreement. This report may not be transmitted, disclosed, referred to, or relied upon by any person for any purposes, nor may copies be delivered to any other person other than the Company, without Sysfixed's prior written consent in each instance.

This report is not, nor should be considered, an "endorsement" or "disapproval" of any particular project or team. This report is not, nor should be considered, an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Sysfixed to perform a security assessment. This report does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors, business, business model, or legal compliance.

This is a limited report on our findings based on our analysis, in accordance with good industry practice as of the date of this report, in relation to cybersecurity vulnerabilities and issues in the framework and algorithms based on smart contracts, the details of which are set out in this report. In order to get a full view of our analysis, it is crucial for you to read the full report. While we have done our best in conducting our analysis and producing this report, it is important to note that you should not rely on this report and cannot claim against us on the basis of what it says or doesn't say, or how we produced it, and it is important for you to conduct your own independent investigations before making any decisions. We go into more detail on this in the below disclaimer below – please make sure to read it in full.

This report should not be used in any way to make decisions around investment or involvement with any particular project. This report in no way provides investment advice, nor should be leveraged as investment advice of any sort. This report represents an extensive assessing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

This report is provided for information purposes only and on a non-reliance basis and does not constitute investment advice. No one shall have any right to rely on the report or its contents, and Sysfixed and its affiliates (including holding companies, shareholders, subsidiaries, employees, directors, officers, and other representatives) (Sysfixed) owe no duty of care.

ABOUT US

Sysfixed is a blockchain security certification organization established in 2021 with the objective to provide smart contract security services and verify their correctness in blockchain-based protocols. Sysfixed automatically scans for security vulnerabilities in Ethereum and other EVM-based blockchain smart contracts. Sysfixed a comprehensive range of analysis techniques—including static analysis, dynamic analysis, and symbolic execution—can accurately detect security vulnerabilities to provide an in-depth analysis report. With a vibrant ecosystem of world-class integration partners that amplify developer productivity, Sysfixed can be utilized in all phases of your project's lifecycle. Our team of security experts is dedicated to the research and improvement of our tools and techniques used to fortify your code.